

DRAIN OPENERS & CLEANERS



LIQUID GLUG® DRAIN OPENER FOR THE KITCHEN OR BATHROOM



Non-acid, maximum strength, liquid drain opener with clog-specific formulation. For the bath: attacks clogs caused by hair and soap deposits. Pours through standing water - its denser-than-water formula travels straight to the clog to

begin working. Clear sluggish drain lines & help prevent clogging. Will not harm plumbing fixtures, metal or plastic pipes or septic systems.

Locke#

M1224 1 Quart Liquid GLUG-Bath

M1225 1 Quart Liquid GLUG-Kitchen



CLOBBER® ACID DRAIN OPENER



Highly concentrated sulfuric acid drain opener. Sales are strictly limited to Professionals ONLY. Not for retail sales. Tested best by independent lab tests of all leading brands against pipe corrosion. Dissolves organic matter quickly.

Locke#

M0726 1 Quart Acid Drain Opener

M0741 ½ Gallon Acid Drain Opener



DRAIN OPENER



This is a uniquely formulated sulfuric acid based drain opener that is both powerful & safer. We have taken out the extreme heat & locked in the strength to quickly dissolve all organic substances.

Locke#

M0730 1 Quart S-T Drain Opener

Unique Marketing & Manufacturing

SUPER DIGEST-IT SAFE DRAIN OPENER



For use in plugged and slow drains, grease traps, septic tanks, R.V. and boat holding tanks, porta-toilets, and dump stations. Works through standing water, will not freeze.

Locke#

M1080 1 Qt. Safe Drain Opener

Unique Marketing & Manufacturing

SEPTIC FIELD REJUVENATOR BACTERIAL / ENZYME ACTION



Septic Field Rejuvenator is loaded with grease eating bacteria that will eat all or most of the grease within 72 hours and your septic system will be perking again. Restores totally backed up septic fields without digging them up. Completely Safe For Your Family & Pets

Locke#

M1848 Septic Field Rejuvenator Quart

Jones Stephens Corp. FLOWEASY DRAIN OPENER



A buffered organic digester that is cleans out even the toughest clogs in a snap. It cuts through grease, paper, hair, fat, soap, and other organic materials, but is safe for metal pipes, pvc pipes and even septic tanks.

Locke#

M1844 1 Qt. bottle of Floweasy

M1845 ½ Gal. bottle of Floweasy



DRAIN CLEANER



THRIFT is a nonacid formula and will not harm fine fixtures, chrome trim or plastic pipes. Thrift is highly recommended for use in drains, septic tanks, grease traps and root growth in sewer lines.

Locke#

M0846 1 Lb. Thrift Drain Cleaner

M0847 2 Lb. Thrift Drain Cleaner

M0848 6 Lb. Thrift Drain Cleaner

S.O.S. ROOTOUT



It is a simple, safe, inexpensive chemical means of destroying fungi, slime & roots. No cutting. No digging. No acid. No caustic fumes. Harmless to trees.

Locke#

M0746 2 Lbs. S.O.S. Rootout



BREAK-THRU ROOT FORCE™ FOAMING ROOT DESTROYER



Kills roots and prevents the growth of new roots without injury to the main tree or shrub.

Locke#

M0727 20550 Two 8 oz. bags

Thank You For
Your Business!

TUB/ALL-PURPOSE CLEANERS & JOINT COMPOUNDS

WHIRLPOOL BATHTUB CLEANER



Every Whirlpool bath piping system should be cleaned regularly to prevent bacteria and mold build up. "Clean Way" is designed to keep your whirlpool sanitized. NOTE: Cleaning - Maintenance instructions are included with each container.

Locke#

M0773 32 oz. Whirlpool Tub Cleaner

FIBERGLASS CLEANER



Specifically formulated to remove soap scum & body oil coatings from fiberglass tubs & showers to brighten the glossy finish. Effective on ceramic walls, grout, concrete & terrazzo floors & plumbing fixtures.

Locke#

M0770 32 oz. Fiberglass Cleaner



DE-LIMER & BOWL CLEANER



This cleaner is formulated to free the rim holes, jets & trap of lime, rust & scale which causes poor flushing action. Restores glossy new look, in one application, economically. Excellent for humidifiers, water coils, waterlines, water pipes, valves, water pumps, water heaters, and boilers

Locke#

M0729 1 Quart De-limer & Cleaner

M0724 1 Gallon De-limer & Cleaner

M0757 Acid-Proof Swab Brush



GREEN CLEAN



- Use it everywhere!!
- Safe, nontoxic, biodegradable & nonflammable.
- A concentrated all-purpose cleanser/degreaser.

Locke#

M0327 All Purpose Cleaner



7718 Tyler Boulevard Mentor, Ohio 44060
Telephone (900) 321-3599 • Fax (216) 295-1072

INDUSTRIAL GRADE PIPE THREAD COMPOUND



BLUE MONSTER Industrial Grade Pipe Thread Compound is a slow-drying, soft-setting, non-hardening pipe thread compound. Specially formulated with superb "sticking" characteristics, BLUE MONSTER applies evenly and quickly to threads. Recommended for on-site or assembly line work, BLUE MONSTER is lead-free, non-toxic and will not harden or separate in the can. Not recommended for use on oxygen systems.

Locke#

M1856 76009 ¼ pint thread sealant

M1857 76011 ½ pint thread sealant

M1858 76015 1 pint thread sealant



7718 Tyler Boulevard Mentor, Ohio 44060
Telephone (900) 321-3599 • Fax (216) 295-1072

HEAVY-DUTY INDUSTRIAL GRADE PIPE THREAD COMPOUND WITH PTFE



BLUE MONSTER PTFE pipe thread sealant is formulated with PTFE resin, a polymer consisting of recurring tetrafluoroethylene monomers whose formula is (CF₂-CF₂). It is inert and compatible with a very wide range of materials. Use Blue Monster on threads made from all metals, PVC, CPVC, ABS and nylon plastic pipe systems. Not recommended for use on oxygen systems.

Locke#

M1863 76001 ¼ pint PTFE sealant

M1864 76003 ½ pint PTFE sealant

M1865 76005 1 pint PTFE sealant

IPS

WHITE SEAL PIPE JOINT COMPOUND WITH TEFLON



Grit-free, extreme duty pipe joint compound with a special blend of homogenized Teflon particles and non-toxic oils; for sealing and lubricating all metal and most plastic threaded piping systems carrying acids, air & gases,

ammonia, brine, caustic alkalis, corrosives, freons, fuel & oils, solvents, sugar, steam and water. Not for fluorine, molten metals or oxygen systems. NSF listed.

Locke#

M1853 87725 ¼pt. Teflon Joint Compound

M1854 87730 ½pt. Teflon Joint Compound



PTFE PIPE JOINT COMPOUND



This is a unique NON-HARDENING PTFE paste; seals all threaded connections against leakage from internal pressure. It will not separate like many other brands.

Withstands 10,000 PSI at 100° F - +600° F. It is formulated for use on water, steam, natural & LP gas, oil, caustics or dilute acid lines.

Locke#

M1211 31232 1 Pt PTFE Compound

M1212 31231 ½ Pt PTFE Compound

M1213 31230 ¼ Pt PTFE Compound

RECTORSEAL

TRU-BLU™ PIPE THREAD SEALANT With PTFE*



A fast-dry, flexible set thread sealant designed for high vibration environments such as refrigeration and industrial applications. PTFE* has been added to enhance thread lubrication during assembly and break out. Recommended

for use on threaded galvanized steel, iron, brass, copper, aluminum, stainless steel, polyethylene, fiberglass reinforced, PVC, and CPVC pipe. Great for use as a positive lock and seal on threaded fasteners.

Locke#

M1765 31551 ½pt. thread sealant

JOINT COMPOUNDS & PLUMBERS PUTTY

Oatey®

PIPE JOINT COMPOUND



Lubricates & seals threaded pipe joints on seam, hot or cold water, ammonia or compressed air piping. No lead.

Locke#

M0747 1.5 oz Pipe joint compound

IPS

WATERPROOF PIPE JOINT COMPOUND



No waste, never spoils. A screw thread & gasket joint compound for water, natural gas, steam, air, etc. A plastic filler & lubricant that will permanently seal the most obstinate joint. Lead free. **Not a quick hardening cement. Not for use on ABS or CPVC pipe or fittings.**

Locke#

M0754 ½ Pt. Pipe joining compound

SEWER JOINT COMPOUND



Locke#

M0731 5 Gal. sewer joint compound

RECTORSEAL

PIPE JOINING COMPOUND



Metal pipe joining compound. Slow to dry, soft set. Non-hardening, non-sizing.

Locke#

M0776 ¼ Pt. pipe joining compound

M0765 ½ Pt. pipe joining compound

M0777 1 Pt. pipe joining compound

HERCULES®

MEGALOC PIPE SEALANT



Locke#

M1220 ¼ Pt. Plastic/metal pipe sealant

M1221 ½ Pt. Plastic/metal pipe sealant

M1222 1 Pt. Plastic/metal pipe sealant

HERCULES®

THREAD SEALANT



PTFE sealant system. Certified for use on drinking water lines. Soft setting, extreme temp. range (-200 F to +500°F). **Contains no lead.**

Locke#

M1223 ½ Pint Thread Sealant

HERCULES®

STA PUT® ULTRA™ STAINLESS PLUMBERS PUTTY



Safe for use in setting most types of plumbing fixtures and surfaces. Unlike all other plumber's putty it is oil-free and can be used on porous surfaces without pre-treatment. Sta Put Ultra is clean to handle, odorless and non-toxic. It has excellent tack and adheres well to most types of dry surfaces even in vertical positions. Sta Put Ultra does not melt, rot, crumble, dry out or shrink even when used in contact with porous surfaces like wood or concrete.

Locke#

M1788 25171 14 oz. Putty

Black Swan®

PLUMBERS' PUTTY



A plastic putty that will not harden, crack or crumble. For setting closet bowls, sink strainers & many other applications. Has excellent adhesive qualities. A stainless putty. Not for use on marble.

Locke#

M0788 14 oz. plumbers' putty

M0786 3 lb. plumbers' putty

M0787 5 lb. plumbers' putty

LACO®

SLIC-TITE




Heavy duty thread sealing compound. Nontoxic, non-drying, anti-size. Brushes on in cold or heat. Do not use with oxygen. Use on metal and PVC pipe thread connections. With PTFE.

Locke#

M0766 ½ Pint Slic-Tite with PTFE

LACO®

SLIC-TITE PASTE WITH PTFE



Heavy Duty Thread Compound Nontoxic, non-drying, anti-seize. Brushes on in cold or heat. Seal on many difficult thread applications. U.L. classified.

DO NOT USE ON OXYGEN SYSTEMS.

Locke#

M0881 1.5 oz Slic-Tite paste white

LACO®

T-O-T PIPE JOINT COMPOUND



Non-hardening, non-toxic, contains no lead and is safe for food lines. Use for water, steam, air, gas, diluted acids and alkalis. Effective in heat and cold. **DO NOT** use on oxygen systems. Use on metal threads only. **NOT for PVC or nylon.**

Locke#

M0752 ½ Pint Pipe dope for metal

Oatey®

LIQUILOCK™



Oatey LiquiLock Gel will solidify water in the toilet bowl providing a clean, fast and easy method for removal of the toilet. The toilet bowl water will remain in a gel form during removal period and will dissolve when additional water is added.

- Solidifies water for easy toilet removal
- Prevents Water Spills
- Gel formed in 4 minutes
- Non-toxic, Lo-V.O.C.

Locke#

M1849 31417 Liquilock Gel for toilet removal

E-Z-1TM SYNTHETIC LUBRICANT



- Lubricates and prevents rust on practically everything
- Ideal for Automotive and marine use
- Won't evaporate or dry out
- Non-Flamable
- Non-Toxic
- Non-Aerosol
- Biodegradable

Locke#

M0871 E-Z-1 Lubricant, 7 oz.



WD-40 LUBRICANT PENETRANT



Locke#

M0768 11 ounce WD-40 Lubricant

LA-CO. RUST REMOVER, PENETRANT & LUBRICANT



Locke#

M0882 12 oz. Rust remover & lubricant

Radiator Specialty Company HEAT-PRUF GREASE



Waterproof. Makes hard-turning faucets work smoothly. Lubricates stems of faucets, valves, ballcocks, etc. Will not melt like ordinary grease.

Locke#

M0756 2.5 oz. Heat-Pruf Grease

TELESPOUT OILER



Locke#

T0650 MA-ZP41 4oz. Oiler

4oz. RUST BUSTER



Locke#

T0652 MA-ZP42 4oz. Rust Buster

3 IN ONE OILER



With telescoping spout bottle, extends 6" for hard to reach places.

Locke#

M0897 4oz. 3 in 1 oiler w spout

IPS LIGHT THREAD CUTTING OIL



Stable at high temperature & excellent for high volume production. Contains active sulphur increasing the cooling & lubricating of the oil.

Locke#

M0733 1 Gallon Light Cutting Oil

IPS DARK THREAD CUTTING OIL



A sulphur base cutting oil used with both hand tools & power pipe machines.

Locke#

M0742 1 Qt. Dark Thread Cutting Oil

M0734 1 Gal. Dark Thread Cutting

FIB-R-FIX FIBERGLASS AND ACRYLIC REPAIR KIT

Repair chips, cracks and small holes in fiberglass and acrylic showers and baths.

Locke#

M0738 White Fib-R-Fix Kit

M0739 Natural Fib-R-Fix Kit

Red Devil DRYWALL REPAIR KIT



Includes:

- ½ pint Lightweight Spackling
- 6" x 6" self adhesive patch
- Sandpaper
- 2" plastic putty knife

Locke#

M2516 Drywall repair kit

CAULKS AND ADHESIVES



Red Devil KING KAULK™

Replaces all Other Caulks

KING KAULK® Hybrid Polymer is an amazing new product you're sure to go ape over! It's so powerful that one tube replaces all your caulks, sealants & adhesives making it the one step solution for almost every repair project.

- The Ultimate in Sealant/Adhesive Performance
- All the Benefits of Silicone and Polyurethane -None of the Negatives
- Safe for the Environment -low Odor/low VOC
- Forms a Flexible, Watertight Seal- Won't Shrink or Crack
- Outstanding Initial Tack
- Excellent Paintability
- Easy to Tool and Finish
- UV and Weather-Resistant



CAULKS:

Tubs, Showers, Sinks, Fixtures, Countertops, Tile, Trim, Crown Molding, Floor Seams, Pipes

SEALS:

Air Conditioners, Doors, Windows, Gutters, Joints, Ductwork

BONDS:

Wood, Concrete, Brick, Steel, Brass, Aluminum, Copper, Glass, Tile, Fiberglass, Mirrors, Polystyrene, PVC and other Plastics, Foamboard



	KING KAULK®	SILICONE SEALANT	POLYURETHANE SEALANT	CONSTRUCTION ADHESIVE
Interior	yes	yes	No	yes
Exterior	yes	yes	yes	yes
High Initial Tack	yes	No	No	yes
Permanently Flexible	yes	yes	yes	No
No Bracing	yes	No	No	yes
Paintable	yes	No	yes	No
Solvent -Free	yes	yes	No	No
Superior UV Resistance	yes	yes	No	No
Applies to Wet Surfaces	yes	No	No	yes
Mildew Resistant	yes	yes	yes	No
Abrasion Resistant	yes	No	yes	No
Lifetime Durability	yes	No	No	No

Locke#

M1843 9.8 oz. King Kaulk™



Red Devil SILICONIZED ACRYLIC ADHESIVE SEALANT

Use on:

- | | |
|----------------------|-------------|
| Window & door frames | Baseboards |
| Counter tops / Sinks | Siding |
| Showers/Tubs | Gutters |
| Moulding/Trim | Vents/Ducts |

Locke#

M0782 5.5 oz Squeeze tube White



Red Devil KITCHEN & BATH SILICONIZED CAULK

Odorless, mildew resistant formula fortified with silicone to provide a long-lasting water-tight seal around tubs, showers, sinks and fixtures. Interior use. Water clean up.

Locke#

M0758 5.5 oz. White Caulk

M0771 5.5 oz. Almond Caulk

M2521 10 oz. White Caulk



Red Devil 35YR. CONSTRUCTION GRADE SILICONIZED ACRYLIC CAULK

Use on: Window & door frames, Mouldings, Painted/unpainted surfaces, Baseboards, Siding, Cabinets, Thresholds

Locke#

M2509 10.1oz. 35yr White Silicone

M2510 10.1oz. 35yr Clear Silicone



Red Devil ACRYLIC LATEX CAULK

General purpose, economical caulk for use on masonry, painted and unpainted wood, and most siding. 5 year limited warranty. Interior/exterior use. Water clean up.

Locke#

M1204 10.1 oz. Acrylic Caulk



Red Devil 50YR. HI-TEMP RTV 100% SILICONE SEALANT

Use on:

- | | |
|-------------------------|---------------|
| Flues on gas appliances | Oven belts |
| Industrial ovens | Drying ovens |
| Oven windows | Boilers |
| Flanged pipe joints | Fired heaters |
| Heating elements | Access doors |

Locke#

M0849 10.1 oz. 100% silicone high temp RTV rubber sealant

M1239 2.8v oz. 100% silicone high temp RTV rubber sealant



Red Devil 50yr. INDUSTRIAL GRADE CLEAR 100% SILICONE



Use on:

- Window & door frames
- Baseboards
- Counter tops / Sinks
- Siding
- Showers/Tubs
- Gutters
- Plumbing fixtures
- Loose tiles

Locke#

M0772 2.8 oz. Tube Clear Silicone



Red Devil PAINTERS ACRYLIC LATEX CAULK

An acrylic latex caulk designed for easy painting. It provides tight, waterproof seals and can be used on most common construction surfaces. Takes all types of paint when dry. 25 year limited warranty. Interior/exterior use. Water clean up.

Locke#

M2511 10.1 oz. Painters White Acrylic Latex



M

MISCELLANEOUS

BOSS® MULTI-SEAL BUILDING/ CONSTRUCTION SEALANT



Multipurpose, one part sealant. This unique sealant is free from solvents, silicone, isocyanates and other hazardous raw materials. It cures on exposure to atmospheric moisture to form a highly durable flexible sealant.

Multi-Seal has been formulated to offer outstanding primerless adhesion to most common building materials including vinyl, aluminum, steel, concrete, wood and glass. It can be applied and tooled under most weather conditions. This sealant is paintable with most latex base paints.

Locke#

M1821	125	Black Construction Sealant
M1822	125	Grey Construction Sealant
M1823	125	White Construction Sealant

BOSS® MULTI-SEAL BUILDING/ CONSTRUCTION SEALANT



Multipurpose, one part sealant. This unique sealant is free from solvents, silicone, isocyanates and other hazardous raw materials. It cures on exposure to atmospheric moisture to form a highly durable flexible sealant.

Multi-Seal has been formulated to offer outstanding primerless adhesion to most common building materials including vinyl, aluminum, steel, concrete, wood and glass. It can be applied and tooled under most weather conditions. This sealant is paintable with most latex base paints.

Locke#

M1824	150	Black Construction Sealant
M1825	150	Grey Construction Sealant
M1826	150	White Construction Sealant

BOSS® MULTI-SEAL ADHESIVE•SEALANT



Multipurpose, one part high strength adhesive/sealant. This unique adhesive/sealant is free from solvents, silicone, isocyanates and other hazardous raw materials. It cures on exposure to atmospheric moisture to form a highly durable flexible bond.

Outstanding adhesion to most common building materials including vinyl, aluminum, steel, concrete, wood, glass and many plastics. Suitable for floor joints, low movement wall joints, kitchen and bath areas, sheet metal fabrication and mirrors. It can be applied and tooled under most weather conditions. This adhesive is paintable with most latex base paints.

Locke#

M1829	175	White Adhesive Sealant
-------	-----	------------------------

BOSS® SILICONE SEALANT



a one-part acetoxy cure adhesive sealant that is suitable for general heating, ventilation and air conditioning sealing and adhesive applications. This product will adhere to clean metal, glass, many types of wood, silicone resins, vulcanized silicone rubber, ceramics and plastic surfaces. A primer may be required for optimum adhesion to some substrates.

Locke#

M0840	10.1 oz.	Clear Silicone
M1840	10.1 oz.	Aluminum
M1842	10.1 oz.	White



FIRESTOP CAULKING



In the event of a fire, PFP 4800DW firestop sealant will expand to form an insulating barrier that prevents the spread of fire, smoke, and toxic gases through construction openings.

Locke#

M0784	10.1 oz.	Caulk
-------	----------	-------

SYNTHETIC RUBBER ADHESIVE/SEALANT



A high grade synthetic rubber adhesive & sealant. Formulated for vertical, overhead & extremely tough sealing jobs. Nonflammable, noncorrosive, paintable, maintains adhesive properties under water, non-slumping, high tensile strength.

Locke#

M0774	10.2 oz.	High Viscosity Cart.
M0775	10.2 oz.	Non-slump Cartridge
M0778	3.7 oz.	High Viscosity Tube

GEOCEL SEALANT



A high performance, long-lasting seam & joint sealant. ICBO approved. Ideal for ducts.

Locke#

M0815	Geocel Sealant-	20 yr. life
-------	-----------------	-------------

Red Devil® SOLVENT FREE MULTI-PURPOSE CONSTRUCTION ADHESIVE



Locke#

M1230	10.5 oz.	Multi purpose solvent free construction adhesive
-------	----------	--

UNI-WELD EPOXY PUTTY



Hard in 20 min., cures in 60 seconds.

Locke#

M0789	4 oz.	Tube Epoxy Putty
-------	-------	------------------

EPOXY BOND PLUMBER SEAL



Stops most leaks without draining. Mixes like putty, hardens like steel, 1 to 1 mixture. Repairs pipes, tubs, tanks, fittings & fixtures. Bonds to steel, copper, brass, brick, concrete, wood... Cures under water.

Locke#

M0826	8 oz.	Epoxy bond
-------	-------	------------

ADHESIVE & PAINT BRUSH



Excellent for applying adhesives, paint & other general purpose uses. Polyester bristles & plastic handles.

Locke#

M0725 2½" Adhesive/Paint Brush

DUCT LINER ADHESIVE



15-146 is a flammable, fast-tacking non-cobwebbing adhesive designed for low pressure spray application.

Locke#

M0737 1 Gal. Duct Liner Adhesive

M0713 5 Gal. Duct Liner Adhesive

HARDCAST CARBIDE INDOOR/OUTDOOR WATER BASED DUCT SEALANT



A versatile, all purpose duct sealant for use on all types of metal duct, glass fiber duct board, and flex duct, as well as duct fabric and flexible tubing runouts. CCWI-181 incorporates a built-in

polyester reinforcement for exceptional strength, with UV inhibitors for outdoor use. UL 181A-M listed / UL 181B-M listed.

Locke#

M6001 304148 1Gal. CCWI-181 Duct Sealant

DUCT LINER & SPRAY ADHESIVES



General purpose adhesive for bonding of furniture & upholstery, office, industry, etc. Recommended for foam rubber bonding, laminating & contouring.

Locke#

M0769 General purp. spray adhesive

M0740 Duct liner spray adhesive



MAGNA TACK DUCT INSULATION ADHESIVE



- Industrial Grade
- High Solids
- Quick Tack
- Strong Bond
- Available in Red or Black

Designed to deliver a quick tack and strong bond. These industrial, solvent based adhesives bond insulation and other light weight materials to smooth nonporous surfaces. Flammable.

Locke#

M1092 MR5 5 Gal. Red Magna-Tack Duct Insulation Adhesive

M1041 MT-1 14oz. Black Magna-Tack Duct Insulation Adhesive



O₂ TIGHT DUCT SEALANTS



Designed to meet & exceed local codes & regulations. UL listed. This professional grade sealant is fiber reinforced, & off-white in color. Each cures to a permanently flexible,

durable seal & can be used for both indoor & outdoor applications. This product is water based & can be used for low to high velocity air ducts. O2 TIGHT products have excellent adhesion, flexibility & spread-ability.

Locke#

M0324 181MV 11 oz. O₂ Tight 181 Medium Viscosity

M0332 181M-1 1 Gal. O₂ Tight 181 Medium Viscosity



O₂ TIGHT PREMIUM SERIES WATER BASED DUCT SEALANTS



20-S is an economical, professional grade, water based duct sealant for all types of metal duct, flex duct and fiberglass duct board. Fiber reinforced. Indoor/Outdoor.

Locke#

M0401 20-S 1 Gal. O2 Tight Professional Economical Smooth Gray Duct Sealant

BLACK JACK ALL-WEATHER ROOF CEMENT



Use on dry/damp surfaces, apply with a stand. caulking gun. Forms a strong seal.

Locke#

M1200 10 oz. Wet/Dry Roof Cement

BLACK JACK NON-FIBERED ROOF COATING



Waterproof. Provides a barrier against moisture. Easy to apply with roofing brush or paint brush. Re-saturates & revitalizes dry but sound roofing felts. Will not separate or settle.

Locke#

M0732 1 Gal. Non-fibered Coating

BLACK JACK ASBESTOS-FREE FIBERED ROOF CEMENT



Expands and contracts with weather, forms a tight strong seal, stays soft and pliable, and repairs flashings.

Locke#

M0735 1 Quart Roofing Cement

M0736 1 Gallon Roofing Cement

BLACK JACK NEOPRENE FLASHING CEMENT



Prof. elastomeric cement, 50X stronger than asphalt cement. Great for sealing screw heads, laps on metal, 250% elongation. Flexible & watertight for up to 20 years.

Locke#

M1202 10 oz. Neoprene Cement

Red Devil SUPER FLASH CLEAR FLEXIBLE SEALANT



An all season, water-based sealant ideal for most roofing applications.

Locke#

M1201 10 oz. Clear Roof Cement

M | MISCELLANEOUS

ADHESIVES, MARKERS, SEALANTS & INSULATION TAPES

FINE POINT BLACK SHARPIE



Permanent oil ink. Marks on any surface.

Locke#

M0889 #15 Fine Point Black Sharpie



DURA-INK MARKER



Locke#

M0890 #25 Wide Tip Black Marker

CARPENTER PENCIL



Premium quality, 7" medium lead pencil. Individually carded. Makes clean, accurate marks on wood and other surfaces.

Locke#

M0896 Carpenter Pencil

ALL PURPOSE SPRAYER



Has a measured ounce guide. Use for a spray mist or a full jet stream. Use for water treatment chemicals, insecticides, gardens, laundry, hair, etc.

Locke#

T0156 1 Quart All purpose sprayer



PHASE III REFRIGERATION OIL TEST KIT




Disposable test kit that shows proof-positive if acid level in refrigeration Oil is safe/unsafe. Phase separation makes it easy to see color change of acid indicator.

Locke#

M0841 Phase 3 Refrig. Oil Test Kit



BLOC-IT HEAT-ABSORBER



Protects against damage caused by heat from soldering, brazing & welding. Easy to use. Nontoxic, asbestos-free. Harmless to skin. Nonstaining.

Locke#

M0885 10 oz. Heat Absorbing Paste



COOL GEL



Helps prevent heat damage to components during soldering & welding. Sticks to surfaces, without dripping or running. Clear, non-staining; nontoxic, harmless to skin.

Locke#

M0877 1qt Heat barrier spray



INSULATION CORK TAPE



Insulating material for preventing sweating & condensation on refrigeration lines, cold pipes & other commercial refrigeration systems. Also, can be used as insulator on hot pipes, as

gasket material, as sound deadening material & for wrapping valves, tees & fittings. Can be applied at temp. as low as 30° F.

Locke#

M0803 2" x 1/8" x 30' Cork Tape



INSULATION SEALING SLUGS




For use in many sealing, insulating & general maintenance applications. Excellent adhesion capability. Nonstaining & non-hardening.

Locke#

M0843 2 Lb. Box Sealing Slugs



FOAM INSULATION TAPE



Used on cold water pipes, chilled water & refrigerant lines to prevent sweating & condensation. Use on hot water lines for better insulation. Edges can be butted or overlapped.

Locke#

M0845 Foam Insulation Tape



CORK INSULATION TAPE



Hot or cold application. Service range of -20°F to 200°F. Will not shrink or dry out. Very economical. 2" x 30'

Locke#

M1051 CT-1 Cork Insulation Tape



FOAM INSULATION TAPE



Foam insulation tape prevents condensation on pipes and tubing. Service range -20° F to 180° F.

Locke#

M1050 FT-1 Foam Insulation Tape 2" x 30'

SEALING COMPOUNDS



Heavy duty materials used to seal out water, dust and air from around tube entries, under latch plates, console room coolers, etc. Nonstaining, non-hardening, nondrying. May be painted over immediately.

Locke#

M1052 SCS-1 2 Lbs. Sealing Compound Slugs

M1053 SCC-1 3/8" x 25' Sealing Compound Cord

REFRIGERATION OILS & CLEANERS



VACUUM PUMP OIL



- Superior oxidation stability/min. sludge
 - Non-corrosive to metals-contains anti-wear agents.
 - Good De-Aeration-reduces foaming.
- Vapco Vacuum Pump Oil is a premium quality oil, industry tested and approved. This oil has achieved a long record of reliable performance.

Locke#

M1056	VPO350-1Q	1 Quart Vacuum Pump Oil
M1057	VPO350-1G	1 Gallon Vacuum Pump Oil



REFRIGERATION OILS



Vapco Refrigeration Oils, manufactured by Calumet Refining Company, are designed for today's high performance air conditioning and refrigeration units by providing proper lubrication, excellent low temp. performance & good stability. Calumet Refining Company Oils are approved by most OEMs. Available in 2 viscosities: 150 & 300.

Locke#

M1059	RO-300	300 - 1 Gallon Refrigeration Oil
--------------	--------	----------------------------------



BUBBLES LEAK DETECTOR



M806 **M1060** **M1061** **M1062**

- Two formulas: **regular** formula for use above 32°F, **low temp** formula for use above & below 32°F.
- Ideal viscosity-thick enough so it won't run off, yet still sensitive enough to find the smallest leaks.
- Fluorescent dye to increase the visibility of "Bubbles".

Locke#

M0806	LDR-1/2P	8 oz. bottle Regular leak detector
M1060	LDL-1/2P	8 oz. bottle Low Temp. leak detector
M1061	LDR-1QS	1 Qt. sprayer Regular leak detector
M1062	LDL-1QS	1 Qt. sprayer Low Temperature Leak Detector



BIRD DOG LEAK DETECTOR SUPER SENSITIVE FORMULA



Unique Features: super sensitive, cost effective, 100% biodegradable, easy to use, nontoxic, & noncorrosive.

Locke#

M0330	DOG-1Q	1 Quart Bird Dog Leak Detector
--------------	--------	--------------------------------



COOL ZONE HEAT DISSIPATING SPRAY

The most effective heat sink on the market.



100% Biodegradable, cost effective, nontoxic, noncorrosive heat dissipating spray. This spray is easy to apply, it is flame retardant and there is NO clean up. It contains Class A/B/D Piro Suppressing Agent.

Locke#

M0328	CZ-1Q	1 Quart Cool Zone Spray
M0329	CZP-1Q	1 Quart Cool Zone Plus Spray



TANK SPRAYERS



M1068

M1069

The 2 gal. acid resistant sprayer features a long multi-laminant reinforced hose, a high density polyethylene tank, chemical-resistant 14" poly wand with adjustable poly nozzle, Accu-spray flow control w/ lock-on/lock off control & wand storage.

Locke#

M1068	TT-1	Tiny Tank Sprayer-½ gal. capacity
M1076	1910V	Tiny Tank Repair Kit for M1068 (nozzle body, cap, valve pin)
M1069	TKC-2	Acid Resistant Sprayer 2 gallon capacity

M | MISCELLANEOUS

CLEANERS



BIODEGRADABLE EVAPORATOR CLEANER



No-rinse, of course, BD Cleaner has excellent ability to dissolve grease, nicotine and dirt without metal attack for no rinse capability. BD Cleaner is biodegradable.

Locke#

M1067 BD-1 Biodegradable Cleaner
1 gallon



POWER CLEAN



A heavy duty liquid detergent for evaporator coils, condenser coils, cooling towers, electric air filters, motors, and other surfaces. Does a superior job on cooking greases. Quickly removes dirt, oil, wax, or heavy grime. Requires no rinsing. 100% biodegradable.

Locke#

M1066 PC-1 1 Gallon All Purpose Cleaner



PLUS CONDENSER COIL CLEANER



Vapco PLUS Condenser Coil Cleaner is a plus above the other cleaners. PLUS is nonacid & its foaming action is unsurpassed, even acid cleaners do not foam better. PLUS' foam penetrates deep into the coil to lift & push out energy robbing contaminants & oxides. PLUS removes greases that acid cleaners can't and it leaves a brighter, cleaner, smoother surface for a more efficient coil. PLUS WORKS FAST! 1 Gallon.

Locke#

M0799 1 Gallon PLUS Condenser Coil Cleaner



FOAMINATOR CONDENSER COIL CLEANER



Foams more, cleans deeper, rinses better, non-acid.

Locke#

M0798 FM1 1gal. Liquid
Foaminator Condenser Coil Cleaner

M1798 FMP1 8oz. Powder
Condenser Coil Cleaner



HIGH POWER CLEANER Non-Acid Coil Cleaner (Blue)



HP Cleaner is a professional strength, highly alkaline concentrate. Formulated to penetrate deep into coils and quickly dissolve built-up dirt, grease, lint, nicotine, etc. HP cleaner contains no free caustic. Will not corrode or damage aluminum or other soft metals. Recommended for evaporator coils, condenser coils and

electronic air filters.

Locke#

M0801 HP1 1 Gallon Non-Acid Coil Cleaner



LIQUID ACID BASE DETERGENT (PINK)



Although Brite' Alum was developed specifically for air conditioning & refrigeration systems, its properties suggest many other applications, such as electric air filters. Also to clean aluminum before welding & as a remover for rust stains on concrete. Non-flammable liquid. 1 Gallon.

Locke#

M0802 1 Gallon Pink Brite Alum Coil Cleaner



PLUS GREEN CONDENSER COIL CLEANER



Super concentrate alkaline cleaner with a dense foaming action that pushes grease and other contaminants to the surface for easy rinsing. One quart makes 2 ready to use gallons of coil cleaner. Meets USDA standards. 100% biodegradable. VOC content is zero.

Locke#

M2322 PLG-1Q 1 qt PLUS Green
Condenser Coil Cleaner



FOAMINATOR GREEN CONDENSER COIL CLEANER



Super concentrated Foaminator is a dense foaming alkaline coil cleaner. Delayed foaming action allows for deeper penetration into the coil for superior cleaning action, pushing grease and contaminants to the surface to be easily rinsed away. 1 quart will make 2 ready to use gallons. Phosphate free and 100% biodegradable. VOC content is zero.

Locke#

M2320 FMG-1Q Foaminator Green



HP GREEN Non-Acid Coil Cleaner (Blue)



This super concentrated evaporator coil cleaner dissolves grease, nicotine, and other contaminants that reduce efficiency and increase energy bills. One quart will make 2 ready to use gallons of coil cleaner. Recommended for evaporator coils. When used on condenser coils and electronic air filters, rinsing is recommended. HPG is 100% biodegradable. VOC content is zero.

Locke#

M2321 HPG-1Q HP GREEN

M
MISCELLANEOUS



SCALE REMOVER NO. 1




"Super Concentrate"
(contains phosphoric acid)
- a highly concentrated, fast acting, non-fuming scale dissolver with patented corrosion inhibitors. Removes more than twice the scale as muriatic acid. Non-fuming makes this the preferred choice for indoor applications.

Locke#

M1055 SR1-1 Scale Remover No. 1



AIR CONDITIONING & REFRIGERATION DRAIN PAN PILLS



Controls:

- The growth of harmful bacteria.
- Slime buildup
- Musty odors

Improved Chemical Formulation:

- 40% High efficiency biocide (by weight).
- 99% kill of Legionnaire's Disease
- Combats bacteria including those causing common cold
- pH neutralizers help protect pan against corrosion.
- 3 month service life in all climates.
- Consistent ppm release per day.

Locke#

M1070 ATC-1 2½ oz. Drain Pan Pills



CONDENSATE PAN STRIP Built In Corrosion Inhibitor



Protects your equipment from rust and corrosion with our unique built in corrosion inhibitor. Timed-release control of microbial contaminants in condensate pans.

- Effective against mold, algae, fungus
- Lasts up to 6 months.

Locke#

M1399 CS250 Condensate drain strip



MEAN GREEN ADHESIVE



MEAN GREEN is the **only** cylinderized, **nonflammable** solvent-based adhesive in the HVAC industry that meets all DOT 39 NRC regulations. It is cost effective, versatile and easy to use. This adhesive is specially formulated for quick tact and strong bonds which resist heat, cold and moisture.

Locke#

M1079 MG-LC Mean Green - 40 Lb. Cylinder

M1077 SPR-LG Spray Gun for Adhesive M1079

M1078 SHA-6A Spray Hose for Adhesive M1079



BLOWOUT



Blowout blasts away lint, dirt & dust from coils with a shot of super compressed gas. Blowout is designed to knock out grease quickly without rinsing. Evaporation rate is formulated to allow Blowout to dissolve quickly & leaves no mess. Excellent for use in greasy environments such as restaurants & fast food operations where water rinsing is not possible. Blowout works great on ice machine vending equipment, self contained freezer units & on other refrigeration condenser coils.

Locke#

M1083 BLO-SC Blowout, 15 Lb.



ICE MACHINE CLEANER



Concentrated liquid cleaner made from food grade materials works fast yet safely to increase ice capacity and quality whenever scale deposits are a problem. It may also be used in vending machines, soft drink dispensers, coffee urns and humidifiers.

Locke#

M805 1NGC ½ Pint bottle-Ice Machine Cleaner

M829 1NGC 1 Gallon - Ice Machine Cleaner



NO SWEAT INSULATION IN A CAN!



Ideal for cold water pipes, refrigeration lines, etc. IT STOPS SWEATING AND DRIPPING. Easily applied to odd shaped fittings and hard to reach areas. Will insulate ten feet of one inch pipe with two coats.

Locke#

M1064 NS-1 No Sweat Insulation in a can 18 ounce aerosol can



HEAT EXCHANGER ANALYZER



Features:

- Non-Toxic
- Environmentally Safe
- Non-Corrosive

Specially formulated for testing integrity of gas fired heat exchanger cells.

Locke#

M0834 32 oz. Pin Point Heat Exchanger Analyzer



KILL-IT BOMB OR AEROSOL



Killz-It Bomb completely kills Swine Flu and all other influenza A viruses, HIV, Herpes, Staph, Salmonella, Mold, etc.

Perfect For:

- Classrooms
- School Buses
- Locker Rooms
- Hotel Rooms
- Planes
- Trains
- Offices
- Dorm Rooms And More!

Locke#

M2306 KILB1 Killz-It Bomb

M2307 KIL1 Killz-It Aerosol

M

MISCELLANEOUS



TRIPLE "D"™

Premium Alkaline Coil Cleaner



- Degreaser •
- Detergent •
- Deodorant

Clean the evaporator coil and condensate pan with TRIPLE "D"™, a USDA authorized non-foaming alkaline coil cleaner. Cleaning the dirt from the coil and pan

not only improves equipment efficiency, but also removes an important source of contamination that can create slime and sludge in the drain pan and cause pan overflow.

- **Unique** - Triple action degreaser - detergent - deodorant. Non-foaming condenser, evaporator and electronic air filter cleaner.
- **Economical and Effective** - A concentrated minimum 6-1 mix ratio provides full cleaning power at low cost.
- **Nontoxic and Biodegradable** - Reduces workers' compensation and liability because it contains no hazardous acids. USDA AUTHORIZED

Locke#

M2400	SCM-707-32	32 ounce
M2401	SCM-707-01	1 Gallon



SANI C-N-D™

Coil & Drain Pan Disinfectant



Disinfect and deodorize the evaporator coil and drain pan with SANI C-N-D™, an EPA registered biocide, fungicide, viricide, and mildewstat. The broad spectrum biocide in SANI C-N-D™ assures control of many airborne pathogens that can be spread via contaminated air handling equipment.

- **EPA Registered** - Disinfectant, fungicide, mildewstat and viricide.
- **Ready TO Use** - Assures consistent, effective results.
- **Deodorant** - Destroys "dirty sock," mildew and other malodors.

Locke#

M2402	SCM-810-32	32 ounce
M2403	SCM-810-01	1 gallon



LEAK SEEK BLUE, SPRAY-TYPE LEAK REACTANT



- Pinpoints tiny leaks
- Clings to vertical surfaces and the underside of pipes
- Convenient spray for hard to reach areas
- Telltale bubbles indicate leaks
- Non-corrosive, non-clogging

Locke#

M1394	SB32	Leak Seek 32oz.
-------	------	-----------------



BLACK MAX COIL CLEANER



- Premium grade alkaline – expanding foam action
- Brightens better than normal alkaline cleaners
- Dilution rates from 3 to 40 parts water
- Contains hazardous component potassium hydroxide
- Good ventilation, protective gloves, and eye protection required

Locke#

M1095	HBM01	Coil Cleaner
-------	-------	--------------



ENVIRO-COIL EVAPORATOR AND CONDENSER CLEANER



- No foaming action – only attacks dirt buildup, not metal
- Environmentally safe – cleans without damage to environment, personnel, or equipment
- Dilute with 4 parts water for air cooled condensers, and 8 parts water for evaporators

- No rinsing required on evaporators
- U.S.D.A. Accepted
- May irritate eyes and skin

Locke#

M1395	HEC01	Evap. & cond. cleaner
-------	-------	-----------------------



NEUTRONIC FILTER TREATMENT



NEUTRONIC™ Filter Treatment is excellent for pre-treating new or re-treating washable Heating, Ventilation, and Air Conditioning fibrous media air filters before installation. Simply spray liberally, all sides of filter media surfaces. Install filter and resume normal operation.

- Tackifying treatment increases the efficiency of all fibrous media air filters
- NEUTRONIC™ odor-neutralizing agent eliminates odors, not a simple perfume odor mask
- Pleasantly scented
NON-ALLERGENIC. NON-CORROSIVE.
NON-CAUSTIC NON-FLAMMABLE.
NON-ACIDIC. NON-TOXIC

Locke#

M0811	HNFS16	Filter treatment
-------	--------	------------------



NEUTRONIC ODOR NEUTRALIZER



- Neutralizes malodors without the use of heavy perfumes
- Use in air ducts or anywhere foul odors are present
- Hotels, apartments, homes, RV's, boats, hospitals, bathrooms, etc.
- Remove gel from container and place on lid

Locke#

M0714	HNT08	½ lb. Odor Neutralizer
M1397	HNT03	3 lb. Odor Neutralizer

M | MISCELLANEOUS

LEAK DETECTORS & CLEANERS



SUPER SEAL™



- Ideal for hard to find seasonal leaks
- Complete **one-time-use** kit
- Easily installed in minutes
- Compatible with all oils and refrigerants
- Permanently seals leaks in condensers, evaporators, and lines
- Seals multiple leaks
- Environmentally friendly - reduces harmful emissions

Locke#

M1861 947KIT SUPER SEAL ACR™
Good for smaller systems, 230 btuh up to 18000 btuh (1½ ton), minimum 10 ounce oil required in sump.

M1862 948KIT SUPER SEAL Commercial™. Industrial strength formula for 5 ton systems and up.

M2860 979KIT SUPER SEAL UltraPack
One package will DRY & SEAL air conditioning systems 1.5 to 5 ton



QWIKCHECK® 2-SECOND ACID TEST KIT



Fast, accurate, and easy to use, QwikCheck provides an early warning of acid problems. The Yellow to Red color change allows you to easily and clearly communicate the need for action to the equipment owner. Accurate to 1 ppm
Compatible with all lubricants
Meets EPA venting rules

Locke#

M3324 QT2000 Acid test kit



QWIK SYSTEM FLUSH™



Qwik-SF was formulated to be a biodegradable, non-toxic flushing agent with no long term environmental or health risks. Qwik-SF effectively removes impurities including oil, sludge, acid and moisture. Qwik-SF is a must for system clean ups and retrofits.

- Flushes moisture, oil, acid, and impurities
- Flushes more oil than

R-11

- Absorbs more acid & water than R-11
- Safe for all refrigerants & oils
- Flush systems after burn-outs
- Flush for HCFC to HFC conversions
- Flush before new component installs
- Non-Flammable
- Replaces R-11 for flushing
- Removes Acid
- Removes Oil
- Uses QwikShot® Acid Flush technology to also absorb moisture
- Easy to Use
- Ozone Safe

Locke#

M3322 QT1100 32oz. System flush

M0323 4300 RX11 Injection tool

M3325 QT1105 Can access valve



PRO-FLUSH HVAC FLUSH



Quick and easy method for flushing line sets and other system components during retrofits and cleaning systems after compressor burn-outs.

- Low toxicity, non-flammable and residue free
- Formulated for R410A retrofits, refrigerant conversions and compressor burnouts
- Compatible with CFC and HFC refrigerants and compressor oils
- Solvents are non-VOC and conform to EPA SNAP standards
- Economical - Kit includes refillable tank, 16 oz. can of Pro-Flush, injection tool and charging hose.

Locke#

M2405 PF-KIT Pro-Flush HVAC Kit

M2406 PF-16 Solvent Refill

RECTORSEAL

CALCI-FREE™ TANKLESS WATER HEATER FLUSH



Cleans heater coils thoroughly. Restores pressure and circulation in minutes, with no strong odor. Calci-Free™ is a unique, economical, biodegradable cleaner containing a combination of organic, inorganic and corrosion inhibiting ingredients. It is easy to use and works twice as fast as other cleaners.

Use it for routine cleaning to remove calcium and other solid deposits from heating coils.

Locke#

M2319 1.2 lbs. Calci-Free™ Tankless Water Heater Flush

FLOW-AIDE

SYSTEM DESCALING KIT



FLOW AIDE System Descaler quickly dissolves water scale, lime, rust, and other water formed deposits, restoring efficiency to most all appliances. Flow Aide System Descaler is a non-toxic concentrate which is certified to NSF/ANSI 60 for use as a cleaner in potable water systems.

- Non-Corrosive
- Fully Biodegradable*
- Safe to Handle
- Zero V.O.C.

FOR: Ice Machines, Humidifiers, Water Heaters, Boilers, Heat Exchangers, Chillers, Vacuum Pumps, Condensers, Evaporators, Tanks, Potable Waterlines, and Water Operated Equipment.

Kit Includes:

- 1 - 3.5 Gallon Bucket
- 1 - 500 GPH Pump
- 2 - 5 Foot Hoses
- 1 - Quart Flow-Aide

Locke#

M2316 System Descaling Kit

M2317 32 ounce Descaler

M2318 1 gallon Descaler

M

MISCELLANEOUS

LEAK DETECTORS & CLEANERS

MA-LINE MOWI AND ASSOCIATES, INC. GRAY SMOKE CARTRIDGES



Ideal for testing leaks in duct work, heat exchangers, furnaces. Pressure test chimneys. Also great to test air movement and ventilation system. Smoke varies in color from white to gray depending upon density and lighting.

Locke#

M0106 30 second / 4000 cu. ft.

M0107 1 minute / 8000 cu. ft.

Nu-Calgon Wholesaler, Inc. FLUORESCENT GAS LEAK DETECTOR



Noncorrosive to metals, freeze-proof, fluorescent for improved visibility, long lasting bubbles, suitable for high & low temperatures applications, convenient, easy-grip quart spray bottle.

Locke#

M0832 32oz. fluor. gas leak detector

Nu-Calgon Wholesaler, Inc. CAL-BLUE™ LEAK DETECTOR



Features:

- High viscosity formulation to enhance contact time.
- Non-corrosive.
- Freeze-protected to 5° F.
- Spray quart bottle.
- No effect on Ultra-violet (black) lights.

Locke#

M1045 1 Qt. Cal-Blue Leak Detector

Nu-Calgon Wholesaler, Inc. RX11 FLUSH & INJECTOR TOOL



An ozone-safe solvent engineered specifically for flushing refrigeration & air conditioning systems. It is strong enough to rinse away particulate, sludge, carbon residues, oils & water.

Locke#

M0321 4300-10 RX11 Flush 2+1 Display Pack

M0322 4300-11 RX11 Flush 2lb. Canister

M0323 4300-09 RX11 Injector Tool

T0729 4300-50 Line Set Tool for use with Rx11-Flush. Breathes new life into old Line sets



Nu-Calgon Wholesaler, Inc. INSTANT LEAK SEALER PAN-SPRAY



FEATURES

- Fast Drying
- Simple to use, just spray it on
- Can be applied under "wet" conditions
- Stays flexible and won't freeze or sag

Locke#

M1228 4296-50 16 oz. aerosol

Nu-Calgon Wholesaler, Inc. THERMOTRAP HEAT ABSORBING PASTE



Heat Absorbing Paste. Easy to apply

Locke#

M0842 10 oz. Heat Absorbing Paste

Nu-Calgon Wholesaler, Inc. EVAP FOAM - NO RINSE for cooling coils



Features:

- Cleans and deodorizes
- Pleasant lemon scent
- Self-rinse, fast-breaking foam
- Easy to spray from any angle right side up or upside down
- Conforms to Federal Spec. #P-C-4462

Locke#

M1042 18oz. Evap Foam, no rinse

Nu-Calgon Wholesaler, Inc. NU-BRITE CONDENSER CLEANER



A non-acid, alkaline-based product for cleaning & brightening air cooled condensers. It is formulated with the best available foaming detergents & chelants to quickly penetrate and dissolve greasy dirt & grime & foam it right out of the coil. The safer alternative.

Locke#

M1038 4291-08 1 Gal. Coil Cleaner

Nu-Calgon Wholesaler, Inc. FOAM-BRITE™ COIL CLEANER



It surpasses all other cleaners on the market. It utilizes an anionic surfactant.

Features:

- Provides for more FOAM than any condenser coil Cleaner on the market
- Ultimate cleaning/brightening
- Use it in place of more dangerous HF acid-based products

Locke#

M1037 4178-08 1 Gallon Foam-Brite Coil Cleaner



HEAT TRANSFER FLUID



Use Pro-Tek PG PLU™ to winterize boilers, cooling towers, fire hydrants and sprinkler systems, hydronic heating and solar systems, ground source heat pumps, refrigeration, snow melt and ice making systems, industrial heat transfer, pipe tracing and coil defrosting, plumbing applications including winterizing RV's, boats, and summer homes.

Locke#

M2407 SCM12805 Heat Transfer Fluid



PARFLUSH KIT

For System Conversion and Clean-Up



Parker ParFlush kit provides an effective combination for removing soluble and insoluble contaminants, helping avoid costly callbacks due to a metering device restriction.

- Kits are specially developed for refrigerant systems up to eight tons
- Ideal for R-410A conversions or system cleanup of air conditioning, Heat pump or refrigeration systems
- PF ParFlush leaves no residue during evaporation.
- PF ParFlush Is nontoxic and nonflammable
- Parker PFD-163S Is specially developed to follow the flush procedure and remove disturbed debris not removed from nitrogen purging. This filter-dryer Is designed for permanent Installation.

System clean-up of refrigeration, air conditioning and heat pump applications up to 8 tons in size.

Includes PF-2 canister, PFD-163A Filter Drier, PFV-1 canister valve and PFG-1 gun/hose assembly.

Locke#

M2410 PFKIT2 ParFlush Kit



MICROCARBON 4 WATER FILTER



The Micro-Carbon 4 utilizes a standard 12 x 40 mesh washed carbon rated at a nominal 20 micron filter capability. It is designed to remove objectionable tastes and odors from water supplying many types of beverage, water and ice making equipment. One unit can filter up to 50 gallon of water a day for six months.

MICRO-CARBON 4 IS IDEAL FOR:

- Other Equipment using up to 50 gal. of water per day
- Ice Makers
- Coffee Urns and Brewers
- Beverage Makers
- Water Fountains

Features:

- Constructed of NSF approved materials
- Equipped with molded 1/4" FPT openings, including a special tapered "starter" thread that allows for easier threading of fittings
- Will filter sediment to 20 microns at 1gpm max. flow rate
- Rated burst strength over 500 psi

Locke#

M0326 MicroCarbon 4 Water Filter



MICRO-PLUS WATER FILTER




Contains 6R Micromet, a specialized, slowly soluble, food grade phosphate that feeds into the water supply, stabilizing the hardness minerals contained in the water thereby eliminating scale formation. Filters objectionable tastes & odors.

Locke#	M0835	M0836
System	Micro Plus 2	Micro Plus 4
Fittings	1/4" FPT	1/4" FPT
Gallons of Water/day	12.5	25
Ice Makers ice/day	Up to 125 lbs.	Up to 250 Lbs.
Coffee Makers coffee/week	25 lbs. of coffee (1,250 cups)	50 lbs. of coffee (2,500 cups)



REFRIGERATION OIL



Locke#

M0837 150 Viscosity Refrigeration Oil - 1 Gallon

M0838 300 Viscosity Refrigeration Oil - 1 Gallon



RX ACID SCAVENGER



Acid neutralizer for air conditioning & refrigeration systems, One kit for all oils, Two fluid ounces treats one gallon of oil.

Locke#

M0816 4301-02 Acid Scavenger



COIL CLEANING GUN



For spraying coil cleaners to clean air cooled condensers, evaporator coils, etc.

Features:

- Quick-disconnect feature
- Quick-set dial for ratio settings
- 2-Quart capacity
- Foam wand to enhance foaming
- Deflector tip to fan out spray
- Five Mix ratio settings - 3:1, 4:1, 6:1, 9:1 & 10:1

Locke#

T0206 4774-0 Coil Gun - Do not use any other handle

M | MISCELLANEOUS

LEAK DETECTORS, PIPE TAPE & VACUUM PUMP OIL

HIGHSIDE CHEMICALS, INC.

TRACE RED DYE INTERNAL LEAK DETECTOR



Trace is a concentrated red dye penetrant in a mineral oil base that is completely harmless to refrigeration, air conditioning & hydraulic equipment.

Locke#

M0807 4 oz. Plastic Bottle Red Dye

HIGHSIDE CHEMICALS, INC.

LEAK LOCK



Good for all HVAC applications. A resin based, brushable paste, remains flexible, adheres to internal surfaces & fills voids. Ideal for metal & plastic materials subject to extreme vibrations. Effective in -200 to +400° F, full vacuums & pressure to 10,000 PSI.

Locke#

M0793 1-1/3 oz. Tube of Leak Lock

M0797 1 Pint Brush Top Plastic Jar

HIGHSIDE CHEMICALS, INC.

ACID NEUTRALIZER



Neutralizes acid in air conditioning & refrigeration systems. No solids/solid residuals, easy to use. Compatible w/ all refrigerants & all lubricants. Works fast, circulates quickly. Will not harm system components.

Locke#

M0878 18004 4oz. Acid Neutralizer



PAN PILLS

Cleans scum & other accumulations in condensate drain pans & humidifiers, eliminating plugged condensate drain pans, stopped up humidifier pans & odor safely.

Locke#

M1039 PT-161 Drain Pan Pills

HIGHSIDE CHEMICALS, INC.

THAWZONE LIQUID DEHYDRANT



The original liquid dehydrant for the control of moisture in refrigeration systems. Thawzone chemically "dries" ALL refrigerants. It prevents refreezing & works with or without

solid dryers. It does not leave residue & does not contain any dissolved solids or methanol.

Locke#

M0808 4 oz. Bottle Thawzone

RECTORSEAL

SOOT SPRAY



Soot Spray is the original soot remover aerosol. It reaches where vacuum cleaners can't. Cuts vacuum time by 50- 100%. Lead-free.

Locke#

M1847 14oz. Soot Spray Can



Red Devil

FOAM & FILL TRIPLE EXPANDING POLY FOAM



Triple-expanding foam. Seals, bonds and insulates quickly. Fills large and small holes. Use indoors and out. Triple expanding polyurethane foam. Higher temp rating of 250°f

Locke#

M1814 0909 12oz Expanding Foam

M1815 0912 20oz Expanding Foam



FOAMFILL



A triple-expanding, 1 component polyurethane foam that requires no mixing. R-Value: 5 on 1" thickness. Supplied with nozzle & extension tube for those hard-to-reach areas. A 12 oz. can yields .4 cubic ft. or 300' of 1/2" bead.

Locke#

M0814 Foamfill polyurethane foam

RECTORSEAL

ACID AWAY

Compressor Burnout Acid Neutralizer



Acid away uses mineral oil & alkylben-zene type refrigeration oils to prevent acid buildup in A/C & Refrigeration systems.

Locke#

M0833 4 oz. Acid Neutralizer

RECTORSEAL

COLD GALVANIZING SPRAY



Fights rust and corrosion with galvanic action like that of hot-dip galvanizing. Economical and easily applied. It is recommended for HVAC installations. It is 95% pure zinc, ideal for fabricated metal and is methylene chloride free.

Locke#

M0899 86625 Cold Galvanizing Spray



VACUUM PUMP OIL



Special paraffinic oil is blended from neutral oils of highest quality solvent sticks. The inherent stability & low vapor pressure of the base oils along with ideal viscosity & sealing properties, for use in high vacuum pumps.

Locke#

M0800 1 Quart Vacuum Pump Oil



"88" OIL ADDITIVE

Features:


- The only additive that has been used world wide in all refrigeration systems that use mineral oil in their compressors.
- Prevents high speed compressors from binding.
- Prevents excess wear on exp. valve needles & seats.
- Frees a sticking shaft, decreases bearing to shaft friction and prevents sludge build up.



Locke#

M1040 8 oz. Bottle of Oil Additive

2009 INTERNATIONAL ENERGY CONSERVATION CODE




For the most current information on energy conservation code requirements, refer to the 2009 International Energy Conservation Code®. This highly beneficial resource fosters energy conservation through efficiency in envelope design, mechanical systems, lighting systems, and through the use of new materials and techniques. With this comprehensive and cutting-edge coverage, it is a critical component of any code library.

Locke#

M5020 2009 International Energy Conservation Code

NATIONAL ELECTRICAL CODE - 2008 EDITION




As an electrical professional, it's part of your job to understand what the new edition of this code book requires - well before your jurisdiction adopts it. To keep jobs on track and clients informed, you must be aware of new technologies, changing techniques, and latest safety practices. You'll find it all in the NEC Book, it's the only guide that combines the complete 2008 NEC text with explanations from the Code's developer.

Locke#

M5006 2008 National Electrical Code Book

2006 INTERNATIONAL RESIDENTIAL CODE



Brings uniformity to construction of one and two family dwellings. The 2006 International Residential Code replaces the *International One and Two-Family Dwelling Code* and its predecessor the *CABO One and Two Family Dwelling Code*. The new license category, Limited Residential Installer, will be based on the mechanical sections from this code book. The 2006 International Residential Code will be used for state mechanical inspections for one and two family dwellings.

Locke#

M5000 335-00 International Residential Code Book

2009 INTERNATIONAL FUEL GAS CODE® (Soft Cover)



2009 IFGC Addresses the design and installation of fuel gas systems and gas-fired appliances through requirements that emphasize performance. ISBN: 9781580017350

Locke#

M5009 2009 Fuel Gas Code Book

2009 INTERNATIONAL PLUMBING CODE® (Soft Cover) (Now includes the International Private Sewage Disposal Code®)



2009 IPC Provides comprehensive minimum regulations for plumbing facilities in terms of both performance and prescriptive objectives, and provides for the acceptance of new and innovative products, materials and systems. Included is the 2009 International Private Sewage Disposal Code. This companion to the IPC includes provisions for design, installation, and inspection of private sewage disposal systems, and provides flexibility in the development of safe and sanitary systems. ISBN: 9781580017336

Locke#

M5007 2009 Plumbing Code Book

2009 INTERNATIONAL MECHANICAL CODE® (Soft Cover)

ISBN: 9781580017312



2009 IMC Establishes minimum regulations for mechanical systems using prescriptive and performance-related provisions. ISBN: 9781580017312

Locke#

M5008 2009 Mechanical Code Book

M | MISCELLANEOUS



HAND CLEANER



Joe's creamy formula liquefies and gently lifts grease, grime and stains from the hands safely without water. Joe's leaves the hands cleaned, conditioned and without the greasy feeling and strong odors of competitive brands. The lanolin and skin care emollients help heal rough, dry and overused hands. Joe's is your hands best friend.

Locke#

M0710 4½ lb. Plastic Container of Joe's Hand cleaner

M0712 15 oz. Plastic Squeeze Tube of Hand Cleaner

LAVA HAND SOAP BAR



The Lava Bar is the original heavy-duty hand cleaner. Since 1893, do-it-yourselfers, coal miners, and oil rig workers have depended on the power of pumice in Lava to cut through even the toughest grease and grime. Lava's name was derived from one of its key ingredients-pumice.

A by-product of volcanic activity, pumice is used in combination with other cleaning agents to clean even the dirtiest of hands.

Locke#

M0898 10185 5.75 oz. bar hand soap



HERCULES FOR HANDS™ MOISTENED TOWELS



Pre-moistened towels made of high strength non-woven cloth material. Chemically saturated with a unique, very effective but mild, heavy duty cleaning liquid. Hercules for Hands Anti-Bacterial requires no water, no rinsing, dries immediately and leaves no residue.

Hercules for Hands Anti-Bacterial towels easily remove industrial paints, epoxy and polyester resins, lubricants, adhesives, tar, printer's inks, sealants, grease, oils, grime, caulks, flux and other stubborn soils. Softens and removes plastic pipe cements. Towels will not shred or tear in use.

Locke#

M0325 45-333 70 Towels per canister - 10" x 12"

GRANDMA'S Pure & Natural™ PURE LYE SOAP



Pure, natural soap. No detergents to irritate sensitive skin. Best for dry, itchy winter skin.

Locke#

M1905 Pure Lye Soap

GRANDMA'S Pure & Natural™ GARDENER'S GRIME AWAY



Gets hands clean. Leaves hands soft. Helps prevent cracked, split hands.

Locke#

M1906 Gardener's Grime Away

GRANDMA'S Pure & Natural™ POISON IVY/OAK BAR



Locke#

M1907 Poison Ivy/Oak Bar

GRANDMA'S Pure & Natural™ WINTER HAND SOOTHER™ LOTION



- NEVER sticky or greasy
- Heals dry, cracked, split hands in as little as 3 days
- Great for feet
- Ladies love it too

Locke#

M1904 Winter Hand Soother™ Lotion



MECHANIX ORANGE CITRUS HAND CLEANER



Formulated with the natural power of citrus. Quickly cleans away the toughest soils. Used with pH balanced to be gentle on hands. It's serious scrubbing power comes from fine grade pumice, leaves hands fresh.

Locke#

T4886 SL1712 16oz. Hand Cleaner

STEEL BRAND™ DISPOSABLE WIPERS



- 9.5" x 16.5" cloth like
- Absorbs 10 times its' own weight
- 100 Wipes per box

Locke#

M0316 All Purpose disposable wipers, 100 per box



YELLOW CAUTION TAPE



Locke#

M2308 3" x 1000' Yellow Caution Tape

ALL PURPOSE SPRAYER



Has a measured ounce guide. Use for a spray mist or a full jet stream. Useful for water treatment chemicals, insecticides, gardens, laundry, hair, etc.

Locke#

T0156 1 Quart All purpose sprayer