






DEVCO ENTERPRISES

PLUGS AND CONNECTORS

Locke#	Model	Plugs and Connectors - Description
M2012 	ED179 15A-125V	Plastic Handle Plug. 2 pole, 2 wire. Flexible Spring prongs, face washer furnished. 13/32" cord hole.
M2010 	ED1709 15A-125V	Grounding Rubber Handle Plug. 2 pole, 3 wire. Fits cords .250" - .600" dia.
M2011 	ED1711 15A-250V	Tandem Grounding Rubber Handle Plug. 2 pole, 3 wire. Fits cords .250" - .600" dia.
M2020 	ED2867 15A-125V	Armored Plug. 2 pole, 3 wire. Vinyl enclosed. Fits cords .250" - .685" dia.
M2021 	ED2887 15A-125V	Armored Connector. 2 pole, 3 wire. Vinyl enclosed. Fits cords .250" - .685" dia.


OUTLET ADAPTERS



Ground Included

Locke#	Model	Description
M2023	ED419	Ground adapter, polarized, 15A- 125V, vinyl
M2105	5223	Heavy duty triple outlet, 15A- 125V, polarized, 2 pole, 3 wire

GROUNDING PIGTAILS



8" of 12 gauge stranded wire with a #10 spade on one end and a 10-32 x 3/8" slotted round head screw on one end.

Locke#	Model	Description
M2072	P1337-4	12 Gauge Stranded Wire

METAL BAT HANDLE SWITCHES



10A-250V AC, 15A-125V AC and 3/4" HP-120/240V AC.

Locke#	Vendor#	Circuit	Function
M2024	ED447	SPST	On-Off


WEATHERPROOF SWITCH COVERS




Weatherproof lever switch cover with gasket for use with standard toggle switches.

Locke#	Model	Description
M2091	P1386	Weatherproof lever switch cover

CABLE CONNECTORS

Locke#	Model	Description
M2055	P1312	Set screw type connector 3/8" trade size for 1/2" knockout - small pack 
M2063	P1320	Romex cable connector 3/8" trade size for 1/2" knockout - large pack
M2064	P1321	Romex cable connector 3/8" trade size for 1/2" knockout - small pack

ANTI SHORT BUSHINGS



Plastic Bushings for 14/2, 14/3, & 12/2 Box Cable

Locke#	Model	Description
M2068	P1331	"Anti-Short" Bushings


CONDUIT STRAPS



These one hole straps are for E.M.T. conduit. Zinc plated steel.

Locke#	Model	Description
M2051	P1307	Strap fits 3/4" Conduit


INDICATOR LIGHTS



These indicator lights feature 4 1/2" long 22 AWG wire stripped 1/2". These lights will snap into .500" to .505" diameter holes with panel thickness varying from .020" to .100".

Locke#	Model	Description
M2034	ED610	Red 105-125v AC Neon

ELECTRICAL STAPLES



Locke#	Model	Description
M2067	P1330	1/2" Plastic Electrical Staple
M2069	P1332	3/4" Plastic Electrical Staple

INSULATED COPPER STAPLES



Locke#	Model	Description
M2018	ED27ECX	#5, 5/8" High, 1/4" w


TEST LEADS & CLIPS



Locke#	Model	Description
M2099	5031	22" Low voltage test lead, 8 color-coded leads with fully insulated alligator clips
M2102	5035	2" long Jaw copper alligator clips, 5/16" minimum opening, slotted screw connector, red & black insulators
M2103	5036	20 amp Steel test clips, 2 7/16" long, 5/8" minimum opening, slotted screw connector, red & black insulators

DEVCO ENTERPRISES

VINYL GROMMETS



These grommets exhibit high dielectric strength. Oil, ozone and UV resistant with a 60 shore "A" Durometer hardness.

Sizes:	
I.D.	O.D.
1/8"	1/4"
3/16"	5/16"
1/4"	3/8"
5/16"	7/16"
3/8"	1/2"
25/64"	21/32"
1/2"	5/8"
5/8"	7/8"
11/16"	1"

Locke#


M2022 ED320 Assorted pack vinyl grommets Contains all sizes listed

NYLON CABLE TIES



Locke Code	Description	Pieces per pack	Max. Bundle Dia.	Tensile Strength
M2119	6" Ties with #8 Mounting Hole	100	1 1/4"	30 lbs.
M2120	15" Ties	50	4"	50 lbs.
M2175	5" Ties	100	1 1/4"	181bs.
M2176	7" Ties	100	1 3/4"	50 lbs.
M2177	11" Ties	100	3"	50 lbs.
M2178	7" Ties with #10 Mounting Hole	100	1 3/4"	50 lbs.

CABLE TIE MOUNTS



1" square & are adhesive backed. In addition, they can be mounted with screws if desired. These mounts will accept up to 50 lb. ties.

Locke#

M2179 6269 Cable tie mounts

M2180 6269LX Cable tie mounts- Large Package - 50 pieces

CABLE MARKERS




Cable Markers are mounted on dispenser cards in a portable book. WM1002-WM1009 are made of vinyl impregnated cloth that resists moderate amounts of dirt, oil & heat. WM1014 is made of durable vinyl film that resists water, oil, fungus & can withstand extreme temperatures. All cable markers are designed for above/below ground applications.

Locke#

M2093 WM1002 450 Cable markers & matching terminal markers. 10 each: A-Z, 0-15, +, -, /

M2094 WM1003 450 Cable markers & matching terminal markers. 10 each: 1 thru 45.

HEAT SHRINK TUBING



Heat shrink tubing is made of flame-retardant polyolefin. It is thin wall, all purpose tubing, rated 125°C.

Properties: dielectric strength-1000 volts/mil., inert to fungus, noncorrosive and is virtually unaffected by common fluids and solvents.

Each pack contains a mixture of black and white pieces 6" in length and a mixture of both sizes.

ID Supplied (max. inch.)	ID Recovered (min. inch.)
1/8"	1/16"
1/4"	1/8"

Locke#

M2223 Heat Shrink Tubing - Assortment Package

NYLON CABLE CLAMPS



Locke#

M2109	5381	Fits Pipe 1/8" OD, 3/8" W
M2110	5382	Fits Pipe 1/4" OD, 3/8" W
M2111	5383	Fits Pipe 3/8" OD, 3/8" W
M2112	5384	Fits Pipe 1/2" OD, 1/2" W

THERMOSTAT WIRE



This wire is thermoplastic insulated, intended for low voltage applications. The conductors are made of solid copper and are individually insulated and color coded.

Locke#

M2217 6336 3 Conductor- 40ft. Thermostat Wire

M2218 6337 5 Conductor- 40ft. Thermostat Wire

STRANDED HOOKUP WIRE



This wire is vinyl with an oil resistant nylon coating. Rated 600V. Available in 4 colors: red, black, white and green. Approximate length 48'.

Locke#

M2207 6333B 14 Gauge - Black

M2209 6333R 14 Gauge - Red


M2213 6334W 12 Gauge - White

M2214 6335B 10 Gauge - Black

M2215 6335R 10 Gauge - Red

DEVCO ENTERPRISES

FULLY INSULATED NYLON MALE & FEMALE



61233LX 25 pairs Combo Pack of 6233's & 6234's. All Others - 50 Pieces. Insulated Grip.

Locke#

M2123	61233LX	Combo Pack of 6233's & 6234's
M2146	6229	Female 16-14 Wire Range .250 Tab
M2147	6229LX	Female 16-14 Wire Range .250 Tab
M2151	6233LX	Female 16-14 Wire Range .250 Tab
M2152	6234LX	Male 16-14 Wire Range .250 Tab

SLIP-ONS - FEMALE



Locke#	#of Pieces	Wire Range	Tab Size	Insulated
M2118	100	12-10	.250	No
M2132		16-14	.250	No
M2133	100	16-14	.250	No
M2138		16-14	.250	Yes
M2139	50	16-14	.250	Yes
M2153		22-18	.250	Yes
M2154	50	22-18	.250	Yes
M2163		12-10	.250	Yes
M2164	50	12-10	.250	Yes
M2189		16-14	.187	Yes
M2190	50	16-14	.187	Yes
M2191		22-18	.187	Yes


SLIP-ONS MALE



Locke#

M2140	6219	16-14 wire range, .250 tab, insulated-Male
--------------	------	--


SLIP-ONS FLAG FEMALE



Locke#

M2131	6213CX	Non-Insulated Flag Female 100 pieces, 16-14 Wire Range .250 Tab
M2143	6224	12-10 Wire Range, .250 Tab - Non-Insulated Flag Female
M2188	6277NX	Fully Insulated Flag Female, 25 Pieces, 16-14 Wire Range, .250 Tab

FLAG FEMALE COMPRESSOR TERMINALS



Locke#

M2171	6258	16-14 wire fits .250 tab, notched for bending, insulated grip, non-insulated, 18 pcs.
M2172	6258CX	16-14 wire range fits .250 tab, notched for bending, insulated grip, non-insulated 100 pieces
M2173	6259	.250 tab, notched for bending, non-insulated 12-10 wire range, 15 pcs.
M2174	6259CX	.250 tab, notched for bending, non-insulated, 100 pieces, 12-10 wire range
M2181	6270	.250 tab, non-insulated, 12-8 wire range
M2182	6270LX	Same as M2181 with 50 pieces

INSULATED SPRING SPADES



Locke#

M2157	6238	22-18 Wire Range, #8 Stud Size Insulated
M2159	6239LX	16-14 Wire Range, #8 Stud Size, 50 Pieces Insulated

TAB ADAPTERS



Locke#

M2117	60210	Piggy Back Slip-on (multi-stack), 16-14 wire, .250 male tab, .250 female slip-on, non-ins.
M2128	6211	Double male tabs, single female slip-on, .250, non-insulated
M2129	6211CX	100 pcs., Double male tabs, single female slip-ons, .250, non-insulated
M2130	6212	Double male tabs, single female slip-ons, .250, non-insulated

INSULATED SPADES



Locke#

M2144	6227LX	Spade, 16-14 Wire Range, Insulated, #8 Stud Size, 50 Pieces
M2145	6228LX	Spade, 16-14 Wire Range, Insulated #10 Stud Size, 50 Pieces
M2156	6237	Spade, 22-18 Wire Range, Insulated #8 Stud Size
M2169	6255LX	Spade, 12-10 Wire Range, Insulated #10 Stud Size, 50 Pieces
M2168	6255	Spade, 12-10 Wire Range, Insulated #10 Stud Size
M2186	6274	Spade, 16-14 Wire Range, Insulated #6 Stud Size

INSULATED SOLDERLESS TERMINAL RINGS



Locke#

M2134	6216	Rings, 16-14 wire range, #10 stud size, insulated
M2135	6216LX	Rings, 16-14 wire range, #10 stud size, insulated, 50 Pieces
M2165	6252	Rings, 12-10 wire range, #10 stud size, insulated
M2166	6252LX	Rings, 12-10 wire range, #10 Stud Size, Insulated, 50 Pieces
M2167	6253	Rings, 12-10 wire range, 1/4" stud size, insulated
M2170	6257NX	Rings, 8 wire range, 1/4" stud size, insulated, 25 pieces


DEVCO ENTERPRISES

INSULATED BUTT CONNECTORS




Locke#	Part #	Description
M2136	6217	16-14 Gauge, 100 pc.
M2137	6217LX	16-14 Gauge, 50 pc.
M2149	6231LX	12-10 Gauge, 50 pc.
M2150	6232LX	22-18 Gauge, 50 pc.
M2192	6287XX	8 Gauge, 10 pieces

IDEAD END CONNECTORS



Locke#	Part #	Description
M2141	6222LX	Dead End Connectors - 50 Pieces Fully Insulated, 22-14 Wire Range
M2142	6223LX	Dead End Connectors - 50 Pieces Fully Insulated, 18-10 Wire Range

STANDARD WIRE CONNECTORS



Color coded with spring inserts & are made of heat resistant (105° C) polypropylene. All connectors are for copper to copper connections, however 6294 & 6296 are also for aluminum to aluminum & copper to aluminum connections (dry locations only).

Locke#	Part #	Description
M2195	6291	Mini - Gray
M2196	6292	Tiny - Blue
M2197	6293	Small - Orange
M2198	6294	Medium - Yellow
M2200	6296	Large - Red
M2199	6295X	Assortment Includes: 6291, 6292, 6293, 6294 & 6296
M2201	6298	X-Lrg. - Gray

TERMINAL BLOCKS



Locke#	# of Posts	Length	Width	Screw Size	Max. Wire Size
M2124	6	2.9"	7/8"	6	14ga
M2125	10	4.4"	7/8"	6	14ga
M2126	14	5.9"	7/8"	6	14ga

HOSE CLAMPS




These hose clamps have stainless steel housings and bands. The screws are plated steel and have slotted hex heads allowing a socket wrench, nut driver or screwdriver to be used.

Locke#	Part #	Description
M2043	HC5410	Hose Clamp 9/16" to 1 1/16"
M2044	HC5416	Hose Clamp 13/16" to 1 1/2"
M2046	HC6202	Hose Clamp 1/4" to 5/8"
M2047	HC6203	Hose Clamp 7/16" to 25/32"

NOTE: Other sizes available upon request.

MAGNETIC HEX CHUCKS



Magnetic hex chucks are used with an electric drill to drive hex head screws.

Locke#	Part #	Description
M2000	DE13	1/4" Magnetic Hex Chuck
M2001	DE14	5/16" Magnetic Hex Chuck
M2002	DE15	3/8" Magnetic Hex Chuck

SHEET METAL SCREW With Slotted Hex Washer Heads

Zinc plated.



Locke#	Part #	Description
M2269	6822H	#6-3/8" Hex head
M2271	6843H	#8-1/2" Hex head 99pk
M2273	6845H	#8-3/4" Hex head 78pk
M2274	6846H	#8-1" Hex head 66pk
M2276	6853H	#10-1/2" Hex head 68pk
M2278	6855H	#10-3/4" Hex head 46pk
M2280	6856H	#10-1" Hex head 49pk

HEX HEAD SELF DRILLING METAL SCREW

Zinc plated.



Locke#	Part #	Description
M2286	6900AX	Assortment, #12 x 3/4" & 1", #14 x 3/4" & 1", Hex Head
M2287	6943CX	#8-1/2" Hex drill 100pk
M2288	6945CX	#8-3/4" Hex drill 100pk
M2289	6946CX	#8-1" Hex drill 100pk
M2290	6953CX	#10-1/2" Hex drill 100pk
M2291	6955CX	#10-3/4" Hex drill 100pk
M2292	6956CX	#10-1" Hex drill 100pk

PAN HEAD SCREW

Zinc plated.



Locke#	Part #	Description
M2270	6843	#8-1/2" Pan head 114pk
M2275	6853	#10-1/2" Pan head 82pk
M2277	6855	#10-3/4" Pan head 67pk
M2279	6856	#10-1" Pan head 60pk
M2281	6858	#10-1 1/2" Pan head 43pk
M2282	6859	#10-2" Pan head 29pk
M2284	6866	#12-1" Pan head 45pk
M2285	6876	#14-1" Pan head 32pk

SLOTTED ROUND HEAD MACHINE SCREWS



Zinc plated steel. Assorted sizes

Locke#	Part #	Description
M2116	6021	Assorted Machine Screws #6-32, #8-32, & #10-32 - 1/2", & 1 1/2" Length.

DEVCO bOLTS, nUTS, WASHER S & AnCHOR S

DEVCO ENTERPRISES

STOVE BOLTS



Stove bolts are round head machine screws & finished hex nuts. Zinc plated steel.

Locke#

M2224	6401	#24 - 3/16"x1/2"	Stove Bolt
M2225	6402	#24 - 3/16"x3/4"	Stove Bolt
M2226	6403	#24 - 3/16"x1"	Stove Bolt
M2227	6404	#24 - 3/16"x1 1/2"	Stove Bolt
M2228	6411	#20 - 1/4"x1/2"	Stove Bolt
M2229	6412	#20 - 1/4"x3/4"	Stove Bolt
M2230	6413	#20 - 1/4"x1"	Stove Bolt
M2231	6414	#20 - 1/4"x1 1/2"	Stove Bolt
M2232	6415	#20 - 1/4"x2"	Stove Bolt
M2233	6416	#20 - 1/4"x2 1/2"	Stove Bolt

HEX HEAD CAP SCREWS




These screws are made of low carbon, grade 2, zinc plated, steel. USS classification.

Locke#

M2245	6601	#20 - 1/4"x3/4"	Hex Screw
M2246	6602	#20 - 1/4"x1"	Hex Screw
M2247	6603	#20 - 1/4"x1 1/2"	Hex Screw
M2249	6622	#18 - 5/16"x1"	Hex Screw
M2251	6642	#16 - 3/8"x1"	Hex Screw
M2252	6643	#16 - 3/8"x1 1/2"	Hex Screw

MACHINE SCREW HEX NUTS



Machine Screw Hex nuts are made of zinc plated steel.

Locke#

M2234	6500A	Assorted Pack of Machine Hex Nuts Includes: #6-32, #8-32 & #10-32.
--------------	-------	--

FINISHED HEX NUTS



Zinc plated steel.

Locke#

M2235	6501	#20-1/4" Hex Nut-51 pack
M2236	6501CX	#20-1/4" Hex Nut-100 pack
M2237	6502	#18-5/16" Hex Nut-35 pack
M2239	6503	#16-3/8" Hex Nut-23 pack
M2240	6503CX	#16-3/8" Hex Nut-100 pack
M2241	6505	#13-1/2" Hex Nut-10 pack
M2242	6505LX	#13-1/2" Hex Nut-50 pack

FENDER WASHERS



These washers are zinc plated steel.

Locke#

M2262	6722	1/4" Fender Washers, Approximately 28 pack
M2263	6724	3/8" Fender Washers, 20 pack

FLAT WASHERS



Zinc plated.

Locke#

M2255	6700AX	Flat Washer Assortment 3/16", 1/4", 5/16", 3/8", 1/2", 5/8" 114pk
M2256	6701	3/16" Flat Washer 158pk
M2257	6702	1/4" Flat Washer 74pk
M2258	6703	5/16" Flat Washer 45pk
M2259	6704	3/8" Flat Washer 30pk
M2260	6706	1/2" Flat Washer 14pk

SPLIT LOCK WASHERS




Zinc plated.

Locke#

M2265	6731	1/4" lock washer 102pk
M2267	6733	3/8" lock washer 48pk

TOGGLE BOLTS



Zinc plated steel. Toggle bolts are slotted, round head machine screws with spring wings.

Locke#

M2293	7033	6pk.Toggle bolt 3/16"x4"
M2294	7034	5pk.Toggle bolt 1/4"x4"

DRIVE FASTENERS



These fasteners can be driven into dry wall like a nail & secured by turning the screw down completely to expand the ribs.

Locke#

M2304	7303	1/4" Fastener (1/8"-3/16") 6pk
--------------	------	--------------------------------

PLASTIC ANCHORS WITH SCREWS



All screws are slotted pan head sheet metal type, zinc plated. 100ct. #7103CX, 7101CX & 7102CX come in plastic box.

Locke#

M2296	7101CX	Yellow Flange Anchor Kit - #8x1 screws and anchors with 3/16" drill bit, 100 pack
M2297	7102CX	Red Flange Anchor Kit - #10x1 1/4" screws and anchors with 1/4" drill bit, 100 pack
M2298	7103CX	Blue Flange Anchor Kit - #4x3/4" Screws & anchors with 5/32" drill bit, 100 pack
M2300	7111CX	Blue Flange Anchor Kit - #14x1" screws and anchors with 5/16" drill bit, 100 pack