



PROGRESSIVE MEDIA AIR CLEANER



Ultravation® whole house filters utilize a unique progressive media design that excels at removing contaminants from the air. Ultravation® filters provide healthier indoor air -- and they help reduce HVAC system energy consumption and maintenance costs.

- Progressive capture characteristics trap more while extending media filter life and minimizing HVAC air flow resistance.
- A permanently embedded electrostatic charge that attracts airborne particles and improves filter efficiency.
- 100% synthetic fibers, thermally bonded (no chemical adhesives).
- Continuous fibers with radial pleating.
- No moisture absorption.
- High sustained efficiency due to filter structure and permanent electrostatic charging over filter life.
- Filters meet UL Class II STD 900, rated to 180°F.
- 85% efficient on particles 3 to 10 microns such as pollen, fungi, mold spores, and pet dander.
- Very low pressure drop - means minimized air flow restriction.
- UltraStrand™ shaped fibers are electrostatically charged to attract the smallest particles and capture them in the unique Ultrastrand™ fiber surface.
- Outperforms electronic filters by effectively capturing both large and small particles.
- Rugged construction—10 year cabinet warranty.
- Easy filter changes
- Right angle models install with less duct metal
- Right angle cabinet simplifies installation, creating a space saving "clean" install.

Comes with 1 filter

Locke#

L2874	90-012	20x25x5	Under furnace progressive media air cleaner
L2876	91-006	20x25x5	MERV11 Filter



PROGRESSIVE MEDIA AIR CLEANER



Ultravation® whole house filters utilize a unique progressive media design that excels at removing contaminants from the air. Ultravation® filters provide healthier indoor air -- and they help reduce HVAC system energy consumption and maintenance costs.

- Progressive capture characteristics trap more while extending media filter life and minimizing HVAC air flow resistance.
- A permanently embedded electrostatic charge that attracts airborne particles and improves filter efficiency.
- 100% synthetic fibers, thermally bonded (no chemical adhesives).
- Continuous fibers with radial pleating.
- No moisture absorption.
- High sustained efficiency due to filter structure and permanent electrostatic charging over filter life.
- Filters meet UL Class II STD 900, rated to 180°F.
- 85% efficient on particles 3 to 10 microns such as pollen, fungi, mold spores, and pet dander.
- Very low pressure drop - means minimized air flow restriction.
- UltraStrand™ shaped fibers are electrostatically charged to attract the smallest particles and capture them in the unique Ultrastrand™ fiber surface.
- Outperforms electronic filters by effectively capturing both large and small particles.
- Rugged construction—10 year cabinet warranty.
- Easy filter changes
- Right angle models install with less duct metal
- Right angle cabinet simplifies installation, creating a space saving "clean" install.

Comes with 1 filter

Locke#

L2871	90-006	16x25x5	Straight through progressive media air cleaner
L2872	90-007	20x25x5	Straight through progressive media air cleaner
L2875	91-005	16x25x5	MERV11 Filter
L2876	91-006	20x25x5	MERV11 Filter



PROGRESSIVE MEDIA AIR CLEANER



Ultravation® whole house filters utilize a unique progressive media design that excels at removing contaminants from the air. Ultravation® filters provide healthier indoor air -- and they help reduce HVAC system energy consumption and maintenance costs.

- Progressive capture characteristics trap more while extending media filter life and minimizing HVAC air flow resistance.
- A permanently embedded electrostatic charge that attracts airborne particles and improves filter efficiency.
- 100% synthetic fibers, thermally bonded (no chemical adhesives).
- Continuous fibers with radial pleating.
- No moisture absorption.
- High sustained efficiency due to filter structure and permanent electrostatic charging over filter life.
- Filters meet UL Class II STD 900, rated to 180°F.
- 85% efficient on particles 3 to 10 microns such as pollen, fungi, mold spores, and pet dander.
- Very low pressure drop - means minimized air flow restriction.
- UltraStrand™ shaped fibers are electrostatically charged to attract the smallest particles and capture them in the unique Ultrastrand™ fiber surface.
- Outperforms electronic filters by effectively capturing both large and small particles.
- Rugged construction—10 year cabinet warranty.
- Easy filter changes
- Right angle models install with less duct metal
- Right angle cabinet simplifies installation, creating a space saving "clean" install.

Comes with 1 filter

Locke#


L2873	90-014	20x25x5	Right angle progressive media air cleaner
L2876	91-006	20x25x5	MERV11 Filter



Air Cleaners

Aprilaire®

MODEL 5000 ELECTRONIC AIR CLEANER



Dimensions

Description	5000
Outlet Opening Height	15.50"
Outer Housing Depth Without Door and Clips	28.13"
Outlet Opening Width	24.63"
Unit Width	12.00"
Outer Housing Depth With Door and Clips	31.00"
Inlet Opening Width	23.88"
Inlet Opening Height	15.50"
Unit Height at Front	18.25"
Unit Height at Back	17.75"


- Patented, breakthrough technology provides air cleaning performance never before possible
- It's 94% efficient at removing disease-causing bacteria as small as 0.35 micron
- It even traps viruses with an efficiency of 80%. No other whole-house air cleaner can reach more than 72%
- Over 99% efficient on pollen and spores
- Provides allergy relief. Ask your doctor
- Air Cleaner media lasts one to two years
- Protects heating and cooling equipment
- No monthly cleaning of collector plates
- The best choice for the healthiest indoor air
- Limited 2-year warranty.

Locke# Model

L7133	5000	Electronic air cleaner
L7138	501	Media for Model 5000

Aprilaire®

MODEL 2200 UPFLOW/ HORIZONTAL MEDIA AIR CLEANER



The Model 2200 is easily adaptable to upflow or horizontal duct configurations

Dimension

Description	2200
Outlet Opening Height	19.75"
Outer Housing Depth Without Door	25.39"
Outlet Opening Width	21.94"
Unit Width	10.00"
Outer Housing Depth With Door	26.75"
Inlet Opening Width	19.75"
Inlet Opening Height	21.50"
Unit Height	22.06"

- A whole house air cleaner.
- Permanently traps and removes at least 97% of pollen-sized particles (5.0 microns) when new.
- Traps and permanently removes at least 70% of mold- and spore-sized particles (3.0 microns) when new.
- Resistance with a new media ranges from 0.07" w.g. (at 800 cfm) to 0.29" w.g. at 2000 cfm.
- Unit operation is completely silent.
- The only maintenance required is replacement of the disposable media.
- Outer housing is heavy gauge galvanized steel.
- Warrantied for the lifetime of the product (except of the disposable media and inner housing seals).
- UL classified.

Locke# Model

L7134	2200	Media Air Cleaner (upflow or horizontal)
L7136	201	Media for Model 2200
L3636	POPUP2200	Honeywell PopUP filters store flat and pop into shape for installation (2200).

Aprilaire®

MODEL 2400 PLATFORM/ CLOSET MEDIA AIR CLEANER



The Model 2400 is compact, great for use with today's shorter furnaces in platform or closet installations.

Dimension

Description	2400
Outlet Opening Height	15.44"
Outer Housing Depth Without Door	28.06"
Outlet Opening Width	24.63"
Unit Width	10.00"
Outer Housing Depth With Door	29.50"
Inlet Opening Width	23.88"
Inlet Opening Height	15.44"
Unit Height	17.75"

- A whole house air cleaner.
- Permanently traps and removes at least 97% of pollen-sized particles (5.0 microns) when new.
- Traps and permanently removes at least 70% of mold- and spore-sized particles (3.0 microns) when new.
- Resistance with a new media ranges from 0.07" w.g. (at 800 cfm) to 0.29" w.g. at 2000 cfm.
- Unit operation is completely silent.
- The only maintenance required is replacement of the disposable media.
- Outer housing is heavy gauge galvanized steel.
- Warrantied for the lifetime of the product (except of the disposable media and inner housing seals).
- UL classified.

Locke# Model

L7135	2400	Compact Air Cleaner
L7137	401	Media for Model 2400
L3637	POPUP2400	Honeywell PopUP filters store flat and pop into shape for installation (2400).

Honeywell

TRUEDRY™ DR65 DEHUMIDIFIER



Whether removing moisture evenly from the entire home or focusing specifically on humidity problem areas, the Honeywell TrueDRY™ DR65 provides an integrated solution that operates quietly and efficiently. TrueDRY DR65 removes more moisture while using less energy than the leading portable dehumidifiers on the market, making it the ideal solution for applications where space is limited and high-performance is critical.

- Integrated Solution — Can be centrally ducted for whole-house control or operate unducted to address moisture problem areas such as attics or crawl spaces.
- Removes up to 65 pints of water per day from the indoor air.
- Built-in humidity control requires no additional wiring to an external control. Just plug in and go! Choice of external control options also available for centrally ducted control.
- Feedback on operation and maintenance provided via intuitive on-board LED light interface.

Locke#

L4597 DR65A1000 Dehumidifier

MANUAL DEHUMIDISTAT



Integrated humidity chart for accurate control in changing outdoor conditions.

Locke#

L4598 H8908DSPST Dehumidistat

24V HUMIDIFIER SOLENOID AIR SWITCH



This solenoid valve allows for water to come into your humidifier. Replaces the following model solenoids: Aprilaire 4040, General 990-53, Honeywell 32001639-609, Skuttle A01-0814-148

Locke#

L7190 UHS24 24V Humidifier Solenoid Air Switch



HIGH-CAPACITY STEAM HUMIDIFIER



Locke#

L7140 F60-1 Humidifier with Flush Timer & Filter, Up to 15,758 cu. ft.

L7147 SEH-7100-000 Replacement Automatic Humidistat



HIGH-CAPACITY BYPASS FLOW-THRU HUMIDIFIER WITH SIDE ENTRY



Locke#

L7143 2000 Bypass Humidifier with Humidistat, Up to 16,970 cu. ft.

L7146 SK0-0055-001 Replacement Manual Humidistat



HIGH-CAPACITY BYPASS FLOW-THRU HUMIDIFIER WITH SIDE ENTRY



Locke#

L7142 2001 Bypass Humidifier with Humidistat, Up to 21,818 cu. ft.

L7146 SK0-0055-001 Replacement Manual Humidistat



HIGH-CAPACITY FAN-POWERED FLOW-THRU HUMIDIFIER



Locke#

L7141 2002 Power Humidifier with Humidistat, Up to 23,030 cu. ft.

L7146 SK0-0055-001 Replacement Manual Humidistat

PAR Ts f Or humidifiers



CURRENT SENSING RELAY 24V



Locke#

L7120 A50 Current Sensing Relay 24V



AUTOMATIC HUMIDISTAT



Locke#

L7147 SEH-7100-000 Automatic Humidistat



MANUAL HUMIDISTAT

Locke#

L7146 SK0-0055-002 Manual Humidistat

HVAC



PHI CELL AIRBORNE CONTAMINANT REDUCTION SYSTEM



Applications:

Helps Eliminate Airborne:

- Smoke
- Bacteria
- Mildew
- VOC's
- Odors
- Viruses*

*UV, Hydro-peroxides and Ozone are recorded as effective in killing viruses.

Benefits

- Plugs into existing outlets
- No wiring required
- 2 or 3 prong Plug
- 10,000 Hour Cell Life
- Light weight • Compact
- Built in night light
- Hidden mounting screws prevents theft
- Built in electrical outlet
- 3 year warranty - 1 Year on PHI cell

Dimensions:

- 6.25" w x 3.75" d x 10" h

Locke#

L2879 PIP-16-GA PHI Cell Plug in



ULTRAMAX™ WHOLE HOUSE GERMICIDAL UV AIR TREATMENT

With Refresh™ Odor Reduction



- Kills Airborne Germs
- Controls Mold
- Reduces Allergens
- Removes Odors
- UV-C light disrupts the DNA of harmful microbes, inactivating them.
- Costs no more to operate than a typical light bulb.
- 100% silent—the light does the work.

Locke#

L6295 UME1902T Two 17" UV lamps remote install 110VAC


L6293 LP-PP-0001 9" UV Lamp Replacement

L6294 LP-PP-0002 16" UV Lamp Replacement

L6296 ASIH1003 17" UV Lamp Replacement for **L6295**



PHI CELL AIRBORNE CONTAMINANT REDUCTION SYSTEM



While UV systems are designed to kill mold on the HVAC coil, the PHI Cell does this, plus it adds advanced oxidants throughout the room to kill microbials at the source.

The Guardian Air by RGF is designed to eliminate sick building syndrome risks by reducing odors, air pollutants, VOCs (chemical odors), smoke mold, bacteria and viruses. The HVAC-PHI Cells are easily mounted into air conditioning and heating systems air ducts where most sick building problems start.

* Tested and approved by USDA and FSIS for Food Purification

* 99.99% surface bacteria reduction

* Airborn bacterial reduction

* 85% odor reduction

* 99.99% bacteria in water reduction

* 97% airborne mold reduction

* 99% food surface microbial reduction

* Approved by the USDA, FSIS and FDA for use in food processing plants

Blower Size: 1,000 to 6,500 scfm

9" probe x 5.5" diameter plate

Locke#

L2878 HVAC-PHI-212-GA PHI Cell 9



ICE MACHINE SANITIZER



The RGF IMSB is designed to pump Advanced Oxidation Gases into both the production and holding areas of commercial ice machines not only destroying odors but also killing microbials such as Listeria which favors cold environments and can cause food poisoning type symptoms.

- No Costly Chemicals
- All stainless steel
- Automatic Unattended Operation
- Safety Service Cut Off Switch
- 2 Year Limited Warranty
- PHI Cell replacement 2 years
- Reduces airborne bacteria, mold and virus
- Eliminates odors

Locke#

L3439 IMS-B-GA Ice Machine Sanitizer



ENERGY RECOVERY VENTILATOR



Provide proper levels of ventilation with energy savings by transferring heat and moisture between the exhaust and fresh air streams.

- Includes heat/energy transfer core, pre-filters, and fan and blower assembly.

- Variable fan speed control.
- Easy-to-clean core assures years of trouble-free operation.

- Permanent (washable) pre-filters.

Temperature Recovery: 0.79

Moisture Transfer Ratio: 0.26

Airflow Capacity: 150 cfm

Locke# Model

L7129 ER150C2004 Ventilator



FRESH AIR VENTILATION SYSTEM



Designed for easy installation and works with existing HVAC fan systems.

It's an affordable solution to ventilation, yet it offers best-in-class benefits.

The Y8150A helps meet

local and federal codes, including the new ASHRAE 62.2 standard. The intelligent algorithm calculates the amount of ventilation needed based on simple settings for each home. This "set it and forget it" program means fewer callbacks for you and optimal ventilation for the homeowner.

Locke#

L3635 Y8150A1009 Ventilator



770-1 DUAL PURPOSE AIR SWITCHES



Features:

- Responds to positive, negative or differential air pressure.
- Design eliminates "fluttering" or malfunction due to shock or vibration normally encountered with "Sail Switches."
- Wide operating range.

Locke#

L1060 Model 770-1 Dual Purpose Air Switch

HVAC

Aprilaire®

MODEL 400 AUTOMATIC EVAPORATIVE HUMIDIFIER

Up to 2000 Sq. Ft.



Uses evaporative technology that eliminates the need for a drain. Its advanced design uses 100% of the water that goes into the unit. This unit is ideal for homes with septic systems.

- Helps protect against discomfort, illness and damage by eliminating parched, dry air throughout the entire home
- Eliminates the need to make constant manual adjustments with exclusive 'no touch' operation
- Maintains proper humidity levels throughout the home by sensing changes in outdoor temperature and indoor relative humidity routinely
- Reminds you when to change the water panel
- Improves comfort, well-being, preservation and energy savings, generating up to 50% more moisture than humidifiers using a manual control

Locke# Model

L7100	400	Evaporative Humidifier
--------------	-----	------------------------

Aprilaire®

MODEL 550 ECONOMY BYPASS HUMIDIFIER

Up to 1500 Sq. Ft.



Economy unit designed for smaller homes. This bypass unit uses a manual humidifier control that can be installed in the living area or on the furnace duct work.

- Helps protect against discomfort, illness and damage by eliminating parched, dry air throughout the entire home
- Eliminates the need to make constant manual adjustments with exclusive 'no touch' operation
- Maintains proper humidity levels throughout the home by sensing changes in outdoor temperature and indoor relative humidity routinely
- Ensures the best performance all the time as an intelligent product that reminds you when to change the water panel
- Improves comfort, well-being, preservation and energy savings, generating up to 50% more moisture than humidifiers using a manual control.

Locke# Model

L7101	550	Economy Humidifier
L7110	#10	Evaporator Panel For Model 550

Aprilaire®

MODEL 600 AUTOMATIC BYPASS HUMIDIFIER

Up to 2000 Sq. Ft.



Equipped with a bypass damper, this humidifier uses the furnace blower to move air through a water panel, humidified air is then distributed to the home.

- Helps protect against discomfort, illness and damage by eliminating parched, dry air throughout the entire home
- Eliminates the need to make constant manual adjustments with exclusive 'no touch' operation
- Maintains proper humidity levels throughout the home by sensing changes in outdoor temperature and indoor relative humidity routinely
- Ensures the best performance all the time as an intelligent product that reminds you when to change the water panel
- Improves comfort, well-being, preservation and energy savings, generating up to 50% more moisture than humidifiers using a manual control

Locke# Model

L7102	600	Bypass Humidifier
L7108	#35	Evaporator Panel For Model 600 / 700

Aprilaire®

MODEL 700 AUTOMATIC BYPASS HUMIDIFIER

Up to 2100 Sq. Ft.



This power humidifier has a built-in fan that pulls heated air directly from the furnace and draws it across a water panel where evaporation takes place.

- Helps protect against discomfort, illness and damage by eliminating parched, dry air throughout the entire home
- Eliminates the need to make constant manual adjustments with exclusive 'no touch' operation
- Maintains proper humidity levels throughout the home by sensing changes in outdoor temperature and indoor relative humidity routinely
- Reminds you when to change the water panel
- Improves comfort, well-being, preservation and energy savings, generating up to 50% more moisture than humidifiers using a manual control

Locke# Model

L7103	700	Power Humidifier
L7108	#35	Evaporator Panel For Model 700 / 600

Aprilaire®

MODEL 800 RESIDENTIAL STEAM HUMIDIFIER

Up to 6200 Sq. Ft.



The Aprilaire Model 800 Residential Steam Humidifier features truly automatic control, so there's no need to manually control the humidifier - though it can be installed in manual mode, if desired.

Complementing none-forced air heating sources and other specialty heating systems:

- Has a capacity of 11.5, 20.5 or 23.3 gallons per day depending on electrical draw.
- Humidifies tightly-constructed homes up to 6,200 ft2

Locke# Model

L7104	800	Residential Steam Humidifier
L7105	#80	Replacement Canister

Aprilaire®

EVAPORATOR PANELS FOR APRILAIRE HUMIDIFIERS

Locke#

L7109	#12	Evaporator Panel For Model 112
--------------	-----	--------------------------------

**Thank You
For Your
Business!**

HVAC