

# Shovel S, Sledge hammer & Post hole digger



## LONG HANDLE SHOVEL

Round point, long handle with turned step. Extra lightweight but with strength built-in. For general purpose use. 8 $\frac{3}{4}$ "x11 $\frac{1}{2}$ " blade.

### Locke#

**T0607** HIRP14L-W Long Handle Shovel



## ROUND POINT MUD SHOVELS

Blade: Hollow Back 8 $\frac{1}{4}$ " x 11 $\frac{1}{2}$ "  
Handle: Fiberglass

### Locke#

- T1605** HIRPMSL Round point mud shovel with 47" dipped handle
- T1606** HIRPMSD Round point mud shovel with 27" D-grip handle



## 9 $\frac{3}{4}$ "x11 $\frac{1}{2}$ " BLADE, 47" LONG SQUARE POINT SHOVEL

Size-2 hollow back blade with forward turned step.

### Locke#

**T0605** HISP2L 9 $\frac{3}{4}$ "x11 $\frac{1}{2}$ "x47" square point shovel



## 8 $\frac{3}{4}$ "x11 $\frac{1}{2}$ " BLADE, 47" LONG ROUND POINT SHOVEL

Size-2 Round point shovel. 8 $\frac{3}{4}$ "x11 $\frac{1}{2}$ " solid shank blade w/ forward turned step & 47" solid long handle.

### Locke#

**T0598** HI520L 8 $\frac{3}{4}$ "x11 $\frac{1}{2}$ "x47" round point shovel



## 6"x8 $\frac{1}{2}$ " BLADE, 26" LONG SHOVEL

6"x8 $\frac{1}{2}$ " hollow back blade with forward turned step & with D handle, 26" overall length.

### Locke#

**T0608** HISHISSH-L 6"x8 $\frac{1}{2}$ "x26" short handle shovel



## SQUARE POINT MUD SHOVELS

Blade: Hollow Back 8 $\frac{3}{4}$ " x 11 $\frac{1}{4}$ "  
Handle: Fiberglass

### Locke#

**T1607** HISPMSL Square point mud shovel with 47" dipped handle



## 8 $\frac{1}{2}$ "x11 $\frac{1}{2}$ " ROUND POINT SHOVEL

8 $\frac{1}{2}$ "x11 $\frac{1}{2}$ " hollow back blade with forward turned step & 47" handle.

### Locke#

**T0610** HIRP14L 8 $\frac{1}{2}$ "x11 $\frac{1}{2}$ "x47" round point shovel



## POST HOLE DIGGER

9 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " head with 6 $\frac{1}{4}$ " point spread & 48" handles. Designed for hard & compact soils.

### Locke#

**T0602** HIPHD4 9 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " x 48" post hole digger



## 32" HANDLE SLEDGE HAMMER

10 Lb. Sledge hammer, double faced head with 32" fiberglass handle.

### Locke#

**T0594** HIBD10 10 lb. Sledge Hammer,



# Shovel S, PiCK & Pr oBe



Professional Tools Fiberglass Tough!

## LONG BLADE HOLLOW-BACK GARDEN SPADE

Hollowback construction with turned step. Heat treated, high carbon steel blade. 27" ash handle with Sturd-E Steel D top.

### Locke#

**T0606** HISS14D-W  
Hollowback Spade



Professional Tools Fiberglass Tough!

## 5 1/2"x16" DRAIN SPADE/SHARP SHOOTER

5 1/2"x16" solid shank blade with forward turned step & 47" solid long handle.

### Locke#

**T0600** HI540L 5 1/2"x16"x47"  
drain spade



Professional Tools Fiberglass Tough!

## 4"x12" BLADE, 48" LONG TRENCH SHOVEL

Painted orange.

### Locke#

**T0609** HITS481L 4"x12"x48" long  
trench shovel



Professional Tools Fiberglass Tough!

## 5 3/4"x14" DRAIN SPADE/SHARP SHOOTER 28" LONG

5 3/4"x14" hollow back blade with forward turned step & 28" D handle.

### Locke#

**T0611** HISS14D  
5 3/4"x14"x28" spade/  
sharp shooter



Professional Tools Fiberglass Tough!

## 5 3/4"x16" DRAIN SPADE/SHARP SHOOTER 47" LONG

5 3/4"x16" Hollow Back blade with forward turned step & 47" handle.

### Locke#

**T0603** HISS16L 5 3/4"x16"x47"  
drain spade/sharp shooter



Professional Tools Fiberglass Tough!

## TACO TRENCH AND CLEAN OUT TOOL

Blade painted with 47" long fiberglass handle.

### Locke#

**T0592** HITACO3-4 3"x11 1/2"



Professional Tools Fiberglass Tough!

## 5 1/2"x16" DRAIN SPADE/ SHARP SHOOTER 27" LONG

5 1/2"x16" Solid Shank blade with forward turned step & 27" solid D handle.

### Locke#

**T0599** HI540D 5 1/2"x16"x27"  
drain spade



Professional Tools Fiberglass Tough!

## PICK MATTOCK HEAD 5 lb. 36" LONG

### Locke#

**T0604** HIPM5H 5 Lb. pick  
mattock head,  
#6 eye



Professional Tools Fiberglass Tough!

## UTILITY PROBE

1/2" x 48" Fiberglass shaft x 3/4" tip with 8 1/4" T-handle.

### Locke#

**T0612** HIUP48  
1/2"x48" Utility Probe



TOOLS



## ALUMINUM LOCKING KNIFE



Locke#  
T2366 44001 Aluminum Locking Knife



## BLACK ALUMINUM LOCKING KNIFE



Locke#  
T2367 44001blk Black Locking Knife



## SPORTSMAN LOCKING ELECTRICIAN'S KNIFE



Curved-handle. Ebony wood handle. Stainless steel blades. Blade locks open.  
Locke#  
T2381 44035 Electrician Knife



## CABLE SPLICER KNIFE



Locke#  
T0584 44200 Cable Splicer Knife



## SPORT UTILITY KNIFE WITH SHEATH



Locke#  
T3191 10801 6½" Sport Utility Knife



## INSTANT-CHANGE™ UTILITY KNIFE



Locke#  
T3188 10788 Instant change™ Knife



## QUICK CHANGE UTILITY KNIFE



No need to disassemble this knife to change the blade.

Locke#  
T4011 10499 Quick change Knife




## FOLDING LOCK-BACK UTILITY KNIFE



Includes 1 Nylon Pouch and 11 blades  
Locke#  
T3199 LBK Folding Utility Knife

## HEAVY DUTY UTILITY KNIFE BLADES



Locke#  
T1060 5 pk. Utility Knife Blades



## LOCKING TRADESMAN UTILITY KNIFE



Bottle Opener, Screwdriver, Pipe Reamer & Wire Stripper

Locke#  
T1075 Locking Tradesman Utility Knife



## TITANIUM EDGE UTILITY KNIFE BLADES



Longest lasting utility blade. Ever!!!

PATENTED BIMETAL CONSTRUCTION High speed steel edge with spring backing steel  
4 NOTCH DESIGN Blade extends further for deeper cutting  
SHATTER RESISTANT Bend and flex without breaking  
TIN COATED EDGE Doubles edge hardness to resist wear and reduce friction

Locke#  
T1070 5 pk. Titanium edge blades

## RETRACTABLE BLADE UTILITY KNIFE



Top button moves heavy-duty, razor-edged blade to any of 3 cutting positions. Blade retracts fully for carrying. Lightweight aluminum handle is shaped for comfort. With 3 blades; extra blades store in handle. 6" Long.

Locke#  
T1059 Retractable Blade Utility Knife

*We Appreciate Your Business!*

# hand SaWS & SaW Bl ades

**STANLEY**

## FATMAX JAB SAW



Locke#

T3184 20556 6 1/4" Fatmax Jab Saw

**L.H. Dottie Company**

## 6" UTILITY SAW




Locke#

T4904 UT-6 Drywall saw, 6" blade

**KLEIN TOOLS**

## MAGIC-SLOT COMPASS SAW WITH 8" BLADE



Saw has oversize handle that permits two-hand use. Magic-slot design allows fast blade changing without removing thumbscrew. Handle is strong, lightweight die-cast zinc with blue finish, contoured for comfort. Blade is tough, high-quality carbon steel, 8" long, with 10 teeth per inch for general-purpose use. Replacement blade and handle can be ordered separately.


Locke#

T2382 703 Magic Slot Compass Saw with 8" Blade

T2383 706 8" Replacement Blade for T2382

**Great Neck**

## COMPASS SAW



Full size pistol grip handle of high impact plastic, with two heavy plated screws. Blades are of high carbon electric hearth spring steel, eight point to inch.

Locke#

T0227 12" Compass Saw

T0229 Blade for T0227, 8 tpi

**LENOX**

## TRI-FOLD SAW



Locke#

T0768 Tri-fold Saw for wood, drywall & non-metallic

**DEWALT**

## HACKSAW



- Soft Feel Grips-for added comfort
- Quick Change easy blade change
- Removable Hand Guard
- 45 & 90 Degree cutting capability
- Jab Saw Capability

Locke#

T1007 DW3970 Hacksaw

**GENE RICH AND COMPANY**

## SPEED SAW



Teeth designed to cut all types of material, especially heat treated to the hardness of a high-speed hacksaw blade. A saw that will cut everything from plywood and plasterboard to ferrous and nonferrous materials.

Locke#

T0696 18" Journeyman Handisaw

T0697 Blade for T0696, 10 tpi.

**LENOX**

## 18" PVC/ABS HAND SAW



Cuts on Push and Pull, 2x normal blade life.


Locke#

T0766 HSF-18 PVC/ABS Pipe Saw

T0767 HSB-18 Blade for T0766

**GENE RICH AND COMPANY**

## QUICK CUT HANDY SAW BLADE



For hundreds of different applications. Fastest cutter for pvc & abs

- Case Hardened for Durability
- Long Life Steel Blade
- Cuts Fast; Easy to Use
- Nickel Plating

Locke#

T0220 Quick Cut PVC Pipe Saw

T0219 Coarse Cutter Blade for T0220

**Great Neck**

## HEAVY DUTY HACKSAW



Locke#

T1103 Heavy Duty Hacksaw

**LENOX**

## HACKSAW FRAMES



Rugged, heavy duty aluminum, designed for hard to get at places. Cuts bolts, wire, tubing and plastic. Includes Bi-Metal 10" blade.

Locke#

T0764 20975-975 Hacksaw Frames

**LENOX**

## CLOSE QUARTER HAND SAW



Locke#

T0769 9081 Hand Saw

T0770 906 6" Replacement Blade for T0769, 32 Teeth

**LENOX**

## SUPER HACKSAW



Locke# The World's Finest

T0765 4012 Super Hack Saw

**LENOX**

## HACKMASTER BLADES



Locke#

T0760 218HE 18 Teeth Blade


T0761 224HE 24 Teeth Blade

T0762 232HE 32 Teeth Blade

TOOLS



## 2-IN-1 HAND RIVETER



Locke#

**T1210** 2-in-1 2-in-1 Hand Riveter

## BLIND RIVETS



1/8" Steel Rivet, Coated Steel Mandrel  
RL=.232; RD=.125, HW=.250; HT=.032

Locke#

**L3400** SS42DJ .232" long 1000 Count

**L3401** SS42DJ .232" long 100 Count

1/8" Steel Rivet, Coated Steel Mandrel  
RL=.357; RD=.125, HW=.250; HT=.032  
Grip Range= .188 - .250

Locke#

**L3402** SS44DJ .357" long 1000 Count

**L3403** SS44DJ .357" long 100 Count



## STAPLE GUN



Unique safety grip, lifetime warranty & jamless design, for wire & cable.

Locke#

**T4945** 75A • Stapler for 12/2 & 14/2 NB-B cable

**T4946** 652126 • 5/8" Long Staples for F75A stapler; 1,000 box

**T4947** 652132 • 7/8" Long Staples for F75A stapler; 1,000 box

**T4948** 25AC • Stapler for CAT 5/5E

**T4934** 25A • Stapler for phone-data cable

**T4935** 62108 • 3/8" Long Staples for F25A stapler; 1,000 box

**T4937** 62114 • 1/16" Long Staples for F25A stapler; 1,000 box



## SIX-IN-ONE TAPPING TOOL



Quickly forms new threads, reforms burred threads, cleans out plaster obstructions. Each tap size rethreads to next larger size if threads are stripped. 6 clearly marked thread sizes: 6-32, 8-32 & 10-32 on 1 side; 10-24, 12-24 & 1/4-20 on the other.

Locke#

**T2377** 626v 6-in-1 Tapping Tool



## TRIPLE-TAP TOOL



For cleaning and chasing burred threads. Replaceable, chrome-finished 3" steel blade threaded to tap 3 hole sizes. Available in 2 tapping size combinations.

Locke#

**T0573** Blue Taps Screw Hole 6-32, 8-32, & 10-24

**T0189** Orange Taps Screw Hole 6-32, 8-32, & 10-32

**T2327** 626-24 Blade for **T0573**

**T2328** 626-32 Blade for **T0189**



## ALL-STEEL SCRATCH AWL



Locke#

**T2376** 66385 Steel Scratch Awl



## SCRATCH AWL WITH CUSHION GRIP



Heavy-duty, hard pointed, awl scribes metal, starts screw holes, performs a variety of piercing and punching jobs. Rigid, tempered steel shaft has full reinforcing bolster at handle for extra strength.

Locke#

**T0575** 650 7 1/2", 3 1/2" Blade

*We Appreciate Your Business!*

TOOLS

# CaBinet-t iP & CUSHi on-g r iP SCr eWDr iv er S



## 1/16" KEYSTONE TIP MINIATURE SCREWDRIVER



4¾" total length / 2" Shank / 1/16" Tip

Locke#

T1252 606-2 1/16" Tip Screwdriver



## 1/8" ROUND-SHANK CABINET-TIP



Locke#

T3152 A216-6 1/8" x 6" Blade, 9" overall length



## CUSHION-GRIP SCREWDRIVERS



Keystone Tip. Square shank.

Locke#

T0456 600-4 8½" 1/4" x 4" Blade

T0457 600-6 10½" 5/16" x 6" Blade

T0458 600-8 13¾" 3/8" x 8" Blade



## CUSHION-GRIP SCREWDRIVERS



Round Shank, Cabinet Tip.

Locke#

T0459 601-4 7¾" 3/16" x 4" Blade

T3107 601-6 9¾" 3/16" x 6" Blade

T0461 601-8 11¾" 3/16" x 8" Blade



## STUBBY SCREWDRIVER



Locke#

T2355 600-1 HD Square Shank Stubby Screwdriver, Keystone Tip, 1/4" x 1½" Blade

T3154 603-1 Round Shank Stubby Screwdriver, Special Profilated Phillips Tip, 1½" Blade



## CUSHION-GRIP SCREWDRIVERS



Round Shank, Keystone Tip. Built to handle the toughest jobs with ease.

Locke#

T0462 602-4 8½" 1/4" x 4" Blade

T0463 602-6 10½" 5/16" x 6" Blade



## SQUARE TIP SCREWDRIVERS



Locke#

T4103 661 #1, 4" Square-tip

T0580 662 #2, 4" Square-tip

T4108 665 #1, 8" Square-tip

T4109 666 #2, 8" Square-tip



## SQUARE TIP STUBBY SCREWDRIVER




Locke#

T1254 668 #1, Square-tip Stubby



## CUSHION-GRIP SCREWDRIVERS



Machined to more exact Phillips-head profile for better, tighter fit - and better results. Tips are profilated to provide a more consistent geometric symmetry than conventional Phillips drivers. In 6 convenient sizes.

Locke#

T0465 603-3 Point Size #1, shank length 3", overall length 6¾"

T0629 603-4 Point Size #2, shank length 4", overall length 8¾"

T0466 603-6 Point Size #3, shank length 6", overall length 11"

T0467 603-10 Point Size #2, shank length 10", overall length 14¾"



## WIRE BENDING SCREWDRIVER



Locke#

T4901 603-4B #2 Philips Screwdriver

T4902 605-4B 4" Flat Screwdriver

T4903 605-6B 6" Flat Screwdriver



## CUSHION-GRIP SCREWDRIVERS



Round Shank, Cabinet Tip.

Locke#

T0630 605-4 8½" 1/4" x 4" Blade, Cabinet Tip Screwdriver



## CUSHION-GRIP SCREWDRIVER HEAVY DUTY CABINET-TIP



Locke#

T2354 605-6 1/4" x 6" Cabinet-tip screwdriver



## POCKET-CLIP SCREWDRIVER



Locke#

T3153 A130-3 1/8" x 2" Blade, 3/8" Overall length Screwdriver



## SLOTTED SCREW-HOLDING SCREWDRIVERS



Positive gripping action, tough, durable spring-steel blade. Split-blade screw-holding driver wedges into screw slot. Positive gripping action holds, starts and drives slotted screws in awkward, hard-to-reach places.

Locke#

T2375 K36 3/16" x 4" Screwdriver

# SCr eWdr iv er S & SCr eWdr iv er Set S



## SPEED-DRIVER CABINET POINT TIPS




Easy, one-hand crank action speeds up many jobs. The shank rotates in the handle to turn the screw. Ideal for use on long threaded screws in switch plates, light fixtures, etc. Cabinet point tips.

### Locke#

**T0579** 670-6 9<sup>5</sup>/<sub>8</sub>" Cabinet Point Speed-driver, 3/16" x 6" Blade



## ROTARY SCREWDRIVERS WITH SLOTTED OR PHILLIPS TIPS



Crank-action spins screws fast with one hand. Shank rotates in handle to save time and effort, especially on long-threaded screws in switch plates, light fixtures, etc.

### Locke#

- T2356** 671-6 Rotary Cabinet-tip speed driver 1/4" x 6" Shank, 9 3/4" Overall
- T2371** 681-6 Rotary Phillips-head #1 Speed Driver- 3/16"x6" Shank, 9 3/4" Overall
- T2372** 682-6 Rotary Phillips-head #2 Speed Driver, 1/4" x 6" Shank, 9 3/4" Overall



## ROTARY SCREWDRIVERS WITH SQUARE-TIPS




### Locke#

- T4048** 692-6 #2 square tip speed driver
- T4049** 691-6 #1 square tip speed driver



## 5-IN-1 & 11-IN-1 SCREWDRIVER/ NUTDRIVER

**T4925** shown



5-in-1 contains: 5/16" nut driver, #2 phillips, 3/32" slotted, #1 phillips, and 3/16" slotted. Cushion-grip handle for greater comfort. Contains the most popular screwdriver bits. Blast-finished bit tips provide a firm hold on the fastener head and reduce cam out. Plating provides corrosion resistance and long tool life.

### Locke#

- T4925** 32500-12 11-in-1 screwdriver
- T4926** 32476-12 5-in-1 Screwdriver
- T4940** 32482 #1 phillips & 3/16" slotted tip
- T4941** 32483 #2 phillips & 1/4" slotted tip
- T4942** 32484 #1 & #2 square tip
- T4943** 32485 T10 & T15 Torx tip



## 7 PC. SCREWDRIVER SET



### Set Contains:

Cat. No.	Description	Overall Length
600-4	Square-shank, keystone tip	8 1/16"
601-6	Round-shank, cabinet tip	9 3/4"
602-6	Round-shank, keystone tip*	10 15/16"
603-4	Round-shank, No.2 Philips tip	8 5/16"
605-6	Round-shank, cabinet tip*	10 1 1/32"
670-6	Cabinet tip rotary screwdriver	9 3/4"
K36	Slotted screw- holding screwdriver	9 3/4"

### Locke#

**T3157** 85077 7 Pc. Screwdriver Set



## 7 PC. CUSHION-GRIP SCREWDRIVER SET



Description	Overall Length
Square-shank, keystone tip*	8 1/32"
Round-shank, keystone tip*	10 15/16"
Round-shank, cabinet tip	6 3/4"
Round-shank, cabinet tip	9 3/4"
Round-shank, cabinet tip*	8 1/32"
Round-shank, - No.1 Philips tip	6 3/4"
Round-shank, - No.2 Philips tip	8 5/16"

### Locke#

**T3156** 85076 7 Pc Cushion-Grip Set



## 5 PC. CUSHION-GRIP SCREWDRIVER SET



Description	Overall Length
Square-shank, keystone tip*	8 1/32"
Round-shank, cabinet tip	9 3/4"
Round-shank, keystone tip*	10 15/16"
Round-shank, No.2 Philips tip	8 5/16"
Round-shank, cabinet tip*	10 1/32"

### Locke#

**T3155** 85075 5 Pc Cushion-Grip Set



## SIX-IN-ONE SCREWDRIVER



Insert stays in position, even when bits are missing. This makes removal easier and tool fits better into tight spots.



Locke#  
T0785 23931 6-in-1 Screwdriver



## 4 IN 1 SCREWDRIVER



Contains 3/16" and 5/16" Slotted as well as #1 and #2 Phillips heads. Alloy Steel.

Locke#  
T0781 6 in 1 Screwdriver

## L.H. Dottie Company 15 in 1 SCREWDRIVER



Contains: phillips-head, square-head, star-head and slotted bit tips.

Locke#  
T3140 D151 15-in-1 Screwdriver



## 11-IN-1 SCREWDRIVER / NUT DRIVER

with Schrader® Valve Bit



Includes: 3/8", 5/16" and 1/4" nut drivers, #1 and #2 Phillips, #1 square and #2 square, 1/4" and 3/16" slotted, Schrader® valve core removal/installation – extractor

Locke#  
T4929 32527 11-in-1 Screwdriver



## 10-IN-1 FOLDING SCREWDRIVER/NUT DRIVER



Each driver arm contains four interchangeable bit styles and two nut drivers. Unfold each driver arm up to a full 180° for straight on driving power, or at 90° for extra leverage on stubborn fasteners.

Includes: 5/16" & 1/4" nut drivers, #1 and #2 Phillips, 1/4" & 3/16" slotted, T10 & T15 TORX®, and #1 and #2 square-recess

Locke#  
T4932 32535 10-in-1 Folding Screwdriver/Nut Driver



## SCREW-HOLDING SCREWDRIVERS




- Easily holds screw in place when installing in hard-to-reach locations.
- Precision tip for accurate fastener fit.
- Heavy-duty construction for longer life.
- Soft, cushioned grip for extra comfort
- Lifetime limited warranty.

Note: This is not an insulated tool.

Locke#  
T4427 0453-17C Screw-Holding Screwdriver #1 x 5"  
T4428 0453-18C Screw-Holding Screwdriver #2 x 7"

## ELKAY SOCKET SCREWDRIVER



Make Elkay self-rimming stainless steel sink installation a snap. Extremely useful when tightening or loosening the "one-hand" fasteners on Elkay sinks.

Locke#  
T0449 LK-350 Elkay Sink Installation Socket Screwdriver



GREENLEE®  
A Textron Company

## INSULATED SCREWDRIVERS



- Rated to 1000V AC/DC. Meets the IEC 60900 and ASTM F1505 standards.
- Heavy-duty construction for longer life.
- Precision-machined tips for accurate fastener contact.
- Strong, durable black phosphate plating prevents chipping and reduces slipping.
- Ergonomically designed handle for added comfort and torque.
- Lifetime limited warranty.

Locke#  
T4408 0157-18I Insulated Phillips Screwdriver #2 x 4"



GREENLEE®  
A Textron Company

## INSULATED NUT DRIVERS



- Rated to 1000V AC/DC. Meets the IEC 60900 and ASTM F1505 standards.
- Heavy duty construction for longer life.
- Rugged deep well sockets
- Precision heads for accurate fastener fit.
- Ergonomically designed handle for added comfort and torque.
- Lifetime limited warranty.

Locke#  
T4411 0257-12I 1/4" Insulated Nut Driver  
T4412 0257-13I 5/16" Insulated Nut Driver  
T4413 0257-14I 11/32" Insulated Nut Driver  
T4414 0257-15I 3/8" Insulated Nut Driver  
T4415 0257-16I 7/16" Insulated Nut Driver  
T4416 0257-17I 1/2" Insulated Nut Driver

# nUt driver S



## NUT DRIVERS WITH CONNEXT™ QUICK-CHANGE HANDLES!



### Locke#

T1240	HHD1	10.5" long 1/4" hex driver
T1241	HHD2	10.5" long 5/16" hex driver



**T2542** Connex3 quick change ratcheting handle 4 1/8" grip



**T2528** Connex quick change handle 4 1/8" grip

**T2529** Connex quick change handle 1 7/8" grip



**T2530** CHD1 1/4" 1 1/2" Hollow nut driver handle & driver


**T2531** CHD2 1/4" 3" Hollow nut driver handle & shaft

**T2532** CHD3 5/16" 1 1/2" Hollow nut driver handle & driver

**T2533** CHD4 5/16" 3" Hollow nut handle & driver

**T2534** CHD5 3/8" 1 1/2" Hollow nut driver handle & driver

**T2535** CHD6 3/8" 3" Hollow nut driver handle & driver



**T2536** HD1 1/4" 1 1/2" Hollow hex chuck driver only

**T2537** HD2 1/4" 3" Hollow hex chuck driver only

**T2538** HD3 5/16" 1 1/2" Hollow hex chuck driver only

**T2539** HD4 5/16" 3" Hollow hex chuck driver only

**T2540** HD5 3/8" 1 1/2" Hollow hex driver only

**T2541** HD6 3/8" 3" Hollow hex chuck driver only



## STUBBY NUTDRIVER



### Locke#

T0590	SS-8	1/4" Stubby nutdriver
T0591	SS-10	5/16" Stubby nutdriver



## 2-PIECE RECESSED CAN LIGHT TOOL SET



- Makes installing can lights easy.
- Long reach, spring tool (Cat. No. ST6) makes attaching difficult springs easy.
- Compact, stubby nut driver (Cat. No. 610-1/4) even fits in smaller cans.

### Locke#

T1251	65020	2-Piece Recessed Can Light Tool Set
-------	-------	-------------------------------------



## MAGNETIC NUT DRIVERS



### Locke#

**T1256** 647M 7pc. 6" Magnetic nutdriver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2")

**T4125** 630-1/4M 1/4" hex, 3"

**T4126** 630-5/16M 5/16" hex, 3"

**T4127** 646-1/4M 1/4" hex, 6"


**T4128** 646-5/16M 5/16" hex, 6"

**T4129** 648-1/4M 1/4" hex, 18"

**T4130** 648-5/16M 5/16" hex, 18"



## CUSHION-GRIP NUT DRIVE SET




Amber plastic handle with rubber cushion grip is comfortable, never hurts the hand; permits use of maximum turning power without discomfort. Strong hex head drives nuts and socket screws. Recess in chrome plated shank permits turning nuts on long screws. Color coded handles, hex. Black-3/16"; Red-1/4"; Yellow-5/16"; Green-1/2"; Blue-3/8"; Brown-7/16"; Red-1/2". Set of 7.

### Locke#

T0574	631	Nut Drive Set
-------	-----	---------------



## CUSHION-GRIP NUT DRIVERS



The finest nut driver made. Rugged & solid from end to end. Amber plastic handle with Cushion-Grip is comfortable, never hurts the hand; permits the use of maximum turning power without discomfort.

### Locke#

**T0184** 630-1/4 1/4" hex, 31/8"

**T0185** 630-5/16 5/16" hex, 31/8"

**T0186** 630-3/8 3/8" hex, 3 1/4"

**T0187** 630-7/16 7/16" hex, 3 1/2"

**T0188** 630-1/2 1/2" hex, 3 1/2"



## NUT DRIVERS



### Locke#

**T4892** 646-1/4 1/4" hex, 6"

**T4893** 646-5/16 5/16" hex, 6"

**T4894** 646-3/8 3/8" hex, 6"

**T4895** 646-7/16 7/16" hex, 6"

**T4896** 646-1/2 1/2" hex, 6"

## Great Neck HEX KEY SETS



Handy folding hex set eliminates looking for just the right hex key. All keys fold like a knife into one convenient handle. Snaps into work position for leverage - use it at any angle. Chrome nickel alloy steel. Scientifically hardened and tempered for maximum strength.

### Locke#

<b>T0690</b>	.050" - 5/32", 7 Pc. Hex Set
<b>T0691</b>	5/64" - 1/4", 9 Pc. Hex Set

## KLEIN TOOLS HEX-KEY WRENCH SETS



### Locke#

<b>T2335</b>	70591	9 Key Hex Set
<b>T2336</b>	70581	8 Key Hex Set
<b>T2337</b>	70579	5 Key Hex Set



## ADJUSTABLE SOCKET WRENCH



2 sets of ratchet wrenches. Fits any bolt from 5/16" to 3/4" (8-19mm).

### Locke#

<b>T0018</b>	Adjustable Socket Wrench Set
--------------	------------------------------



## RATCHETING WRENCHES



- "Five-degree" ratcheting design for versatility and ease of use in tight spaces. Polished chrome finish for superior corrosion resistance.
- Precision heads for accurate fastener fit.
- Hardened for durability and longer life.
- Exceeds ASME/ANSI specifications.
- Lifetime limited warranty.

### Locke#

<b>T4418</b>	0354-01	7-Piece Combination Ratcheting Wrench Set: Contains 1/4", 5/16", 3/8", 7/16", 1/2", 9/16" & 5/8"
<b>T4419</b>	0354-11	1/4" Combination Ratcheting Wrench
<b>T4420</b>	0354-12	5/16" Combination Ratcheting Wrench
<b>T4421</b>	0354-13	3/8" Combination Ratcheting Wrench
<b>T4422</b>	0354-14	7/16" Combination Ratcheting Wrench
<b>T4423</b>	0354-15	1/2" Combination Ratcheting Wrench
<b>T4424</b>	0354-16	9/16" Combination Ratcheting Wrench
<b>T4425</b>	0354-17	5/8" Combination Ratcheting Wrench



## COMPOSITE HANDLE ADJUSTABLE WRENCH



- Patented lightweight ergonomic design reduces user fatigue.
- Precision machined to tight tolerances for professional feel and smooth operation.
- Wide capacity jaw
- Measuring scale on head for easy sizing.
- Corrosion-resistant finish.
- Exceeds ASME/ANSI specifications.

Note: This is not an insulated tool.

### Locke#

<b>T4403</b>	0154-08C	8" Wrench
<b>T4404</b>	0154-10C	10" Wrench
<b>T4405</b>	0154-12C	12" Wrench

## STANLEY LOCKING ADJUSTABLE WRENCH



### Locke#

<b>T3192</b>	85610	10" Locking Wrench
--------------	-------	--------------------

## STANLEY ADJUSTABLE WRENCH



### Locke#

<b>T0313</b>	708L	8" x 5/16" Wrench
<b>T0314</b>	710L	10" x 1 1/8" Wrench
<b>T0315</b>	712L	12" x 1 5/16" Wrench
<b>T0300</b>	706G	6" Plastic dip handle
<b>T2330</b>	87-792	8" Plastic dip handle



## ADJUSTABLE WRENCH



### Locke#

<b>T0312</b>	507.6	6" Wrench
<b>T2331</b>	D507-10	10" Wrench

**We Do More Than Just Meet our competition - We Beat Them!!**  
**compare our prices AND save!**

TOOLS

## LOCKJAW®

### Self-Adjusting Pliers Automatically Locks On Any Size

LOCKJAW™ Self-Adjusting Locking Pliers provide the versatility of standard locking pliers. However, that's where the comparison ends. Traditional locking pliers require two hands to adjust the jaw opening for each task; LockJaw's patented locking mechanism allows the jaws to automatically adjust to any size object for simple one-handed operation. Whether grabbing something thick or something thin, LockJaw™ Self-Adjusting Locking Pliers make jobs faster and easier.

## LOCKJAW®

### LOCKJAW AUTO-GRIP PLIERS



The LockJaw™ Auto-Grip™ Self-Adjusting Groove Pliers are a true innovation in hand tool technology. Simply close the handles and the jaws automatically adjust to parallel on any size object! No more manual guesswork, no buttons to push, and no more time-wasting back and forth to find the correct groove.

- Jaws automatically adjust to parallel, simply close the handles
- Fully automatic for true one-handed use
- No more manual adjustment, no more buttons to push
- Rugged steel construction
- Ergonomic grips for comfort

#### Locke#

**T1268** 6.5" Auto-grip™ groove pliers

**T1269** 9.5" Auto-grip™ groove pliers

## LOCKJAW®

### CURVED JAW PLIERS



Lockjaw Curved-Jaw Pliers are innovative, heavy-duty, and time saving tools that are built for the professional. Some key features are as follows:

- Self-adjusts to any size nut, bolt, pipe
- Set and forget pressure screw allows the user to set their own jaw pressure.
- Heavy-duty steel construction
- Meets or exceeds all ANSI and ASME standards
- Limited Lifetime Warranty

#### Locke#

**T1260** 10" Curved Jaw Locking Pliers

**T1261** 6" Curved Jaw Locking Pliers

## LOCKJAW®

### NEEDLE NOSE PLIERS



Lockjaw Needle Nose Self-Adjusting Locking Pliers offer the same Self-Adjusting features as Curved Jaw Pliers. Long heavy-duty gripping nose provides excellent control and reach for work in confined spaces.

#### Locke#

**T1262** 7" Needle Nose Locking Pliers

## LOCKJAW®

### FORKED JAW PLIERS



- Self-adjusts to any size nut, bolt, pipe
- Set and forget pressure screw allows the user to set their own jaw pressure.
- Heavy-duty steel construction
- Meets or exceeds all ANSI and ASME standards
- Limited Lifetime Warranty

#### Locke#

**T1263** 9" Forked Jaw Locking Pliers

## LOCKJAW®

### C-CLAMP PLIERS



Using the LockJaw™ Self Adjusting Locking C-Clamp Pliers, you can spend less time playing around with your tools and more time getting the job done. Wide-opening jaws provide greater versatility in clamping a variety of shapes. Some key features are as follows:

- Self-adjusts to any size body panel, sheet metal, wood surface, etc.
- Set and forget pressure screw allows the user to set their own jaw pressure.
- Heavy-duty steel construction
- Meets or exceeds all ANSI and ASME standards
- Limited Lifetime Warranty

#### Locke#

**T1264** 7" C-Clamp Locking Pliers

**T1266** 11" C-Clamp Locking Pliers

## LOCKJAW®

### C-CLAMP WITH SWIVEL PADS PLIERS



Lockjaw C-Clamp with Swivel Pads offer the same great advantages as Lockjaw C-Clamps, plus have a Swivel Pad. Swivel Pads allow parallel clamping while preventing denting or gouging on delicate surfaces. Some key features are as follows:

- Self-adjusts to any size body panel, sheet metal, wood surface, etc.
- Set and forget pressure screw allows the user to set their own jaw pressure.
- Heavy-duty steel construction
- Meets or exceeds all ANSI and ASME standards
- Limited Lifetime Warranty

#### Locke#

**T1265** 7" C-Clamp with Swivel Pads Locking Pliers

**T1267** 11" C-Clamp with Swivel Pads Locking Pliers

# CUTTER S & PLIERS



**GREENLEE**  
A Textron Company

## LONG NOSE PLIERS 8"



- Custom grip allows area for user identification. Flared handles for added comfort and leverage.
- Wider grip design provides larger load bearing area for user comfort.
- Forged from chrome vanadium steel for greater durability and strength.
- Effectively cuts most hardened wire, ACSR, bolts, screws, and nails.
- Exceeds ASME/ANSI specifications.
- Lifetime limited warranty.


Note: This is not an insulated tool.

**Locke#**

**T4402 0351-08M** Long Nose Pliers 8"



## 8" LONG NOSE SIDE-CUTTING PLIERS



**Locke#**


**T2350** D2038NCR 8" Heavy Duty Long-Nose Pliers with skinning hole, with crimping die

**T0588** D2038 8" Heavy Duty Long-Nose Pliers without skinning hole, with crimping die

**T0441** D2038N 8" Long Nose Pliers With skinning hole for No.12 B & S insulated wire



## 7" LONG NOSE SIDE-CUTTING PLIERS



7" pliers, Long nose, dipped handles.

**Locke#**

**T2443** D203-7 7" Pliers



**GREENLEE**  
A Textron Company

## HIGH LEVERAGE SIDE-CUTTING LINEMANS PLIERS 9" MOLDED GRIP




- Custom grip allows area for user identification. Slip-proof, ergonomic molded grips for increased comfort and reduced user fatigue.
  - Wider grip design provides larger load bearing area.
  - Effectively cuts hardened wire, ACSR, bolts, screws, and nails.
  - Though-hardened steel for longer life.
  - Exceeds ASME/ANSI specifications.
  - Lifetime limited warranty.
- Note: This is not an insulated tool.

**Locke#**

**T4400** 0151-09M High leverage side-cutting pliers 9" molded grip



## 9" SIDE-CUTTING PLIERS



With Ultra-Durable cutting blades. Dipped Handles.

**Locke#**

**T2329** D2000-9NECR Lineman's Side-Cut Pliers with Crimper 9"



## 9" SIDE-CUTTING PLIERS




**Locke#**

**T2357** D213-9NE-CR Lineman's Side-Cutters with Crimping Die



## 9" SIDE-CUTTING PLIERS




Fish-tape pulling grip. Dipped handles.

**Locke#**

**T2358** D213-NETP Lineman's Side-cutting Pliers with Puller



## HIGH LEVERAGE NE TYPE PLIERS



Popular, smooth streamlined nose with knurled jaws. High leverage design provides 46% greater gripping & cutting power than regular 8½" & 9-¼" side cutters. Red plastic-dipped handles. 9" length.

**Locke#**

**T0432** D213-9NE 9" NE type Side Cutting Pliers



## HIGH LEVERAGE NE TYPE PLIERS



Popular, smooth streamlined nose with knurled jaws. High leverage design provides 46% greater gripping & cutting power than regular 8½" & 9-¼" side cutters. 9" length. Ultra-durable cutting knives for ACSR, bolts, nails and most hardened wire. Blue plastic-dipped handles.

**Locke#**

**T0179** D2000-9NE 9" NE type Lineman's Cutting Pliers

Thank You For Your Business!

TOOLS



## HIGH LEVERAGE DIAGONAL CUTTING PLIERS 8" MOLDED GRIP



- Custom grip allows area for user identification. Flared handles for added comfort and leverage.
- Wider grip design provides larger load bearing area for user comfort.
- Forged from chrome vanadium steel for greater durability and strength.
- Effectively cuts most hardened wire, ACSR, bolts, screws, and nails.
- Tough-hardened steel for longer life.
- Duel cutting edges
- Exceeds ASME/ANSI specifications.
- Lifetime limited warranty.


Note: This is not an insulated tool.

### Locke#

**T4401** 0251-08M High Leverage Diagonal Cutting Pliers 8"



## DIAGONAL CUTTERS




Straight head diagonal cutter with plastic handles.

### Locke#

**T0079** D228-8 Diagonal Cutter



## DIAGONAL CUTTING PLIERS




High leverage, heavy-duty with head angled for easier work in confined areas. Standard bevel cutting knives. Red plastic-dipped handles.

### Locke#

**T0437** D248-8 8" Cutting Pliers



## 8" DIAGONAL CUTTING PLIERS




High leverage design provides a 36% greater mechanical cutting and gripping advantage than regular 7" and 8" heavy-duty diagonal cutters. Standard bevel cutting knives.

### Locke#

**T0181** D2000-28 8" Cutting Pliers



## 8" DIAGONAL CUTTING PLIERS



High leverage, heavy-duty with head angled for easier work in confined areas. Standard bevel cutting knives. Blue plastic-dipped handles.

### Locke#

**T0180** D2000-48 8" Cutting Pliers



## PUMP PLIERS 16" DIPPED GRIP



Double dipped grips for added comfort and slip resistance. Precision-machined and through-hardened for consistent performance and longer life. Right-angled teeth for gripping in both directions.

Note: This is not an insulated tool.

### Locke#

**T3193** 0451-16D 16" dipped grip



## PUMP PLIERS



Insulated.

### Locke#

**T2344** 262SG 6" Pump Pliers



## PUMP PLIERS MOLDED GRIP



- Custom grip allows area for user identification. Slip-proof, ergonomic molded grip for increased comfort and reduced user fatigue.
- Wider grip design provides larger load bearing areas.
- Precision-machined and through-hardened for consistent performance and longer life.
- Right-angled teeth for two way grip.
- Riveted process ensures joint integrity.
- Exceeds ASME/ANSI specifications.

Note: This is not an insulated tool.

### Locke#

**T0443** 0451-10M 10" molded grip

**T4426** 0451-12M 12" molded grip



## INSULATED PUMP PLIERS




### Locke#

**T0445** D502-16 16" Pump Pliers



## PUMP PLIERS



### Locke#

**T0626** R212C 12" Pump Pliers



## WATER PUMP PLIERS With GRIP TIGHT CLIP™



Notch fits vertical rib basket strainer nut and also auto hub dust covers & hub caps. Knurled handles. Natural finished with rust preventative.

### Locke#

**T0215** 11" Water Pump Pliers

## REPLACEMENT PLASTIC HANDLES




Tenite plastic handles in bright maroon color. Provide slip-resistant grip and greater comfort. In three sizes for pliers from 6" to 8" long.

### Locke#

<b>T0595</b>	60	6" Handles
<b>T0596</b>	70	7" Handles
<b>T0597</b>	89	8" Handles

## STANLEY ELECTRICAL MULTI-TOOL



1. Needle Nose Pliers
2. Beveled Wire Cutter
3. Pipe Grippers
4. Files (coarse & fine)
5. Wire Stripper
6. Wire-looping Hole
7. Scraper
8. Awl/Reamer
9. Dry Wall Saw
10. Clip-point knife
11. Standard/Metric Ruler
12. Serrated Sheepfoot knife
13. Locking "L" Handle
14. #1 Phillips Hex Bit
15. #2 Phillips Hex Bit
16. Small-Slotted Hex Bit
17. Large-Slotted Hex Bit
18. 1/4" Socket Adapt.
19. Lanyard Hole
20. Nylon Pouch

### Locke#

**T4924** J18576 Electrical Multi-tool

## STANLEY ANTI-VIBE HAMMER



### Locke#

**T3190** 51946 22oz. Anti-vibe hammer

## KLEIN TOOLS ELECTRICIAN'S STRAIGHT-CLAW HAMMER



- Correctly balanced and designed specifically for use in electrical work.
- Extra-long neck, and narrow striking face are ideal for reaching into outlet boxes and other tight areas.

### Locke#

**T1025** 807-18 18 oz. Straight Claw

## KLEIN TOOLS HEAVY DUTY STRAIGHT- CLAW HAMMER



Straight-claw design for easy nail pulling in tight quarters.

### Locke#

**T0191** 808-16 16 oz. Straight Claw

## KLEIN TOOLS TORPEDO LEVEL



### Locke#

**T2303** 931-9RE Torpedo Level with Heavy Duty Magnets


## STANLEY ALUMINUM LEVEL



### Locke#

**T1054** 45-465 9" Long Level

## md ALUMINUM LEVEL



Sturdy box beam extrusion with one milled edge ensures accuracy. Vials are solid acrylic

### Locke#

**T0277** 24" x 1" Aluminum Level

## Malco POCKET LEVEL




Strong molded plastic frame with pocket clip. Multiview vial reads top, bottom or side. Ideal for leveling thermostats.

### Locke#

**T0276** 5" x 1" Pocket Level

## SWANSON SAVAGE 9" MAG TORPEDO LEVEL



Machined Billet Aluminum construction. V-Groove Edge. 4 Strong Rare Earth Magnets. Brightview Vial Surrounds. Vial cap resist vial movement. Precision Laser Etched Scale (SAE and Metric)

### Locke#

**T4118** TL043M 9" Mag Torpedo Level

## SWANSON 6.5" CONDUIT BENDER TORPEDO LEVEL



Machined Billet Aluminum construction. V-Groove Edge. Brightview machined vial surrounds. Rare-earth magnets for Savage Grip strength. Anti-Dog attachment for bending pipe. Permanently sealed vial caps

### Locke#

**T4117** TL041M 6.5" Conduit Bender Torpedo Level

TOOLS

*We Appreciate  
Your  
Business!*

## KOMELON<sup>®</sup> 30' SELF LOCK TAPE MEASURE



When you pull the blade out it locks itself, to retract the blade you use the easy to work thumb push button release to control the rate of return.

Rubberized case for added durability

### Locke#

**T2314** SL2830 30' Self Lock Tape

## STANLEY<sup>®</sup> FATMAX TAPE MEASURE



### Locke#

**T3177** 33725 25' Fatmax tape measure

## 25' MEASURING TAPE



For fast & easy one-person measurements, features a Rare Earth magnetic tip, an impact-absorbing

rubber jacket that protects the case & end hook & long-lasting nylon coated steel blade.

### Locke#

**T2300** 916-25RE 25' Measuring Tape with Magnetic Tip

## 25' MEASURING TAPE



### Locke#

**T4930** 908-25 25' double-sided measuring tape.

## 25' TAPE MEASURE



### Locke#

**T0170** 1" x 25' Tape Measure

## STEEL TAPE



Thumb-action control knob. For inside & outside measurements. Graduated on both edges in 16ths, inches & feet. Stud markings indicated.

### Locke#

**T0548** 922-16 16' x 3/4" tape

## WOVEN FIBERGLASS MEASURING TAPE



Tape line graduated in feet, inches to 8<sup>ths</sup>. Easy-to-read black graduations & numbers on white. Foot markings are red. Protective carrying case.

### Locke#

**T2378** 946-100 100' Measuring Tape

## 25' MEASURING TAPE



Easy to find, 25' x 1" Mylar protection from rust, automatic Grip-It lever, easy to read markings graduated with 16ths, rigid for up to 7', built in clip. Replacement blade can be ordered if needed.

### Locke#

**T0492** 928-25HV 25' Measuring tape

## TAPE MEASURE POUCH



### Locke#

**T4931** 5712 Tape Measure Pouch

## Oatey<sup>®</sup>

### ADJUSTABLE BALL DAUBER




### Locke#

**T1558** 31301 1 1/4" Adjustable plastic, (Large Ball) dauber, for use on up to 3" pipe; fits 1/2 pint, pint and quart cans.

**T1557** 31300 3/4" Adjustable plastic, (Small Ball) dauber, for use on up to 1 1/4" pipe; fits 1/2 pint, pint and quart cans.

## Oatey<sup>®</sup>

### 1 1/2" BALL DAUBER FOR QUART CANS




1 1/2" (Large Ball) dauber, for use on up to 3" pipe; fits quart cans.

### Locke#

**T1553** 31312 1 1/2" Dauber

## Oatey<sup>®</sup>

### EMPTY QUART CAN



Empty quart can, 1 1/2" neck. Can be used with A-5036S/CM-100/CM-250/BA-136.

### Locke#

**T1552** 31370 Empty Quart Can

## Oatey<sup>®</sup>

### PLASTIC PIPE CEMENT CADDY



The caddy tightly secures two quart containers and allows easy access to both cement and primer. Made of long lasting durable construction, it is reusable, makes the job easier and faster, and is spill/tip resistant.

### Locke#

**T1550** Plastic Pipe Cement Caddy



## STYLUS®

### L.E.D. FLASHLIGHT



- Bulb 100,000 hour lifetime, hi-intensity Light Emitting Diode (LED), "solid-state bulb".
- Body made of 6000 series tempered aircraft aluminum with anodized finish; non-slip knurled grip.
- 1.1 Ounces (with batteries)
- Dimensions: .38" (Dia.) x 6.21" (L)
- Run Time Up to 60 hours
- 12,000 millicandelas
- Waterproof
- Individually serialized
- Momentary blink switch and constant on
- Pocket clip
- Requires three (3) AAAA alkaline batteries (Sold Separately, Next Page)

**Locke#**

**T4110** 65018 Stylus LED Penlight, Use T1305 AAAA Batteries



## 4AA XENON FLASHLIGHT



Streamlight's 4AA is ergonomically shaped for your hand and offers push-button switching for one-handed operation.

**Lamp** High-intensity xenon gas-filled bi-pin

**Material** Shock resistant, engineering grade polymer case; Unbreakable polycarbonate lens.

**Weight** 6.3 ounces (with batteries)

**Dimensions** 1.69" (D) x 6.5" (L)

**Run Time** Up to 4 hours of continuous use

**Candlepower\*** Up to 6,500

**Features** Class I, Division 1 - Approved for use in hazardous locations; Waterproof; Non-conductive and corrosion proof

**Locke#**

**T4111** 68254 4AA Xenon Flashlight  
Use 4 T1303 AA Batteries

**T4114** 68220 Lamp for T4111



## LUXEON L.E.D.



Provides the longevity of an LED with the brightness and range of a conventional high-powered bulb using a super high-flux Luxeon with a 10,000 hour life. The LED Luxeon Task-Light is 10 times brighter than a high-intensity LED.

Durable anodized aluminum body, O-ring sealed for water resistance and an unbreakable polycarbonate lens.

Battery 3 AA Alkaline - Included

Lumens 95

Weight 5.8 oz.

Size 1.34" (D) X 8.6" (L)

**Locke#**

**T4116** 51016 LED Flashlight



## TWIN-TASK™ L.E.D./XENON FLASHLIGHT

*High-powered Task-Lights™ for every need*



**Twin-Task™** offers a patented LED/xenon combination, so you can choose between a super bright light (xenon) and an incredibly long runtime (LED). The Twin-Task is constructed of computer machined aluminum with an anodized finish, is O-ring sealed, features an unbreakable poly-carbonate lens, and is water resistant. Special features: an adjustable focus (except LED Task-Light), a micro faceted reflector (except LED Task-Light), and an enhanced knurled grip. All this, plus a Lifetime Warranty and Money back Guarantee. You just won't find a more dependable, versatile line of flashlights than the Streamlight Task-Lights.

**Locke#**

**T4113** 51012 3C Twin Task LED/Xenon Flashlight

**T4115** 51102 Lamp for T4112



## 4AA L.E.D. FLASHLIGHT



The new 4AA LED features seven super-bright, 100,000-hour LEDs - so you'll never need to replace a bulb again. It's also remarkably comfortable to use because it's ergonomically shaped for your hand.

**Lamp** Seven high-intensity LEDs

**Material** Shock resistant, engineering grade polymer case; Unbreakable polycarbonate lens.

**Weight** 6.3 ounces (with batteries)

**Dimensions** 1.69" (D) x 6.5" (L)

**Run Time** Up to 155 hours

**Features** Class I, Division 1 - Approved for use in hazardous locations; Waterproof; Non-conductive and corrosion proof

**Locke#**

**T4112** 68202 4AA Led Flashlight  
Use 4 T1303 AA Batteries



## FLEXIBLE LED FLASHLIGHT



- Small 9/32" head will illuminate tight spaces other flashlights cannot.
- 16" flexible PVC coated cable will bend and hold the desired state.
- Runs up to 100 hours on two AA batteries (included).
- Rugged white LED light source lasts over 50,000 hours.
- Anodized aluminum housing with push-button ON/OFF switch on tail-cap.

**Locke#**

**T4451** FL2AAF Flexible LED Flashlight

TOOLS

**MA-LINE**  
MOUNT AND ASSOCIATES, INC.

## 7W HEAD MOUNT LIGHT



Locke#

**T1673** MAHML7 Head Mount 7W Light

## TerraLUX MINI MAGLITE SWITCH UPGRADE KIT



- For 2AA Mini Maglites
- Permits one hand operation
- With lanyard and replacement lens

Locke#

**T4142** TCS-1 Switch Upgrade Kit



## LED UPGRADE

- Replaces 9.6V - 28V Incandescent Bulbs - LED replacement for most work lights
- 3X Run-Time - Increased efficiency
- 50,000-Hr. LED - Lasts over 250X longer than 18V incandescent bulb
- Limited Lifetime Warrant - Full product replacement if electronics ever fail

Locke#

**T1920** 49-81-0090 Upgrade to LED

## TerraLUX LED UPGRADES FOR MAG-LITES



- 10-100 times longer battery life
- No more burned out bulbs!
- Auto adapts to your power source
- Maintains focus in Mag-lites

Locke#

**T4141** TLE-20 LED upgrade Kit for small 2AA and 2AAA Mag-lites

**T4146** TLE-6EXB LED upgrade for 2 or 3 cell mag-lite

**T4147** TLE-6EX LED upgrade for 4, 5 or 6 cell mag-lite

**DEWALT**

## 18V FLOURESCENT LIGHT



- Built-in telescoping and 360° rotating hook allows unit to hang from 2" materials
- Over-molded lens cover provides increased durability on the jobsite
- 13 Watt Fluorescent bulb provides bright area lighting
- Battery sold separately

Locke#

**T1073** DW527 18v Fluorescent Light

**T1074** DC5273 18v Fluorescent Replacement bulb for **T1073**

**DEWALT**

## FLASHLIGHT



- Pivoting head rotates 90°
- Extra Bright Xenon Bulbs (DW9043)
- Wide Angle Beam
- Lightweight, Compact, Comfortable Design
- Spare Bulb
- Batteries Sold Separately

Locke#

**T0820** DW904 12v HD Flashlight

**T0822** DW9043 12v Bulb

**T0825** DW908 18v HD Flashlight

**DEWALT**

## FLEXIBLE FLOODLIGHT



- Light Powered By 12.0 Volt Battery Packs
- Flexible Neck For Hands Free Operation
- Extra Bright Xenon Bulbs (DW9043)
- Wide Angle Beam
- Head locks in place for use as a lantern
- Spare bulb
- Batteries Sold Separately

Locke#

**T0826** DW919 18v Flex. Floodlight

**T0827** DW9083 18v Bulb for **T0826**

**DEWALT** 36 VOLT

## HEAVY-DUTY 36V XENON FLOODLIGHT



- Xenon Bulbs Provide an extra bright beam of light. 8 Hours Run-Time On 1 charge.
- Flex-Neck Design with Lockable Head Clips Allows for hands-free use and versatility to stand or hang light

Locke#

**T1097** DC509 36V Floodlight



## M12™ CORDLESS LED WORK LIGHT



- Aluminum Head – Impact and weather resistant
- 90° Rotating Head – Aims light at work space
- Magnetic Back
- M12 – Works with Milwaukee 12V Lithium-Ion battery pack

Locke#

**T1664** 49-24-0146 M12™ Cordless LED Work Light bare tool only

## TerraLUX RECHARGEABLE LED WORK LIGHT



- 80 LEDs for brilliant workspace lighting
- LEDs never burn out
- Adapters included for 120VAC and 12VDC
- Can be used while charging with either adapter
- Runs for 4 hours - Recharges in 90 minutes
- Rugged Durable and Shock resistant
- Swivel Hook

Locke#

**T4140** TLW80 LED work light



## JOEY UTILITY FLASHLIGHT



3 Lighting Modes:  
 High intensity flashlight  
 Magnetic work light  
 Red signal light  
 Uses 3 AAA batteries included

**Locke#**

**T4106** 3AA Joey Utility Flashlight



## FORCE RECHARGEABLE FLASHLIGHT



3 Watt Cree LED, 120 Lumens  
 3 Lighting Modes: High Beam, Low Beam, White Strobe  
 Scalloped Head  
 Rechargeable  
 Includes AC and Car Chargers

**Locke#**

**T4107** Force Rechargeable Flashlight


## EVEREADY 6v FLOATING LED LANTERN



**Locke#**

**T0757** 5109LS Floating LED Lantern

## EVEREADY 2 & 3 CELL FLASHLIGHTS



**Locke#**

**T1310** 1259 2D Cell Battery Safety Industrial Flashlight  
**T0741** Bulb for T1310  
**T1311** 1359 3D Cell Battery Safety Industrial Flashlight

## EVEREADY BATTERIES



**Locke#**

**T0747** 1250BP2 D Heavy duty, 2 pk  
**T0738** 1209 AA Super Hvy duty, 2 pk  
**T0739** 9v Super heavy-duty, 2 pk  
**T0746** 1209 Super heavy-duty 6v



## INDUSTRIAL BATTERIES




**Locke#**

**T1300** EN95 D 1.5v Alkaline 1ea.  
**T1301** EN93 C 1.5v Alkaline 1ea.  
**T1302** EN22 9V Alkaline 1ea.  
**T1303** EN91 AA 1.5v Alkaline 1ea.  
**T1304** EN92 AAA 1.5v Alkaline 1ea.  
**T1305** EN96 AAAA 1.5v Alkaline 2ea. for T4110 Stylus Led Flashlight



## 1000W TWIN HEAD CONVERTIBLE TRIPOD HALOGEN WORK LIGHT



- Approximately 8' telescoping stand
- Adjustable leg for leveling
- 2 - 500w Halogen bulbs with spare bulb in protective holder
- Removable light rack easily converts into a portable fixture
- Separate switches provide 2 light levels - 500 & 1000 watts
- Tempered glass lens with metal grill
- Durable powder coat finish
- 1 year warranty

**Locke#**

**T4827** SL1006 Double 500W Quartz Light on Adjustable Stand



## 500W HALOGEN PROJECT WORK LIGHT



- Tempered glass lens with metal safety grill
- Foam grip handle
- 500w Halogen bulb with spare bulb included
- Durable powder coat finish
- 1 year warranty

**Locke#**

**T0293** SL1003 500W 120V Lite



## FLUORESCENT WORK LIGHTS



T3116 T3117 T3120

**Locke#**

**T3116** SL-520 10A, Work Light with 25 Ft. Cord (No Receptacle)  
**T3117** SL-935 12A, Spot light top, 25' Cord with grounded receptacle  
**T3120** SL-103 13w fluorescent bulb for T3116 & T3117



## SHOP LIGHT WITH SIDE OUTLET



3 conductor, yellow SJO. UL listed, with switch and side outlet, metal lamp guard. Meets OSHA requirements for general use. 16/3. 50 Ft.

**Locke#**

**T0290** 16/3 Shop Light w/ 50' Cord

TOOLS



## GFCI CORD SETS & EXTENSION CORD




- Comply with UL Standard 943.
- Conforms with OSHA regulation CFR 1926.406b(i)(ii) for construction sites.
- Comply with NEC Code Article #305-6A mandating GFCI protection for temporary wiring at construction sites and other areas where permanently wired GFCIs are not available.
- Provide both ground fault

### Locke#

<b>T3111</b>	66591-6C	15A GFCI 6' Cord
<b>T3112</b>	66891-3	20A GFCI 3' Cord



## TRI-TAP GFCI



### Locke#

<b>T2483</b>	1080-12-2TT	3 Outlet PVC Molded Connector & Plug
--------------	-------------	--------------------------------------

## GFCI QUAD



### Locke#

<b>T2484</b>	30334052	15A 125V GFCI Protected Quad Outlet
--------------	----------	-------------------------------------

## FLEXIBLE SPOUT OIL CAN



1/3 Pint. 6 1/2" flexible spout. Copper-bronze finish.

### Locke#

<b>T0651</b>	6 oz. Flexible Spout Oil Can
--------------	------------------------------



## OUTDOOR/INDOOR EXTENSION CORDS



U-Ground NEMA 5-15



300 VOLT, UL Listed  
All weather, Extra Flexible,  
Oil Resistant, -40 Degrees C

Locke#	Description	Length	Color	Power
<b>T2470</b>	16/3 SJTW-A	25'	Orange	13A 125V 1625W
<b>T2471</b>	16/3 SJTW-A	50'	Orange	13A 125V 1625W
<b>T2473</b>	14/3 SJTW-A	25'	Orange	15A 125V 1875W
<b>T2474</b>	14/3 SJTW-A	50'	Orange	15A 125V 1875W
<b>T2475</b>	14/3 SJTW-A	100'	Orange	13A 125V 1625W
<b>T0291</b>	12/3 SJTW-A	50'	Orange	15A 125V 1875W
<b>T0280</b>	12/3 SJTW-A	100'	Orange	15A 125V 1875W



Powering Business Worldwide

## AC SURGE PROTECTOR CONSTRUCTION SERIES DURABLE METAL HOUSING




7 Outlets and a Cord Length of 6'. Ratings include: 1080 Joules, 72 kA Max Peak Current, 330 V Clamping Voltage, EMI/RFI Noise Filter up to 40dB, 125 Vac, 15A, 60Hz, 1875W, UL/cUL Listed.

### Locke#

<b>P8589</b>	SCONST7	Surge Protector
--------------	---------	-----------------



## PROFESSIONAL NO DRIP CAULKING GUN



Professional quality skeleton caulking gun with "no drip" feature, spout cutter, seal puncture and ladder hook. 1/10 gallon barrel holds most standard cartridges.

### Locke#

<b>T1000</b>	3984	11 oz. Caulking Gun
--------------	------	---------------------



## FIBERGLASS TRIPOD LADDER



A non-conductive ladder for industrial use. Three-legged design, preferred for increased stability on uneven ground and for use in limited access areas. This ladder includes full metal boot, steel reinforced outrigger and center-pull spreader braces.

### Locke#

<b>T4509</b>	FT1006	6' Tripod ladder, type 1A, 300lb. capacity
<b>T4510</b>	FT1008	8' Tripod ladder, type 1A, 300lb. capacity



## INDUSTRIAL FIBERGLASS STEP LADDER



Extra Heavy Duty, 300lb. rating.

### Locke#

<b>T4505</b>	FS1502	2' Type 1A, 300 Lb.
<b>T0050</b>	FS1504	4' Type 1A, 300 Lb.
<b>T0051</b>	FS1506	6' Type 1A, 300 Lb.
<b>T0052</b>	FS1508	8' Type 1A, 300 Lb.
<b>T0049</b>	FS1510	10' Type 1A, 300 Lb.
<b>T0053</b>	FS1512	12' Type 1A, 300 Lb.



## INDUSTRIAL FLAT STEP EXTENSION LADDER



Extra Heavy Duty, 300 lb. rating. Fiberglass

### Locke#

<b>T0047</b>	FE3216	16' Extension ladder
<b>T0048</b>	FE3224	24' Extension ladder
<b>T4503</b>	FE3228	28' Extension ladder