

FLOOD PAK®

Innovation in Outdoor Lighting by *Stonco*



FEATURES:

- The FloodPak can be surface mounted in various positions. Use it as a cut-off wallpack or tip it up 22.5° for forward throw with semi-cut-off. Tip it up 45° for floodlighting, or turn it over and use it for indirect/accent lighting.
- The FloodPak can also be pole or ground mounted.
- Precision die cast aluminum construction.
- Duraplex II dark bronze polyester powder finish.
- Hinged door frame with clear tempered glass lens.
- Multi-faceted reflection system provides uniform distribution.
- UL wet location listed for above or below horizontal aiming.
- Complete with a UL approved mounting box rated for 90°C supply wire with integral bubble level.
- Integral heat sink for cool operation
- Meets IESNA cut-off requirements.

Locke#

P8320 70 Watt Medium Floodpak

P8321 100 Watt Medium Floodpak

P8322 150 Watt Medium Floodpak

P8330 250 Watt Large Floodpak

P8331 400 Watt Large Floodpak

FLOODPAK SHIELD

Helps protect lens and lamp from breakage. Clear polycarbonate shield

snaps in place over glass lens.

P8335 Medium Floodpak Shield

FLOODPAK KNUCKLE



Adjustable Knuckle.

P8339 Small Knuckle

P8340 Large Knuckle

FLOODPAK ARM

Shoebox Arm. Converts FloodPak to pole-mount (minimum 4" square pole).

P8338 Large Floodpak Arm

Stonco

SHOEBOX FIXTURE WITH LAMP



FEATURES:

- Ideal for any outdoor application where tight light control is needed to prevent glare and light trespass. Perfect for roadways and parking lots.
- One piece die-cast aluminum housing is finished in Duraplex II bronze polyester.
- Lens frame assembly is fully gasketed with silicone to prevent dust and bug entry.
- Heat and shock resistant tempered glass lens.
- One piece hydroformed reflector for IES Types II and III. Forward throw with precision formed segmented reflector is available.
- Toolless entry for relamping. Lens frame opens by releasing a stainless steel latch.
- All internal electrical components are installed on a ballast tray that swings down for easy access and replacement.
- 6" die-cast aluminum arm, factory installed, with integral wiring compartment. Side access cover allows wiring connections to be made in arm.
- Key slot design allows for single person hook and placement leaving hands free for wiring.

Locke#

P8350 MCL3250MALS 250 Watt Shoebox Fix

P8351 MCL3400MALS 400 Watt Shoebox Fix

Stonco

NYTEWATCH™ MOTION SENSOR LIGHTING



The NyteWatch™ is the next generation of motion sensing security lighting that combines precise motion sensitivity with reduced glare operation. This is not just a re-engineered fixture but rather a completely new direction in security lighting technology. Everything from its computer-designed optics and dayform appearance to the refined sensor electronics, the NyteWatch is your best choice for motion sensor lighting! State-of-the-art sensor technology provides a wide angle of detection plus anti sneak-by optics for your safety. Smart features include an integral photo control that optimizes performance regardless of ambient temperatures. And the exclusive Nyte-Glow™ dimming feature provides constant 30% ambient lighting before switching to full power when motion is detected. The reflector system outperforms dual par holder fixtures because it places light where it's needed and reduces glare. Can be set at 0° for cut-off lighting or up to 30° for forward throw applications.

Specifications

- Lamping: (2) 150w quartz halogen (included)
- Built-in electronic circuit under-drives lamps, tripling lamp life
- Mounting: For wall or soffit mounting to recessed and surface junction boxes, round boxes and single gang FX boxes (includes mounting hardware)
- 240° horizontal vision plane
- 70° vertical vision plane
- 10-second through 15-minute time delay control
- Surge protector
- Automatic sensitivity adjustment
- Nyte-Glow™ setting dims light to low output for dusk-to-dawn operation
- Meets Dark Sky Requirements

Locke#

P8352 NBA2150WH White NyteWatch motion sensor lighting


P8355 NBA2150BLK Black NyteWatch motion sensor lighting

**Thank You
For Your
Business!**

QUaRTz FLOODLIGHTs

Stonco

QUARTZ FLOODLIGHTS




Lightweight durable aluminum die cast finned housings, mounting arms and lens frames. Outdoor lighting application - security, parking lots, buildings, outdoor sports activities and all type of indoor signs.

Locke#

P0167 500w 120V with Lamp

P0168 1500w 240V without Lamp

RAB QUARTZ FLOOD 1500W




208/240/277 Volt
LAMP NOT INCLUDED

Locke#

P4950 QF 1500 Quartz; USES OUR P7018

RAB QUARTZ FLOOD WITH LAMP




Cast aluminum hinged lens frame permits easy relamping. Lamp included. Finish: Architectural Bronze.

Locke#

P2740 QF500F Quartz Flood

RAB 300W FLOOD




Locke#

P5593 VR300FVG Green

COOPER Lighting

QUARTZ LIGHT




Locke#

P5467 QZ5L Bronze 500W Quartz Light with Lamp

P5468 QX5LW White 500W Quartz Light with Lamp

COOPER Lighting

MINI QUARTZ LIGHT



Locke#

P5449 MQF150 Bronze 150W Mini Quartz with Lamp

P5450 MQF150W White 150W Mini Quartz with Lamp

COOPER Lighting

QUARTZ FLOOD WITH MOTION DETECTOR



With Lamp

Locke#

P5453 LMS188 Bronze 300W Quartz Flood with Motion Detector

RAB QUARTZ FLOOD 1500W



- High temperature silicone gasket
- EZ Grip locknut matches fixture finish
- Rugged die cast aluminum housing with durable powder coating
- Copper current carrying components

Locke#

P5608 LPF38A Bronze Par 20/38 Flood

HUBBELL

500W QUARTZ FLOOD 120v



Die-cast aluminum construction & door, tempered glass lens, 1/2" threaded knuckle mounting. Lamp not included.

Locke#

P4698 QL505 500W, 120V Quartz

HUBBELL

1500W QUARTZ FLOOD 240v




Die-cast aluminum construction, die cast aluminum door, tempered glass lens, 1/2" threaded knuckle mounting.
Lamp not included.

Locke#

P4699 QL1505 1500W, 240V Quartz Flood Light 240V

COOPER Lighting

FLUORESCENT FLOOD LIGHT WITH LAMP



Locke#

P5464 LFNF26PC 26W Fluorescent Flood Light with Lamp

RAB PREMIUM POLYCARBONATE PL FLOODLIGHT



Supplied with one 13 watt twin tube compact fluorescent lamp. Adjustable swivel mounting arm with 1/2" thread.

Locke#

P5447 PLF13 13W Fluorescent Flood Light with Lamp



HPS FLOODLIGHT Without Lamp



- Die-cast aluminum.
- Steel with aiming degree marker.
- Corrosion-resistant external hardware.
- Heat and shock resistant, tempered glass lens.
- Front access via hinged door.
- 7x6 NEMA BEam Spread

Locke#

P2574 PF1S 250w-400w, HPS Flood with Lamp, Multivolt

COOPER Lighting FALCON HPS FLOOD



A stylish and rugged luminaire that combines value and performance with a soft, architecturally appealing form.


This soft rounded corner, die-cast construction is excellent for applications that have a high visibility and where a uniform beam distribution is desired.

Locke#

P5461 HPSF15K 120V NFP with Lamp



MINILITER II COMPACT H.I.D. FLOODLIGHT




Locke#

P3581 MHYS250S8 250W HPS Mini-Flood Quad Tap

P3582 MHY400S8 400W HPS Mini-Flood Quad Tap


COOPER Lighting MICRO-PAK HPS FLOOD



Locke#

P4955 MS10 100W Flood HPS 120v

COOPER Lighting NIGHT-HAWK III HPS FLOOD




LAMP NOT INCLUDED

Locke#

P4941 HPNK-Y76-1000-MT 1000W HPS Multi-tap Floodlight

COOPER Lighting WARRIOR HPS FLOOD




WITH LAMP

Locke#

P4945 FZS400QT 400W HPS Multi-tap Flood with Lamp

COOPER Lighting GLASS-PAK HPS FLOOD




WITH LAMP

Locke#

P4953 HPGP-150-120-LL 150W Flood HPS 120V with Lamp

RAB HPS FLOOD



Locke#

P4946 FL70HPK 70W Bronze Flood HPS 120V with Lamp

P4947 FL100HPK 100W Bronze Flood HPS 120V with Lamp

P4948 FL150HPK 150W Bronze Flood HPS 120V with Lamp



HPS FLOOD




Locke#

P3587 F150S1 150W High Pressure Sodium Lamp



MICROLITER COMPACT HPS FLOOD




Locke#

P3580 MICO150S651/L 150W HPS Micro-Flood 120V with Lamp

Atlas Lighting Products

150W HIGH PRESSURE SODIUM SECURITY LITE




High Pressure Sodium SuperLite with 24" Curved Mounting Arm 150 Watt, 90° Angle. Dusk to Dawn Light

Locke#

P1176 DD150HPS 150w, HPS

COOPER Lighting
NIGHT-HAWK III FLOOD MH




LAMP NOT INCLUDED

Locke#

P4940 MHNK-Y76-1000-MT
 1000W MH Multi-tap Floodlight

COOPER Lighting
WARRIOR FLOOD MH




Locke#

P4942 WP25 250W MH Multi-tap
 Flood with Lamp

P4943 WP40 400W MH Multi-tap
 Flood with Lamp

COOPER Lighting
GLASS-PAK FLOOD MH



Locke#

P4952 MHGP-175H-MT-LL 175W
 Flood MH Multi-tap with Lamp

Atlas
 Lighting Products
DIE CAST METAL HALIDE SQUARE VANDAL LIGHT




- Die Cast Aluminum Housing
- Injection Molded Lens
- Threaded Conduit Access
- Tamper Proof Screws Available
- UL Listed for Damp Locations

Locke#

P9254 VN8 8" 70w, Metal Halide

P9255 VN12 12" 100w, Metal Halide


HUBBELL
MICROLITER COMPACT MH FLOOD



Locke#

P3579 MICO150H358/L 150W MH
 Micro-Flood Quad Tap with
 Lamp

HUBBELL
MH MAGNU-FLOOD LIGHT



WITH LAMP

QUAD-TAP MV
 1000W METAL
 HALIDE

Locke#

P3586 MVM1000H268 Magnu- Flood.
 1000W Metal Halide with Lamp

HUBBELL
MINILITER II COMPACT H.I.D. FLOODLIGHT




Locke#

P3583 MHSY250P8 250W MH
 Mini-Flood Quad Tap

P3584 MHSY400P8 400W MH
 Mini-Flood Quad Tap with Lamp

GE
PHOTOELECTRIC CONTROL KIT


120 volt - for field
 installation.



Locke#

P2761 PEK 120 Photoelectric Control

COOPER Lighting
MOTION ACTIVATED DOUBLE FLOOD




LAMPS NOT
 INCLUDED

Locke#

P5444 MS34 Bronze Motion
 Activated Double Flood

P5445 MS34W White Motion Activated
 Double Flood

RAB
MOTION SENSOR SECURITY LIGHT




Motion Sensor. Architectural bronze finish

Locke#

P2049 STL-110R Motion Act. Light

RAB
MOTION SENSOR SECURITY LIGHT




Motion Sensor.
 Architectural
 bronze finish

Locke#

P2131 GT500R Motion Act.Light

RAB
MOTION DETECTOR SENSOR HEAD ONLY



Locke#

P5592 STL-110 Motion Detector
 Sensor

INTERMATIC
TWIST-LOCK PHOTO CONTROLS


Locke#

P1180 LC4521 Photo Controls 120V

P | ELECTRIC



100W METAL HALIDE SECURITY LITE




Standard household voltage. Includes pre-assembled fixture, mounting hardware. One 100 Watt metal halide lamp included. 24" arm, 90° angle. Dusk to Dawn Light

Locke#

P9805 DD100MH 100W, MH

RAB MINI WALL PACK WITH PC & LAMP



Locke#

P5441 WPTS50 50W HPS

P5442 WPTS70 70W HPS



150W 13" DIE CAST WALL LIGHT



- Die Cast Aluminum Housing
- Borosilicate Glass Lens
- Face Frame Opens to the Side
- Threaded Apertures for Conduit & Photo Control
- Emergency Battery Backup Available
- UL Listed for Wet Locations

Locke#

P9253 WLM150PQPK 150w, Pulse Start



WALLIGHTER 175 LUMINAIRE




- Acrylic refractor.
- 2-pc. Die-cast aluminum housing.
- Standard and tamper resistant hardware included.
- Totally enclosed, weather resistant.

Locke#	P2572
Model#	W1SR
Watts	150 (55v)
Light	HPS
Volts	120
Desc.	Medium Socket, Clear Lamp



MINI WALL PACK



PERIMALUX NRG-300
PHOTO CONTROL (Option)

Locke#

P3598 NRG301B 50W HPS Mini Wall Pack 120V with Lamp

P3599 NRG301BPC 50W HPS Mini Wall Pack 120V with Lamp & Photo control

P3600 NRG307B 70W HPS Mini Wall Pack 120V with Lamp

P3601 NRG307BPC 70W HPS Mini Wall Pack 120V with Lamp & Photo control



WALL PACK



NRG-800 SERIES 120V FLUORESCENT

Locke#

P3602 NRG806 13W PL 120V Fluor. Wall Pack with Lamp



METAL HALIDE WALL FIXTURE




Locke#

P3607 NRG350B 50W Metal Halide wall fixture

P3608 NRG350BPC 50W Metal Halide wall fixture with PC



WALL PACK PERIMALITER PVL SERIES



Locke#

P3590 PUL3-150S-51-BZL 150W HPS Wall Pack 120V with Lamp

P3592 PUL3-150P-18-BZL 175W MH Wall Pack without Lamp



METAL HALIDE WALL PACK



Locke#

P3591 PGM3-150P-18-BZL 150W MH Wall Pack Quad Tap 120V

P5510 PGM3-250P-18-BZL 250W Metal Halide Wall Pack

P5516 PGL350P-128-1LP 350W Metal Halide Wall Pack

RAB FLUORESCENT TALLPACK™




28 watt compact fluorescent Tallpack. Vandal resistant polycarbonate housing. Heavy die-cast aluminum back plate. Factory installed 120V photocell. Operating temperature 28w (-20°F).

Locke#

P9250 WPTF28 28W with PC & Lamp

P | ELECTRIC

COOPER Lighting
**FLUORESCENT WALL
FIXTURE**




Locke#
P5440 LFE13PC 13W PL Fluorescent
Wall Fixture with Lamp

Stonco Crescent
**GALVANIZED CANOPY
LUMINAIRE**




Locke#
P4963 SCL405MA8 400w Metal
Halide Canopy Light

HUBBELL
CEILING LUMINAIRE



Locke#
P3603 NRG401 50W HPS Square
Ceiling Mount with Lamp 120v


RAB
**COMPLETE VAPOR-
PROOF FIXTURE**



Locke#
P3301 VX100DG 100W
Complete Vaporproof Fixture
P3303 VX200DG 200W
Complete Vaporproof Fixture

BAYCO
**DOUBLE QUARTZ LIGHT
ON ADJUSTABLE STAND**

Lamps
Included



Locke#
T4827 SL1006 Double 500W Quartz
Light on Adjustable Stand


AMERICAN
INSULATED WIRE CORP.
**SHOP LIGHT WITH SIDE
OUTLET**



3 conductor, yellow
SJO. UL listed, with
switch and side
outlet, metal lamp
guard. Meets OSHA
requirements for
general use. 16/3.
50 Ft.

Locke#
T0290 16/3 Shop Light with 50' Cord

CCI
Coleman Cable Inc.
CLAMP LAMP



Aluminum shade,
UL listed. 6'
cord, 10A 125V

Locke#
P3810 2756 With 8½" Aluminum
Shade, 18/2 SPT-2
P3811 2754 With 5½" Aluminum
Shade, 18/2 SPT-2

ERICSON
safety electrical specialties
TEMPORARY LIGHTING



'96 N.E.C. UNIT -
100' 14-2 conductor
SJTW cord with a
lamp holder every 10'
O.C., spliced into the
cord and housed in a
splice box. 10 yellow
plastic bulb protectors
included.

Locke#
P6202 142100 OSHA approved
Temporary Lighting System

**BERGEN
INDUSTRIES**
TEMPORARY LIGHTING



100' #14 type THHN
(2 conductors) wire,
with a molded socket
lampholder every
10' O.C. 10 yellow
plastic bulb protectors
included.

Locke#
P4229 YMC100 100' Economy
Temporary Lighting System

**REPLACEMENT
LAMP HOLDERS**



Locke#
P4227 LH-22-WP Pin Type Lamp-
holder
P4230 521-WP Pin Type Lamp-
holder for use with the P4229

**"BIRD CAGE" PLASTIC
BULB PROTECTORS**



200 Watt (max.) Type A lamps
only.


Locke#
P4225 BC-200 "Bird Cage" Plastic
Bulb Protectors

P | ELECTRIC

HIGH BaY LIGHTS



HUBBELL HI-BAY WITH REFLECTOR MULTI TAP VOLTAGE




Unit Pack Carton Carton Contains: Ballast & Reflector

Locke#

P4711 BL400P8-BC-WHUPL
400W MH High-Bay with Reflector Quad Tap



LOW BAY FIXTURE



Locke#

P6370 BLA400P8-WH 400W MH Low-Bay Ballast Housing
P6371 BL-LB1 Low-Bay Reflector/Refractor



CLEAR PRISMATIC REFLECTOR



Does not include lens

Locke#

P4713 BL-WA22 22 Inch



WIREGUARD RG-14




Corrosion resistant, welded plated with center lamp access. For BI reflector.

Locke#

P3577 WG-14 14" Wireguard



HOOK




Cast aluminum 3/4" NPS Male. Includes safety screw. (Holds up to 625 lbs.)

Locke#

P3576 HOOK 3/4" Male Hook



SLIP FITTER



For 2" (2 3/8" OD) tenon

Locke#

P3585 4024C 2 3/8" Slip Fitter



SWIVEL HANGER FOR 4" SQUARE BOXES



Locke#

P4704 TPSFH-12 Swivel hanger with 1/2 & 3/4" threads for a 4" sq. box



SWIVEL ALIGNER




Locke#

P4703 AL-4 Swivel Aligner with 1/2" threads for 4" box



WIREGUARD FOR SA15 REFLECTOR




Locke#

P4962 WG15 Fits P5984 & P5985



SLIP-FITTERS




Locke#

P4960 TKS 2 3/8" Slipfitter
P6533 FA5BZ 2" Slipfitter



HI-BAY BALLAST/ REFLECTOR

WITH LAMP




Locke#

P5984 MPSS40 400W Metal Halide Unit with lamp
P5985 HPSS40 400W High Pressure Sodium Unit with lamp



ENTERPRISE LOW BAY FIXTURE LAMP INCLUDED



Locke#

P4959 FP40 Low Bay Fixture



WRAP-AROUNDS LENS

Locke#

P4938 W-2A-U Lens for 2 Lamp Wrap
P4939 W-4A-U Lens for 4 Lamp Wrap



FIXTURE HOOK



Locke#

P4961 FH-1 Fixture Hook

P | ELECTRIC