


CABLE & TELEPHONE WALL PLATES

LEVITON[®] CO-AX CABLE PLATE



Cable plate with "F" Connector.


Locke#

P6299 40981-I Ivory Co-Ax plate Receptacle

P6298 40981-W White Co-Ax plate Receptacle

P8498 80781-T Lt. Almond Co-Ax Receptacle

LEVITON[®] DUAL CO-AX PLATE



1 Gang Plate with 2 coax connectors

Locke#

P0044 40982-I Ivory 2 Co-Ax Plate

P0045 40982-W White 2 Co-Ax Plate

LEVITON[®] DECORA PLATE WITH F-CONNECTION



Locke#

P3346 40981-ID Ivory Decora Plate with F Connection Wall Jack

P6578 40681-W White Decora flush mount with Co-axial connection

P6581 40681-B Brown Decora flush mount with Co-axial connection

P9237 40681-T Light Almond Decora flush mount with Co-axial connection

LEVITON[®] DECORA TELEPHONE JACK 4 CONDUCTOR



Locke#

P2477 40649-W White phone jack

P8270 40649-E Black phone jack

LEVITON[®] PHONE/CABLE COMBO PLATE





Plate with "F" Connector & 4 wire phone jack.

Locke#

P8471 40259-T Lite Almond phone/TV

LEVITON[®] PHONE/CABLE COMBO




Cable plate with "F" Connector & 4 wire phone jack.

Locke#

P6023 40959-I Ivory Phone/TV

P6024 40959-W White Phone/TV

LEVITON[®] DUPLEX DECORA TELEPHONE JACK



2 jacks, plate, and mounting hardware. They can be wired to the same line or 2 lines.


Locke#

P3320 40944-I Ivory duplex Telephone Wall Jack, 4 Conductor

P3321 40944-W White duplex Telephone Wall Jack, 4 Conductor

P9224 40244-T Light Almond duplex Telephone Wall Jack, 4 Conductor

LEVITON[®] MODULAR TELEPHONE JACK PLATE



Flush mounted wall jack.

Locke#

P0089 40949-I Ivory phone jack

P2476 40949-W White phone jack

P8497 40249-T Lite Almond jack

P6317 4625B-44 Brown phone jack solid wall plate

LEVITON[®] MODULAR WALL PHONE JACK PLATE



Locke#

P0090 40914-I Ivory phone jack

P0095 40914-W White phone jack

P9226 40914-T Light Almond phone jack

LEVITON[®] OUTDOOR/INDOOR PHONE JACK




4-conductor jack with Type 43A mounting bracket attached. Mounts in any standard electrical box; slotted holes facilitate alignment when electrical box has been mounted crooked or askew.

Locke#

P3319 40201-I Ivory Outdoor/Indoor Telephone Jack

LEVITON[®] SURFACE MOUNT PHONE JACK



Locke#


P6385 40974-I Ivory Surface Mount Phone Jack, 4 Conductor

P6386 40974-W White Surface Mount Phone Jack, 4 Conductor

*We APPreciate
Your
Business!*


WALL PLATE BLANKS, SCREWS, GASKETS & MOUNTING

LEVITON. BOX MOUNT TELEPHONE/ CABLE PLATE




| Locke# | Part # | Description |
|--------|--------|--------------------------|
| P5513 | 86013 | Ivory - 25 per box |
| P5514 | 88013 | White - 25 per box |
| P8422 | 78013 | Lite Almond - 25 per box |

LEVITON. STRAP MOUNT PHONE PLATE



| Locke# | Part # | Description |
|--------|--------|-------------------|
| P0066 | 85018 | Brown phone plate |
| P0067 | 86018 | Ivory phone plate |
| P2475 | 88018 | White phone plate |

Arlington Industries, Inc. CABLE ENTRANCE PLATES AND HOOD



Reversible, paintable plastic.

| Locke# | Gang | Per box |
|--------|------------|---------|
| P9178 | CE1 Single | 25 |
| P9179 | CE2 Double | 25 |


Arlington Industries, Inc. RECESSED TV BOX™ FOR POWER AND LOW VOLTAGE



Paintable plastic.

| Locke# | Part # | Description |
|--------|---------|-------------------|
| P9178 | TVB6134 | gang recessed box |

Metallics Inc. WALL PLATE SCREWS



| Locke# | Part # | Description |
|--------|--------|-------------|
| P0020 | Ivory | 100 Per Box |
| P0028 | Brown | 100 Per Box |
| P0029 | White | 100 Per Box |
| P0041 | Almond | 100 Per Box |

SWITCH PLATE SCREW KIT



Each Kit Contains:
6 - 32 x 1 1/4 Flat Head Zinc
6 - 32 x 1/2 Ivory
6 - 32 x 1/2 White
6 - 32 x 1/2 Zinc

| Locke# | Part # | Description |
|--------|--------|-----------------|
| P4840 | SPK-1 | Plate Screw Kit |

Metallics Inc. WALL PLATE INSULATION GASKETS




Energy saving gaskets prevent the loss of heat and cold through outlets and switches located on outside wall. Snap out design fits all. FLAME RETARDANT.

| Locke# | Part # | Description |
|--------|--------|-----------------|
| P4302 | WGR25 | Gaskets, 100 pk |



CATERPILLAR WIRING DEVICE SPACER



100 strips, each strip has 8 foldable segments & is 1/8" thick.

| Locke# | Part # | Description |
|--------|--------|-----------------|
| P4303 | CA-25 | 100/bag Spacers |

Arlington Industries, Inc. MOUNTING BRACKETS




P4181 P4182

Applications: 4" sq. & 4 1/16" outlet boxes to 2 1/2" & 3 1/2" metal studs.

| Locke# | Gang | Per box |
|--------|------------|---------|
| P4181 | LV1 Single | 100 |
| P4182 | LV2 Double | 100 |


Thomas&Betts DEVICE LEVELER & RETAINER



Use for oversize drywall openings, prevents broken cover plates, stops device from being pushed back in wall, makes floating device rigid.

| Locke# | Part # | Description |
|--------|--------|---------------------|
| P4183 | RLC | Device Leveler Clip |

ERICO® LV MOUNTING BRACKET WITH SCREWS



| Locke# | Part # | Description |
|--------|--------|-------------------|
| P4205 | MPLS | LV Mount. Bracket |

Arlington Industries, Inc. LOW VOLTAGE MOUNTING BRACKETS



| Locke# | Part # | Description |
|--------|--------|---------------------|
| P5001 | LVN-1 | Single gang Bracket |
| P5002 | LVN-2 | Double gang Bracket |

P | ELECTRIC


WORKSTATION - UTP



QUICKPORT™ SNAP-IN MODULES FOR QUICKPORT HOUSINGS & MULTIMEDIA OUTLET SYSTEM (MOS)



CATEGORY 6 SNAP-IN JACK



CATEGORY 6 SNAP-IN JACK

| Locke# | Leviton # | Description |
|--------|-----------|-------------------------------------|
| P8310 | 61109R16 | Ivory QuickPort Cat 6e Module |
| P8311 | 61109RW6 | White QuickPort Cat 6e Module |
| P8313 | 61109RE6 | Black QuickPort Cat 6e Module |
| P8477 | 61110-RT6 | Lite Almond QuickPort Cat 6e Module |
| P8309 | 61110-RL6 | Blue QuickPort Cat 6e Module |

QUICKPORT™ SNAP-IN MODULES AND BLANKS



Blanks



F-Type Module

| Locke# | Leviton # | Description |
|--------|------------|-------------------------------------|
| P6472 | 41084-FEF | QuickPort F- Type Module Black |
| P6470 | 41 084-FIF | QuickPort F- Type Module Ivory |
| P6471 | 41084-FWF | QuickPort F- Type Module White |
| P6475 | 41084-BIP | Ivory Quickport Snap-in Blanks |
| P6476 | 41084-BWP | White Quickport Snap-in Blanks |
| P8466 | 41084-BTP | Lt. Almond Quickport Snap-in Blanks |

CAT 5 SNAP-IN JACKS



- Category 5 jacks are permanently laser engraved to indicate Category 5 compliance.
- Contactors are phosphor bronze, plated with 50 microinches of gold over 100 microinches of nickel.
- 110-type IDC contacts provide a gas-tight termination.
- Dual T568A/B wiring label on Category 3 & 5 jacks simplifies ordering & specification, & promotes fast, reliable installation.
- Patented "cutting ledge" properly positions a punch-down tool to both terminate & trim wire in one step.

| Locke Code | Leviton Number | Description |
|------------|----------------|---|
| P6414 | 41108-RB5 | Quickport Cat 5 8P8C Non-Keyed Jack Brown |
| P6417 | 41108-RE5 | Quickport Cat 5 8P8C Non-Keyed Jack Black |
| P6416 | 41108-RG5 | Quickport Cat 5 8P8C Non-Keyed Jack Gray |
| P6413 | 41108-R15 | Quickport Cat 5 8P8C Non-Keyed Jack Ivory |
| P6421 | 41108-RL5 | Quickport Cat 5 8P8C Non-Keyed Jack Blue |
| P6419 | 41108-R05 | Quickport Cat 5 8P8C Non-Keyed Jack Orange |
| P6424 | 41108-RP5 | Quickport Cat 5 8P8C Non-Keyed Jack Purple |
| P6415 | 41108-RW5 | Quickport Cat 5 8P8C Non-Keyed Jack White |
| P6422 | 41108-RY5 | Quickport Cat 5 8P8C Non-Keyed Jack Yellow |
| P8470 | 5G108-RT5 | GigaMax Cat 5e Non-Keyed Jack Lite Almond |

CAT 3 SNAP-IN JACK

| Locke# | Leviton# | Description |
|--------|-----------|---|
| P6430 | 41108-R13 | QuickPort Cat 3 8P8C Non-Keyed Jack Ivory |

VOICE-GRADE SNAP-IN JACK


| Locke# | Leviton # | Description |
|--------|-----------|--|
| P6454 | 41108-RE8 | QuickPort USOC 8P8C Non-Keyed Jack Black |
| P6453 | 41108-RG8 | QuickPort USOC 8P8C Non-Keyed Jack Gray |
| P6450 | 41108-R18 | QuickPort USOC 8P8C Non-Keyed Jack Ivory |
| P6452 | 41108-RW8 | QuickPort USOC 8P8C Non-Keyed Jack White |

*We Do More
than Just
Meet our
COMPETITION,
We Beat
them.
compare
our Prices
And Save!!*

P | **ELECTRIC**

WORKSTATION • UTP • QUICKPORT™ SNAP-IN MODULES

QUICKPORT™ MULTI-PORT WALL PLATES




Configure with any QuickPort module; use blank fillers for unused ports. Your choice of 1, 2, 3, 4 or 6 ports in a single-gang outlet.

Wire individual jacks according to any wiring standard; color-coded labels facilitate wiring to the most common applications. Category 3 & 5 jacks have a T568A/B color-coded wiring strip; voice-grade jacks have a USOC coded strip. Match the modules to the plate for a sleek look, or use different colors for port ID.

QUICKPORT™ Multiport Wall Plates

| Locke# | Leviton# | Description |
|--------|-----------|---------------------------------------|
| P6500 | 41080-1IP | Ivory Quickport 1-Port Wallplate |
| P6501 | 41080-1WP | White Quickport 1-Port Wallplate |
| P8456 | 41080-1EP | Black Quickport 1-Port Wallplate |
| P8457 | 41080-1TP | Lt. Almond Quickport 1-Port Wallplate |
| P6495 | 41080-2IP | Ivory Quickport 2-Port Wallplate |
| P6496 | 41080-2WP | White Quickport 2-Port Wallplate |
| P8458 | 41080-2EP | Black Quickport 2-Port Wallplate |
| P8459 | 41080-2TP | Lt. Almond Quickport 2-Port Wallplate |
| P6490 | 41080-3IP | Ivory Quickport 3-Port Wallplate |
| P6491 | 41080-3WP | White Quickport 3-Port Wallplate |
| P8461 | 41080-3TP | Lt. Almond Quickport 3-Port Wallplate |
| P6485 | 41080-4IP | Ivory Quickport 4-Port Wallplate |
| P6486 | 41080-4WP | White Quickport 4-Port Wallplate |
| P8463 | 41080-4TP | Lt. Almond Quickport 4-Port Wallplate |

QUICKPORT™ MULTI-PORT WALL PLATES



Configure with any QuickPort module. 6 ports in a single-gang outlet. Match the modules to the plate for a sleek look, or use different colors for port ID.

QUICKPORT™ Multiport Wall Plates

| Locke# | Leviton# | Description |
|--------|-----------|---------------------------------------|
| P6480 | 41080-6IP | Ivory Quickport 6-Port Wallplate |
| P6481 | 41080-6WP | White Quickport 6-Port Wallplate |
| P8465 | 41080-6TP | Lt. Almond Quickport 6-Port Wallplate |

QUICKPORT™ MULTIMEDIA INSERTS



Combine voice, data audio & video in one compact, attractive Decora wallplate. UL listed and CSA certified. These inserts offer designer style to match the Decora electrical switches & outlets. They fit neatly into a single gang Decora wallplate.

QUICKPORT™ Decora Inserts


| Locke# | Leviton# | Description |
|--------|-----------|--------------------------------|
| P6521 | 41087-2IP | Ivory Quickport Duplex Insert |
| P6710 | 41642-W | White 2-Port Multimedia Insert |
| P6712 | 41644-W | White 4-Port Multimedia Insert |

QUICKPORT™ SURFACE MOUNTS



| Locke# | Leviton# | Description |
|--------|-----------|---|
| P6505 | 41089-2IP | QuickPort 2-Port Surface Mount Platform Ivory |
| P6506 | 41089-2WP | QuickPort 2-Port Surface Mount Platform White |

CAT 5 TEST EQUIPMENT



| Locke# | Leather Carrying Cases | |
|--------|------------------------|--|
| T4915 | 49560-TTS | Tone Test Set |
| T4916 | 49560-LCC | Tone Test Set Leather Carrying Holster |
| T4917 | 49561-SSP | Inductive Speaker Probe |
| T4918 | 49561-LCC | Leather Carrying Holster for Speaker Probe |



TOOLS FOR CAT 5



| | | |
|-------|--------|---|
| T4919 | 35-483 | Impact Tool (No Blades) uses 66 or 110 Blades |
| T4920 | 35497 | 66 Termination Blade. for T4919 |
| T4921 | 35-495 | 110 Termination Blade. for T4919 |

P | ELECTRIC



INFOTAP® CATEGORY 5 PATCH PANELS




24-port panels
(1.75"H x 19.0"W)




32-port panels
(3.5"H x 19.0"W)



48-port panels
(3.5"H x 19.0"W)



64-port panels
(7.0"H x 19.0"W)



96-port panels
(7.0"H x 19.0"W)

InfoTap Category 5 patch panels are factory-assembled in a variety of wiring configurations and port densities to meet the needs of high-speed data applications. The panels mount in standard 19" EIA racks and accommodate top, bottom or side cable entry. InfoTap panels are UL Listed; meet National Electrical Code requirements and specifications for UL 1863; and fully comply with FCC Part 68 and TIA/EIA-568-A Category 5.

CATEGORY 5 PATCH PANELS

| Locke# | Leviton# | Description |
|--------|-----------|--------------------------------|
| P6510 | 59596-489 | Category 5 12-Port Patch Panel |
| P6511 | 59596-424 | Category 5 24-Port Patch Panel |
| P6512 | 59596-448 | Category 5 48-Port Patch Panel |

Mount

| | | |
|-------|-----------|---|
| P6525 | 49251-W62 | Wall Mount Hinged Bracket 2-Pos (3.5"H x 6.0"0) |
|-------|-----------|---|

**MAke Money
the eAsY WAY.
BuY righT
AnD sAve!!**



CATEGORY 5 PATCH CORDS

Leviton Telcom Category 5 patch cords are compliant with the latest standards, to meet and exceed a full range of patching performance requirements. All have quality construction to maintain the integrity of signal transmission at the cross-connect, which is critical to the performance of the entire cabling system.

These patch cords meet or exceed industry standard specifications, and use compliant stranded wire as specified by industry standard TIA-EIA-568-A to ensure adequate "flex life".

Locke#

P6522 524-10 Category 5 Patch Cord 10ft. White



PHONE DISTRIBUTION DEVICE ECONOMIC SOLUTION FOR RESIDENTIAL, SOHO & COMMERCIAL INSTALLATIONS



P2023



P2021

Features:

- Accommodates up to 4 incoming lines
- Allows up to 48 stations or phone home runs (12 for each incoming line)
- Category 5 Rated
- Local Area Networks (LANs)
- Dimensions: 7.25" x 5.5" x 1"
- Includes 110 Push Down Tool

Locke#


P2021 DD-1 Phone Distribution Device

P2023 DD110T Push Down Tool for P2021

P2024 1C Cover for P2021



CONNECTING BLOCKS



Locke#

P6515 40066-M25 66 Pin Connecting Block for Telecommunications 25 Pair

P6516 40050-MCV Cover for 66 Pin Connecting Block

M BLOCK BRACKET FOR JACK/CONNECTOR MOUNTING



Locke#

P6940 40089-00D M Block Bracket For Jack/connector Mounting

25 PACK RJ PLUGS



Locke#

P6793 85-345 6 Position RJ-11 Plugs

P6794 85-346 8 Position RJ-45 Plugs



10 BASE T KIT



Includes: Stripper, Crimp Tool, 50 RJ-45 Plugs, and Case

Locke#

P6792 33-750 10 Base T Kit

P | **ELECTRIC**

WHICH CABLE SHOULD YOU USE?

THE CATEGORY RATING SYSTEM

Category 3 is a performance designation for twisted-pair cable and connecting hardware that can support frequency transmission up to 16 MHz and data rates of 10 Mbps. Although Category 3 has the capability to support low speed data applications, it is now primarily used for telephone wiring.

Category 5 supports frequency transmission up to 100 MHz and data rates of 100 Mbps, providing optimal performance for all data and phone systems. These systems are quickly becoming the standard because they provide a "safety net" to help ensure that current and future high-speed applications will run with peak accuracy, efficiency, and throughput. In fact, without Category 5 wiring, it's possible that homeowners could connect computers and modems with requirements beyond their wiring system capabilities.

Category 6 is a cable standard for Gigabit Ethernet and other network protocols that is backward compatible with the Category 5/5e and Category 3 cable standards. Cat-6 features more stringent specifications for crosstalk and system noise. The cable standard is suitable for 10BASE-T / 100BASE-TX and 1000BASE-T (Gigabit Ethernet) and is expected to suit the 10000BASE-T (10Gigabit Ethernet) standards. It provides performance of up to 250 MHz.

SPEEDWRAP CABLE



1000' Reel. Contains 2- CAT5E & 2 - RG6 CO-AX QUAD shielded with overall jacket

Locke#

P3045 5050-51 Speedwrap Cable

DUAL ZIP CABLE WITH 1-CAT 5E AND 1-RG6U



Locke#

P6706 5066 Dual Zip Cable with 1-CAT 5e and 1-RG6U Quad

CAT6 PVC RISER CABLE 1000 ft Boxes



Locke#

P6743 CAT 6 Enhanced CMR **Blue**
P6890 CAT 6 Enhanced CMR **Natural**
P6891 CAT 6 Enhanced CMR **White**
P6892 CAT 6 Enhanced CMR **Green**
P6805 CAT 6 Enhanced CMR **Orange**

CAT5 PVC RISER & PLENUM CABLE 1000 ft Boxes



Locke#

P6716 CAT 5 Enhanced CMR **Yellow**
P6735 CAT 5 Enhanced CMR **Red**
P6737 CAT 5 Enhanced CMR **Natural**
P6739 CAT 5 Enhanced CMR **White**
P6727 CAT 5 Enhanced CMR **Orange**
P6465 CAT 5 Plenum 4-pair / 24AWG **Blue**
P6440 CAT 5 Enhanced 4-pair / 24AWG **CMR Blue**

CAT3 PVC RISER CABLE 1000 ft Boxes



Locke#

P6447 CAT 3 PVC 2-pair 24AWG **Gray**
P6448 CAT 3 PVC 3-pair 24AWG **Gray**
P6449 CAT 3 PVC 4-pair 24AWG **Gray**

DIRECT BURY PHONE LINE - 1000'



Locke#

P6451 22/2UG 22 AWG/ 2 Pair Direct Bury Phone 1000' Reel

STATION WIRE TELEPHONE VOICE GRADE CABLE 4-WIRE 1000' PULL OUT BOX



Station Wire Code #P681 (Quad Wire) is recommended for single-line phone installation only. PVC 4 Conductor, Ivory Jacket 1 MFT Box

It is not intended for use with multiple lines, key systems, PBX systems or for data use.

Locke#

P6681 1140-22-09 4 wire, 24 AWG
P6008 1103-22-09 4 wire, 22 AWG

TWISTED PAIR FOR MULTI-LINE PHONE SYSTEMS 1000'



INSIDE WIRE - TWISTED PAIR.

Twisted pairs of solid annealed copper individually insulated with high-density, color coded PVC. Tough, weather resistant PVC outer jacket (ivory). 1000' Spools in job pack box for easy dispensing without twists or curls. UI cm - & cmr-rated (temp. 60° C); meets ul 444, nec article 800 & ibm type 3 specifications. Csa 22.2 No. 214. 24 Awg/2 pair & 4 pair for multi-line telephone systems.

Locke#

P3363 5031-13-09 24ga Twisted, 2 Pair
P6006 1233- -09 22ga Twisted, 2 Pair

40% SHIELDED COAXIAL CABLE RG59/U



Commercial Poly-Dielectric Type RG 59/U Solid. Priced per 1.000 feet.

Locke#

P0790 Shielded Coaxial Cable

40% AL SHIELDED COAXIAL CABLE - RG6

Locke# Priced per 1.000 feet.

P3048 AL Shield Coaxial Cable

QUAD 100% SHIELDED COAXIAL CABLE-RG6/U



18 gauge copper covered steel center conductor. Gas expanded Polyethylene dielectric. Inner shield Aluminum laminated Tape bonded to dielectric. Inner shield of 34 AWG bare aluminum braid wire 40 % coverage. Outer shield Aluminum-Polypropylene-Aluminum Laminated Tape. Outer shield of 34 AWG bare aluminum braid wire 60% coverage. Jacket of flame retardant Black PVC.

Locke# Priced Per 1000 Ft.

P3043 RG 6 Quad 1000' Reel


DUAL COAXIAL CABLE

Locke#

P3044 RG 6 Dual 1000' Reel



BLACK CO-AXIAL STAPLES



Locke#

P0385 1/4" Black Co-Ax Staples, 100



COAXIAL CONNECTORS

Manufactured From Precision Machined Brass. Nickel Plated 1-piece Design. Provides A High Degree Of quality & reliability. Provides excellent corrosion resistance & fine appearance. Easy to work with, does not require the use of a separate ferrule. Twist-on & crimp-on styles offer the installer a choice.

TWIST-ON COAXIAL CONNECTOR



Twist-on connectors may be reused providing efficient use & flexibility in the field.

Locke# Size

P4785 FC59TS RG59 Twist-on Coaxial Connector, 10 pk.

P4787 FC6TQS RG6 Twist-on Coaxial Connector, 10 pk.

CRIMP-ON COAXIAL CONNECTOR



Locke# Size

P4786 FC-59CS RG59 Crimp-on Connector, 10 pk.

P4788 FC-6CQS RG6 Crimp-on Connector, 10 pk.

F-TYPE FEMALE ADAPTOR



Supplied with a locknut & washer.

Locke#

P4789 FCF-S F-Type Female Adaptor, 5 Pk.

LEVITON COAXIAL CABLE STRIPPER




Locke#

T3166 C5914 Coaxial Cable Stripper RG6/RG59



COAXIAL SPLITTERS



Sturdy weatherproof housing, grounding & mounting screws. Provides long lasting trouble free service. Provides convenient installation-no need to look for parts to mount. Provides multiple means of splitting the signal with minimum loss.



Locke#

P4790 CS2 2 Way Coaxial Splitter, 1 pack

P4791 CS3 3 Way Coaxial Splitter, 1 pack

P4792 CS4 4 Way Coaxial Splitter, 1 pack

Thomas & Betts SNAP-N-SEAL COAX CONNECTORS



Connectors



Thomas & Betts introduces Snap-N-Seal® One Piece Drop Connectors. With its user-friendly, pre-positioned and detachably coupled plastic sleeve, the Snap-N-Seal® One Piece Connector incorporates time-proven advantages for a reliable connection. Snap-N-Seal® One Piece Drop Connectors use proven 360° compression.

Locke#

P7066 SNS1P6 Connector for RG6

P7067 SNS1P6QS Connector for RG6 Quad Shield

P7068 SNS1P59 Connector for RG59

T1050 SNSULTL Installation tool

T1051 CST596711 Prep tool for RG6, 11 or 59 Coax


LEVITON®
T E L C O M
MEDIA ENCLOSURE



Locke#
P8100 4760514W0 Series 140 structured media enclosure with cover

LEVITON®
T E L C O M
TELEPHONE/VIDEO KITS
FOR INSTALLATION IN P8100


Basic Kit



Combines telephone distribution module, category 5 voice-data module, & 6-way video splitter in a dedicated bracket for multi-line systems with video distribution. Handles up to 6 phone locations &/or 6 data locations, & 6 video locations.

Locke#
P8101 47606BTV Basic Telephone/Video Kit

LEVITON®
T E L C O M
COMPACT STRUCTURED MEDIA™ ENCLOSURE



Compact distribution point for basic telephone and video

Locke#
P8099 47604-F6S MDU Kit with 1x6 phone & 6-way Co-ax splitter

E.T.O.N | Cutler-Hammer
BASIC ENCLOSURES AND COVERS



Shown is **P4125** with 6 modules. Modules **Sold Separately** on this page. Mix and match modules to create a solution that is just right for your customer.

Locke#

| | | |
|--------------|----------|---------------|
| P4115 | ESWI1800 | 18" Enclosure |
| P4116 | ESWC1800 | 18" Cover |
| P4117 | ESWI2400 | 24" Enclosure |
| P4118 | ESWC2400 | 24" Cover |
| P4125 | ESWI3600 | 36" Enclosure |
| P4126 | ESWC3600 | 36" Cover |

E.T.O.N | Cutler-Hammer
4 LINE PHONE MODULE



Provides distribution of incoming telephone lines.

Locke#

| | | |
|--------------|-----------|------------------------------|
| P4108 | ESWT40800 | 4 Line, 8 Port Phone Module |
| P4109 | ESWT41600 | 4 Line, 16 Port phone module |

E.T.O.N | Cutler-Hammer
CO-AX MODULE



High-quality video distribution module designed to provide user-friendly management and control of video signals.

Locke#

| | | |
|--------------|-----------|--------------------------|
| P4110 | ESWV10800 | Co-Ax Module, 1 In 8 Out |
|--------------|-----------|--------------------------|

E.T.O.N | Cutler-Hammer
PASSIVE 8 PHONE / 8 CABLE MODULE



Distribution of one incoming coaxial signal to eight locations, two satellite TV signals to two locations, and four incoming telephone lines to eight locations.

Locke#

| | | |
|--------------|-----------|-------------------------|
| P4113 | ESWD80801 | 8 Phone/ 8 Cable Module |
|--------------|-----------|-------------------------|

P | **ELECTRIC**

*We APPr ec iAt e
Your
Bus in ess!*