

SWITCHES

LEVITON® 1-POLE GROUNDED COMMERCIAL GRADE QUIET TOGGLE SWITCH



SIDE WIRE
120-277v
Grounding Terminal

Locke#

P1396	CS115-2I	Ivory-15a
P4561	CS115-2W	White-15a
P8451	CS115-2T	Lt.Almond-15a
P4574	CS115-2GY	Gray-15a
P2063	CS120-2	Brown-20a
P2064	CS120-2I	Ivory-20a
P4563	CS120-2W	White-20a
P6541	CS120-2GY	Gray - 20a
P8452	CS120-2T	Lt.Almond-20a
P8267	1221-2E	Black- 20a

LEVITON® 3 WAY GROUNDED COMMERCIAL GRADE QUIET TOGGLE SWITCH



SIDE WIRE
120-277v
Grounding Terminal

Locke#

P1400	CS315-2I	Ivory - 15a
P4562	CS315-2W	White - 15a
P4565	CS315-2GY	Gray - 15a
P2066	CS320-2I	Ivory - 20a
P4564	CS320-2W	White - 20a
P6542	CS320-2GY	Gray - 20a
P8453	CS320-2T	Lt.Almond - 20a
P4569	CS320-2	Brown - 20a
P8268	1223-2E	Black - 20a

COMMERCIAL 4-WAY SWITCH

Locke#

P4567	CS415-2GY	Gray 15a 4P Commercial Switch
P6543	CS420-2GY	Gray 20a 4P Commercial Switch

LEVITON® 4-WAY GROUNDED COMMERCIAL GRADE QUIET SWITCH



SIDE WIRE
120-277v
Grounding Terminal

Locke#

P1848	54504-2I	Ivory -15a
P0874	54504-2W	White -15a
P8409	54504-2T	LiteAlmond-15a
P1846	1204-2	Brown -15a
P8269	1224-2E	Black -20a

LEVITON® SINGLE POLE RESIDENTIAL GRADE QUIET SWITCH *Copper/Aluminum Rated*



Side wire
120v
Grounding Terminal

Locke#

P0009	2651-2I	Ivory-15a, 120V
P0010	2651-2W	White-15a, 120V

*We Do More
Than Just
Meet our
CoMPeTiTiOn,
We BeAT Them.
CoMPare our
PriCes and
save!!*

LEVITON® 1-POLE GROUNDED DECORATOR SERIES SWITCHES



Side or Speed wire
120-277v
Grounding Terminal

Locke#

P2076	5601-2I	Ivory-15 amps
P2077	5601-2W	White-15 amps
P8410	5601-2T	LiteAlmond-15 amps
P2084	5601	Brown-15 amps
P8115	5601-2E	Black-15 amps

LEVITON® 3 WAY GROUNDED DECORATOR SERIES SWITCHES



Side or Speed wire
120-277v
Grounding Terminal

Locke#

P2078	5603-2I	Ivory-15 amps
P2079	5603-2W	White-15 amps
P8411	5603-3T	LiteAlmond-15 amps
P2089	5603	Brown-15 amps
P8116	5603-2E	Black-15 amps

LEVITON® 4 WAY GROUNDED DECORATOR SERIES SWITCHES



Side or Speed wire
120-277v
Grounding Terminal

Locke#

P6303	5604-2	Ivory -15 amps
P6302	5604-2W	White-15 amps
P8412	5604-2T	LiteAlmond-15 amps
P8117	5604-2E	Black-15 amps

P | **ELECTRIC**

SpECiaL Ty SWITCHES

LEVITON®

GROUNDING AC QUIET SWITCHES - 1 POLE



Screw Terminal/ Speed wire
Single Pole, 120 Volts
Grounding Terminal

Locke#

P0001	1451-2CP	Brown-15 amps
P0002	1451-2ICP	Ivory -15 amps
P0872	1451-2WCP	White-15 amps
P8400	1451-2T	LiteAlmond-15amps
P1818	1451-2E	Black-15 amps

LEVITON®

GROUNDING AC QUIET SWITCHES - 3 WAY



Screw Terminal/ Speed wire
Three Way, 120 Volts
Grounding Terminal

Locke#

P0003	1453-2CP	Brown-15 amps
P0004	1453-2ICP	Ivory -15 amps
P0873	1453-2WCP	White-15 amps
P8401	1453-2T	LiteAlmond-15amps
P1820	1453-2E	Black-15 amps

LEVITON®

GROUNDING AC QUIET SWITCHES



Commercial Specification Grade

Side wired Grounding
Double Pole, 120-277 Volts

Locke#

P0024	CS220-2I	Ivory - 20 amps
P6387	CS220-2W	White-20 amps
P0031	3032-2I	Ivory - 30 amps

LEVITON®

GROUNDING AC QUIET PIGGYBACK SWITCHES



Specification Grade, Heavy Duty

2 Single Pole, 120-277Volts

Locke#

P1849	5224-2I	Ivory -15 amps
P1850	5224-2	Brown- 15 amps
P0875	5224-2W	White- 15 amps
P8404	5224-2T	LiteAlmond-15amps

1 SINGLE POLE, 1 THREE-WAY 120-277 VOLT

P2085	5241-I	Ivory -15 amps
P4578	5241-W	White -15 amps
P8255	5241-BR	Brown -15 amps
P8406	5241-T	LiteAlmond-15amps

2 STACKED 3-WAY SWITCHES, 120-277 VOLT

Locke#

P0039	5243-I	Ivory -15 amps
P0040	5243-W	White -15 amps
P8257	5243-BR	Brown -15 amps

LEVITON®

GROUNDING AC COMBO SWITCH & OUTLET

Specification Grade, Heavy Duty




Quiet single pole, 2 pole, 8 wire U ground receptacle. Heavy phosphor bronze "T" contacts & double wipe ground contacts. Furnished grounding screw. 120v-277v

Locke#

P0007	5225	Brown-15 amps
P0008	5225-I	Ivory-15 amps
P2052	5225-W	White-15 amps
P8405	5225-T	LiteAlmond-15 amps

LEVITON®

LOCKING SWITCHES



Locke#

P1403	1221-2L	Brown-Single Pole
P1404	1223-2L	Brown-Three Way
P4841	55500PRT	Key for Leviton locking switch

LEVITON®

PILOT LIGHT SWITCH

LIGHTED HANDLE WHEN ON



Red Toggle, Industrial Specification Grade. 20A-277V AC 2HP ONLY

Locke#

P3316	1221-7PR	1 Pole Pilot Switch
-------	----------	---------------------

LEVITON®

LIGHTED HANDLE SWITCH

LIGHTED HANDLE WHEN OFF



Single Pole 15 amp Lighted Handle

Locke#

P4579	5501-LHI	Ivory lighted switch
-------	----------	----------------------

LEVITON®

COMMERCIAL PILOT LIGHT SWITCH

LIGHTED HANDLE WHEN ON



15 amp 1 Pole Red Pilot Light

Locke#

P4577	1201-PLR	Pilot Light Switch
-------	----------	--------------------

P | ELECTRIC

LEVITON[®] OCCUPANCY SENSOR



Locke#

- | | | |
|--------------|-----------|------------------------------------|
| P4553 | PR150-1LI | Ivory Wall Switch Occupancy Sensor |
| P4554 | PR150-1LW | White Wall Switch Occupancy Sensor |

RAB OCCUPANCY SENSOR



Features: full 180° view, LED indicator, tough lens, covers 1000 sq. ft, works with electronic ballasts, can be wired in parallel, can be used as a ceiling sensor.

Locke#

- | | | |
|--------------|----------------|---|
| P5564 | LOS800-120v-IV | Ivory switch Occupancy Sensor 800w 120v |
| P5565 | LOS800-12v-W | White switch Occupancy Sensor 800w 120v |

LEE[®] DOOR JAM SWITCH



Furnished with wire leads and galvanized box and cover. "On" when door is opened. 6A, 125A.

Locke#

- | | | |
|--------------|--------|---------------------|
| P0100 | D210DN | Compact Door Switch |
|--------------|--------|---------------------|

LEVITON[®] SLIDE FAN SPEED CONTROL



Locke#

- | | | |
|--------------|---------|-------------------|
| P6046 | 6629-3I | Ivory Fan Control |
| P6047 | 6629-3W | White Fan Control |

LEVITON[®] FAN SPEED CONTROL



Wall Box Fan Speed Controls. RFI Suppressed with low speed adjust-rotary click.

Locke#

- | | | |
|--------------|----------|---|
| P1853 | 6616-1XI | Ivory, 3A, 125V Wall Box Fan Speed Controls |
| P6019 | 6616-1XW | White, 3A, 125V Wall Box Fan Speed Controls |

Pass & Seymour legrand[®] 4 SPEED FAN CONTROL CLEAR KNOB



Locke#

- | | | |
|--------------|----------|---------------------|
| P5517 | 94004-CL | 4 Speed Fan Control |
|--------------|----------|---------------------|

LEVITON[®] ILLUMATECH QUIET STEP ROTARY FAN SPEED CONTROL



1.5 Amp, 120 Volt AC 60Hz, Single-Pole. Can be used with de-humidifiers

Locke#

- | | | |
|--------------|-----------|--|
| P1883 | RTF01-10Z | Ivory, White, Light Almond 1.5A, 3 speed Wall Box Fan Speed Controls |
|--------------|-----------|--|

LEVITON[®] ILLUMATECH ROTARY COMBO FAN SPEED DIMMER CONTROL



1.5 Amp 300W 120 Volt AC 60Hz Single-Pole

Locke#

- | | | |
|--------------|-----------|---|
| P1884 | RTD01-10Z | Ivory, White, Light Almond Fan / Dimmer control |
|--------------|-----------|---|

LEVITON[®] DIMMER SWITCH



2 Knobs included: White & Ivory

Locke#

- | | | |
|--------------|---------|---|
| P3376 | 6602-IW | Ivory/White Dimmer Switch 600W Dial-On/Off 120V |
|--------------|---------|---|

P | **ELECTRIC**

LEVITON[®] ROTARY DIMMER SWITCH



Locke#

P1851 6681-IW Ivory/White Rotary Dimmer Switch - 600W Push-On/Off Single Pole

P1852 6683-IW Ivory/White Rotary Dimmer Switch - 600W Push-On/Off Three Way

LEVITON[®] COMMERCIAL GRADE SINGLE POLE ROTARY DIMMER SWITCH



1000W
1 POLE

Locke#

P1882 61000-I Ivory Rotary Dimmer

P4603 61000-W White Rotary Dimmer

LEVITON[®] TOGGLE DIMMER



600W

Locke#

P3333 6641-I Ivory Single Pole

P3334 6641-W White Single Pole

P3335 6643-I Ivory 3 Way

P3336 6643-W White 3 Way

LEVITON[®] DIMMER KNOB WITH METAL INSERT




Locke#

P3317 26115-I Ivory Knob

P3318 26115-W White Knob

LEVITON[®] DECORA SLIDE DIMMER SWITCH



600W
1 POLE
120V

Locke#

P2032 6631-LI Ivory 1 Pole Dimmer

P2033 6631-LW White 1 Pole Dimmer

LEVITON[®] PRESET S.P./3-WAY SLIDE DIMMER SWITCH



600W
SP/3W
120V

Locke#

P4555 6633-PLI Ivory Preset Dimmer

P4556 6633-PLW White Preset Dimmer

Pass & Seymour L1 legrand[®] ROTARY DIMMER SWITCH



1000W
1 POLE

Locke#

P6369 91101-IV Ivory Rotary Dimmer

LUTRON[®] CENTURION ROTARY DIMMER SWITCH



Locke#

P5054 C1500-BE 1500W Single Pole, Beige Rotary Dimmer Switch

P6206 C1500-WH 1500W Single Pole, White Rotary Dimmer Switch

P5055 C2000-BE 2000W Single Pole, Beige Rotary Dimmer Switch

P6207 C2000-WH 2000W Single Pole, White Rotary Dimmer Switch

LUTRON[®] CENTURION ROTARY DIMMER SWITCH



Locke#

P5052 C600-BE 600W Single Pole, Beige Rotary Dimmer Switch

P6204 C600-WHH 600W Single Pole, White Rotary Dimmer Switch

P5053 C1000-BE 1000W Single Pole, Beige Rotary Dimmer Switch

P6205 C1000-WH 1000W Single Pole, White Rotary Dimmer Switch

LUTRON[®] 600W PUSH ON/OFF DIMMER SWITCH



Locke#

P5050 D600P-IV-H Single Pole, Ivory Push On/Off Dimmer Switch

P5051 D603P-IV-H 3 Way, Ivory Push On/Off Dimmer Switch

P5320 D600P-WH-H Single Pole, White Dimmer Switch

P5321 D603P-WH-H 3 Way, White Push Dimmer Switch

P | ELECTRIC

SWITCHES, dImmer S & r Emo TE I lg HTInG Con Tr oI S

LUTRON AuroRa WIRELESS LIGHTING CONTROL SYSTEM



System includes:
 (5) wall dimmers
 (1) master control
 (1) wireless controller
 (1) central antenna
 (5) designer inserts

Locke#

P5070	AR-ENTRY-WH	Aurora Pack Entry Package White
P5071	AR-ENTRY-LA	Aurora Pack Entry Package Light Almond
P5072	Insert 5	White Designer Insert
P5073	Insert 5	Lite Almond Designer Insert

LUTRON AuroRa WIRELESS LIGHTING CONTROL SYSTEM



System includes:
 (3) wall dimmers
 (2) wall switches
 (1) master control
 (1) wireless controller
 (1) central antenna
 (5) designer inserts

Locke#

P7161	AR-ENT-2S3D-LA	Aurora Pack Entry Package Light Almond
P7162	AR-ENT-2S3D-WH	Aurora Pack Entry Package White

LUTRON AuroRa WIRELESS CONTROLLER



Locke#

P5074	AR-WC-WH	Wireless Controller (white)
--------------	----------	-----------------------------

LUTRON Aviena™ DIMMER SWITCH



Matches the look of the AuroRa wall switches

Locke#

P5256	AN-600-P-WH	600w Dimmer Aviena White
P5257	AN-600P-LA	600w Dimmer Aviena Light Almond
P5258	AN-603P-WH	3way Dimmer Aviena White
P5259	AN-603P-LA	3way Dimmer Aviena Light Almond

LUTRON Aviena™ SWITCH



Matches the look of the AuroRa wall switches

Locke#

P5252	AN-1PS-WH	Single Pole Aviena Switch White
P5253	AN-1PS-LA	Single Pole Aviena Switch Lite Almond
P7175	AN-1PS-BL	Single Pole Aviena Switch Black
P5254	AN-3PS-WH	3way White Aviena Switch
P5255	AN-3PS-LA	3way Switch Aviena Light Almond
P7176	AN-3PS-BL	3way Switch Aviena Light Black

LUTRON CEANA DIMMER



Locke#

P7178	CN-600P-BL	Black Ceana Dimmer
P7179	CN-600P-WH	White Ceana Dimmer
P7180	CN-600P-LA	Light Almond Ceana Dimmer
P7182	CN-603P-BL	Black 3Way Ceana Dimmer
P7183	CN-603P-WH	White 3Way Ceana Dimmer
P7184	CN-603P-LA	Light Almond 3Way Ceana Dimmer

LUTRON faedra SMART DIMMER SWITCH & ACCESSORY



Features:

- Full range dimming: the rocker provides continuous full-range dimming.
- Traditional Styling: the styling of Faedra allows use of a standard faceplate.
- Easy to Install: uses standard wiring.
- Power Failure Memory: dimmer restores lights to prior levels after power interruptions.
- UL Listed: to proper UL standards.

Locke#

P7205	FA600H-WH	Single Pole, White Faedra Smart Dimmer
P7206	FA600H-IV	Single Pole, Ivory Faedra Smart Dimmer
P7208	FA600MH-WH	White Multi-location Dimmer
P7209	FA600MH-IV	Ivory Multi-location Dimmer
P7211	FA-ADH-WH	White Faedra Accessory Dimmer
P7212	FA-ADH-IV	Ivory Faedra Accessory Dimmer

SWITCHES, dImmer S & r Emo TE I lg HTIng Con Tr oI S

LUTRON *Ariadni* TOGGLE DIMMER



600 W

Locke#		
P5046	AY600P-WH-H	White Single Pole
P5047	AY603P-WH-H	White 3 Way
P5048	AY600P-IV-H	Ivory 1 Pole
P5049	AY603P-IV-H	Ivory 3 Way
P5038	AY600P-LA	Lite Almond 1 Pole
P5039	AY603P-LA	Lite Almond 3 Way
P5068	AY10PAL	Almond 1 Pole
P5069	AY103P	Almond 3 Way
P5004	AY600P-BR	Brown 1 Pole
P5005	AY603P-BR	Brown 3 Way
P7217	AY600P-BL	Black 1 Pole
P7218	AY603P-BL	Black 3 Way

1000 W

Locke#		
P6235	AY10PWH	White single pole
P6236	AY103PWH	White 3 Way
P6242	AY10P-IV	Ivory single pole
P6246	AY103P-IV	Ivory 3 Way
P6230	AY10P-LA	Lt. Almond 1 pole
P6231	AY103P-LA	Lt. Almond 3 Way

Fan Con Tr oI S

Locke#		
P6238	AYFSQFWH	White Fan Control
P6265	AYFSQF-IV	Ivory Fan Control
P6100	AYFSQFLA	Lt. Almond control

LUTRON *Ariadni* CONTROLS TOGGLE DIMMER



600 VA (450w)
Low Voltage

Locke#		
P6216	AYLV600PWH	White SP Dim.
P6217	AYLV603PWH	White 3way Dim.
P6218	AYLV600PIV	Ivory SP Dim.
P6228	AYLV603PIV	Ivory 3 way Dim.
P6229	AYLV600PLA	Lt. Almond SP Dim.
P6233	AYLV603PLA	Lt. Almond 3way Dim.

LUTRON *Ariadni* TOGGLE ECO-DIMMER



600 W
Guarantees you at least 15%
energy savings

Locke#		
P4979	AY-603PG-IV	ECO DIM
P4978	AY-603PG-WH	ECO DIM

LUTRON MAESTRO PRESET SMART DIMMER PACKAGES



- Silver button recalls your favorite light level.
- Compatible with most learning remote controls.
- LEDs glow softly in the dark for easy dimmer location and show preset light level when product is off.
- Customizable delayed fade to off lets you leave the room before lights go out.
- Full range dimming possible from up to ten locations.
- Multi-location dimming compatible with 3-way wiring for easy installation and retrofit.
- Power failure memory - Maestro remembers your settings even after a power interruption.
- Superior suppression of interference with radio and TV

Includes: (1) Single-Location smart dimmer with IR receiver, (1) IR transmitter, (1) Claro wallplate

Locke#		
P6232	MIR600THW-WH	White
P7168	MIR600THW-BL	Black
P7169	MIR600THW-BR	Brown

LUTRON MAESTRO COMPANION DIMMER



These remotes work with Maestro dimmers to add another switch location to a room.

Locke#		
P5041	MAR-WH	White Companion
P6213	MAR-IV	Ivory Companion
P7165	MAR-LA	Light Almond Companion
P7166	MAR-BR	Brown Companion
P7167	MAR-BL	Black Companion

LUTRON MAESTRO 600W SINGLE POLE MULTI-LOCATION DIMMER SWITCH



Locke#		
P5040	MA-600-WH	600W White Multi-location Dimmer Switch
P6212	MA-600-IV	600W Ivory Multi-location Dimmer Switch
P7163	MA-600-BR	600W Brown Multi-location Dimmer Switch
P7164	MA-600-BL	600W Black Multi-location Dimmer Switch
P7189	MA-600-LA	600W Light Almond Multi-location Dimmer Switch

LUTRON DIVA LOW VOLTAGE PRESET DIMMER



120v
300w

Locke#		
P7253	DVULV-300P-IV	Single Pole Ivory
P7254	DVULV-300P-LA	Single Pole Light Almond
P7255	DVULV-300P-WH	Single Pole White
P7256	DVULV-303P-IV	3-Way Ivory
P7257	DVULV-303P-LA	3-Way Light Almond
P7258	DVULV-303P-WH	3-Way White

P | ELECTRIC

SWITCHES, dImmer S & r Emo TE I g HTIn g Co n Tr o l S

LUTRON MAESTRO FAN/LIGHT CONTROL AND MAESTRO IR FAN/LIGHT CONTROL WITH REMOTE



- Provides independent control of ceiling paddle fan speed and light level
- Works with virtually all existing wiring - no need for additional wires
- 7 quiet fan speeds provide enhanced range of comfort
- Adjust both fan speed and light level from up to 3 wall locations or from the IR remote control
- Recall your favorite fan speed and light level with the one-touch silver button on the IR remote control
- Lights fade up and down smoothly, allowing your eyes to adjust to changing light levels
- Control uses a fan canopy module to integrate with the fan

Locke#

P7213	MIRLFQTHW-WH	White
	Fan / Light	With Remote
P7215	MIRLFQTHW-LA	Lite Almond
	Fan / Light	With Remote

LUTRON MAESTRO FAN/LIGHT CONTROL COMPANION



Companion fan and light control. Controls One 1A fan/300W halogen or incandescent light. Includes (1) companion control

Locke#

P7174	MALFQ35-BR	Brown
P7140	MALFQ35-BL	Black

LUTRON MAESTRO 1-POLE FAN/LIGHT CONTROL



Single pole fan and light control. Controls One 1A fan/300W halogen or incandescent light. Includes (1) fan/light control, (1) canopy module, (1) wall plate

Locke#

P7214	MALFQHW-WH	White
	Fan / Light	Single Pole
P7216	MALFQHW-LA	Lite Almond
	Fan / Light	Single Pole
P7170	MALFQHW-BR	Brown
	Fan / Light	Single Pole
P7171	MALFQHW-BL	Black
	Fan / Light	Single Pole

LUTRON MAESTRO SINGLE POLE OR MULTI-LOCATION FAN/LIGHT CONTROL



Single pole or **multi-location** fan and light control. Controls One 1A fan/300W halogen or incandescent light. Includes (1) fan/light control, (1) canopy module

Locke#

P7172	MALFQM-BR	Brown
	Fan / Light	Single Pole or 3-way
P7173	MALFQM-BL	Black
	Fan / Light	Single Pole or 3-way

*We appreciate
Your
Business!*

LUTRON MAESTRO DIMMER/ SWITCH



- Single pole
- Dimmer: 300 W
- Switch: 2.5A light or fan

Locke#

P7156	MA-L3S25-WH	White
	Dimmer/Switch	
P7158	MA-L3S25-BR	Brown
	Dimmer/Switch	
P7159	MA-L3S25-BL	Black
	Dimmer/Switch	
P7160	MA-L3S25-IV	Ivory
	Dimmer/Switch	

LUTRON MAESTRO TIMER DIMMERS



- Timer can be set to operate fan or light for 5-60 minutes before turning off automatically.
- Timer has orange LEDs that indicate time remaining before turn-off.
- Single pole
- Dimmer: 300W incandescent
- Timer: 2.5A lighting load or general purpose fan

Locke#

P7141	MA-L3T251-WH	White
	Dimmer Timer	
P7142	MA-L3T251-LA	Light Almond
	Dimmer Timer	
P7143	MA-L3T251-BR	Brown
	Dimmer Timer	
P7144	MA-L3T251-BL	Black
	Dimmer Timer	
P7145	MA-L3T251-IV	Ivory
	Dimmer Timer	

1 Ig HTIn g dImmEr SWITCHES

LUTRON MAESTRO TIMER



- Timer can be set to operate fan or light for 5-60 minutes before turning off automatically.
- Timer has orange LEDs that indicate time remaining before turn-off.
- Single pole
- 5A lighting load (incandescent or MLV only) or 3A general purpose fan

Locke#

P7146	MAT51-WH	White Timer
P7147	MAT51-LA	Light Almond Timer
P7148	MAT51-BR	Brown Timer
P7149	MAT51-BL	Black Timer
P7150	MAT51-IV	Ivory Timer

LUTRON MAESTRO DUAL DIMMER



- Single pole
- 300W each dimmer

Locke#

P7151	MA-L3L3-WH	White Dual Dimmer
P7152	MA-L3L3-LA	Light Almond Dual Dimmer
P7153	MA-L3L3-BR	Brown Dual Dimmer
P7155	MA-L3L3-IV	Ivory Dual Dimmer

LUTRON MAESTRO ECO-DIMMER



600 W
Guarantees you at least 15% energy savings

Locke#

P4972	MA-600G-IV	ECO DIM MAESTRO
P4971	MA-600G-WH	ECO-DIM MAESTRO

LUTRON DIVA PRESET DIMMER



Locke#

P5042	DV600P-WH	1 Pole, White Preset Dimmer Switch 600w
P6208	DV600P-IV	1 Pole, Ivory Preset Dimmer Switch 600w
P5063	DV600P-AL	1 Pole, Almond Preset Dimmer Switch 600w
P5066	DV600P-LA	1 Pole, Lite Almond Preset Dimmer Switch 600w
P5065	DV10P-AL	1 Pole, Almond Preset Dimmer Switch 1000w
P5081	DV10P-LA	1 Pole, Light Almond Preset Dimmer 1000w
P5043	DV603P-WH	3 Way, White Preset Dimmer Switch 600w
P6209	DV603P-IV	3 Way, Ivory Preset Dimmer Switch 600w
P5064	DV603P-AL	3 Way, Almond Preset Dimmer Switch 600w
P5067	DV603P-LA	3 Way, Lite Almond Preset Dimmer Switch 600w
P5084	DV103P-LA	3 Way, Lite Almond Preset Dimmer Switch 1000w

LUTRON DIVA PRESET ECO-DIMMER



600 W
Guarantees you at least 15% energy savings

Locke#

P4975	DV603PG-IV	Eco-Dim 600w
P4973	DV603PG-WH	Eco-Dim 600w

LUTRON DIVA CFL/LED DIMMER



Locke#

P7122	DVCL153P-IV	1 Pole or 3 Way, Ivory 600w
P7131	DVCL153P-W	1 Pole or 3 Way, White 600w
P7132	DVCL153P-AL	1 Pole or 3 Way, Almond 600w
P7133	DVCL153P-LA	1 Pole or 3 Way, Light Almond 600w

LUTRON 600W SKYLARK SLIDE DIMMER SWITCH



Locke#

P5044	S600P-WH-H	Single Pole, White Slide Dimmer Switch
P6210	S600P-IV-H	Single Pole, Ivory Slide Dimmer Switch
P5045	S603P-WH-H	3 Way, White Slide Dimmer Switch
P6211	S603P-IV-H	3 Way, Ivory Slide Dimmer Switch

LUTRON FASSADA WALLPLATE



No Visible Screw!

Locke#

P5269	FW1-WH	1-gang White Fassada No Visible Screw
P5270	FW1-LA	1-gang Light Almond Fassada No Visible Screw
P5271	FW2-WH	2-gang White Fassada No Visible Screw
P5272	FW2-LA	2-gang Light Almond Fassada No Visible Screw
P4994	FW3-WH	3-gang White Fassada No Visible Screw
P4995	FW4-WH	4-gang White Fassada No Visible Screw

LUTRON CLARO WALLPLATE




No Visible Screw!

Locke#

P5273	CW1-WH	1-gang White
P5274	CW1-LA	1-gang Light Almond
P5275	CW2-WH	2-gang White
P5281	CW2-LA	2-gang Light Almond
P4980	CW3-WH	3-gang White
P4987	CW4-WH	4-gang White



ON-OFF PUSH CANOPY



ON-OFF. For lamps and appliances. Single pole, single throw.
 1 amp, 250V AC
 2 amp, 125V T
 3 amp, 125V
 6 amp, 120V AC

Locke#

P2464 76090PW Brass Push Canopy

P2465 76100PW Nickel Push Canopy



METALLIC KNOB ROTARY CANOPY



ON-OFF. For ceiling fixtures and lamps. Single pole, single throw.
 1 amp, 250V
 3 amp, 125V
 1 amp, 125V T
 6 amp, 120V AC

Locke#

P2472 77340RW Metallic Knob Rotary Canopy



PLASTIC KNOB ROTARY CANOPY



ON-OFF. For ceiling fixtures and lamps. Single pole, single throw.
 1 amp, 250V
 3 amp, 125V
 1 amp, 125V T
 6 amp, 120V AC

Locke#

P2471 6446 Plastic Knob Rotary Canopy



3 WAY ROTARY CANOPY




OFF-ON-ON-ON. For ceiling fixtures and lamps. Single pole, triple throw.
 1 amp, 250V
 3 amp, 125V T

Locke#

P2473 GSW-62 2 Circuit Rotary Canopy



ON-OFF PULL CHAIN



Easy pull: ON-OFF
 For ceiling fixtures and lamps. Stripped 6 inch leads, single pole, single throw.
 1 amp, 125V T
 1 amp, 250V
 3 amp, 125V ACL
 6 amp, 125V AC
 3 amp, 125V


Locke#

P2450 75101CW Brass Pull Chain

P2451 75102CW Nickel Pull Chain



2 SPEED PULL CHAIN




Easy pull: OFF-ON-ON
 For ceiling fans. Stab type connections.
 1.5 amp, 250V ACL
 3 amp, 250V AC
 6.0 amp, 125V AC

Locke#

P2452 GSW-33 2 Speed Pull Chain



3 SPEED PULL CHAIN



Easy pull: OFF-ON-ON-ON
 For ceiling fans. Stab type connections.
 1.5 amp, 250V ACL
 3 amp, 250V AC
 6.0 amp, 125V AC

Locke#

P2453 75111CQ 3 Speed Pull Chain



MOMENTARY CONTACT




OFF-ON. For door bells and buzzers. Single pole, single throw.
 3 amp, 240V AC
 6 amp, 120V AC

Locke#

P2466 76065PS Momentary Contact



PUSH BUTTON



ON-OFF. For lamps and appliances. Stripped 6" leads. 1 pole, single throw.
 4 amp, 250V AC
 8 amp, 125V
 10 amp, 125V AC
 1/3 HP, 125V AC

Locke#

P2467 76010PW Push Button



PUSH BUTTON




Push button. Normally on. Single pole, single throw.
 1.5 amp, 277V AC
 3 amp, 120V AC

Locke#

P5431 GSW-23 Push Button



LIGHTED ROCKER




Fits .550" x 1.125" panel cutout. For appliances. Single pole, single throw.
 7.5 amp, 250V AC
 15 amp, 125V AC

Locke#

P5432 77150RQ Lighted Rocker



ROCKER SWITCH



ON-OFF. For stoves and appliances. 1 pole, single throw. Fits 7/16" x 1" opening.
 4 amp, 125/250V AC inductive
 16 amp, 125/250V AC resistive
 20 amp, 125/250V AC resistive

Locke#


P2469 77140RQ Rocker Switch

P | ELECTRIC

Toggl E SWITCHES



RUBBER COVER FOR TOGGLE SWITCHES



Durable rubber cover and nut. Protects from moisture and dust.
Packed 2 per card.


Locke#

P2470 79300MS Cover for Toggle Switches



GB Electrical Inc.

BALL HANDLE TOGGLE




Smooth action: ON-OFF
For small power tools and appliances. Single pole, single throw.
6 amp, 120V AC
3 amp, 240V AC

Locke#

P2454 QSW124 Ball Handle Toggle



HEAVY DUTY TOGGLE



Smooth action: ON-OFF
For power tools and appliances. Single pole, single throw.
10 amp, 250V AC
20 amp, 125V AC


¾ HP, 125/250V AC

Locke#

P2455 78050TQ Heavy Duty Toggle



HEAVY DUTY TOGGLE



Smooth action: ON-OFF-ON
For power tools and appliances. Single pole, double throw.
10 amp, 250V AC
20 amp, 125V AC


¾ HP, 125/250V AC

Locke#

P2456 78160TS Heavy Duty Toggle



MEDIUM DUTY TOGGLE



Smooth: ON-OFF
For small power tools and appliances. Single pole, single throw. Stripped 6 inch leads.
4 amp, 250V AC
8 amp, 125V AC
10 amp, 125V AC
1/3 HP, 125V AC


Locke#

P2457 78150TW Medium Duty Toggle



GB Electrical Inc.

HEAVY DUTY TOGGLE



Smooth: ON-ON.
For power tools and appliances. Single pole, double throw.
10 amp, 250V AC
20 amp, 125V AC
¾ HP, 125/250V AC

Locke#

P2458 GSW12 Heavy Duty Toggle



MEDIUM DUTY TOGGLE



Smooth: ON-OFF.
For small power tools and appliances. Single pole, single throw.
15 amp, 125V AC
10 amp, 240V AC


Locke#

P2459 78110TS Medium Duty Toggle



GB Electrical Inc.

HEAVY DUTY TOGGLE



Smooth: ON-OFF
For appliances. Double pole, single throw.
20 amp, 125V AC
10 amp, 250V AC
1-½ HP, 125/250V


AC

Locke#

P2460 GSW14 Heavy Duty Toggle



HEAVY DUTY TOGGLE



Smooth action: ON-OFF-ON
For power tools and appliances. Double pole, double throw.
10 amp, 250V AC
20 amp, 125V AC


1-½ HP, 125/250V AC

Locke#

P2461 78230TS Heavy Duty Toggle



HEAVY DUTY TOGGLE



Smooth action: ON-ON
Double pole, double throw.
10 amp, 250V AC
20 amp, 125V AC
1-½ HP, 125-250V AC


Locke#

P5430 78270TS Heavy Duty Toggle



GB Electrical Inc.

NONMETALLIC TOGGLE



Smooth action: ON-OFF
For marine and RV applications. Single pole, single throw.
10 amp, 250V AC
20 amp, 125V


Locke#

P2462 GSW19 Non-metallic Toggle



Wiring Device-Kellems

NONMETALLIC TOGGLE



Smooth action: ON-OFF-ON
For marine and RV applications. Double pole, double throw.
10 amp, 250V AC
20 amp, 125V

Locke#

P2463 6418 Non-metallic Toggle

P | ELECTRIC

LEVITON® FLUSH RECEPTACLE

For Dryers & Ranges

3 Pole, 3 Wire NEMA 10-30R



Sturdy construction. Clamp elevator-type terminals. Back wired. Single or double gang box, or 4" or 4 1/16" square box. Black. 125/250 Volts.

Locke#

P0012 5207 Black 30 amps


LEVITON® FLUSH RANGE RECEPTACLE



Locke#

P0013 5206 Black - 50 amps

LEVITON® FLUSH DRYER POWER RECEPTACLE




NEMA 14-30R

Sturdy construction, brown bake lite. Clamp elevator-type terminals. Back wired. Single or double gang box, or 4" or 4n" square box. Brown. 125/250 Volts.

Locke#

P0022 278 30 amps - 4 Wire

LEVITON® FLUSH RANGE POWER RECEPTACLE



NEMA 14-50R

Sturdy construction, brown bake lite. Clamp elevator-type terminals. Back wired. Single or double gang box, or 4" or 4n" square box. Brown. 125/250 Volts.

Locke#

P0023 279 50 amps - 4 Wire

LEVITON® TRAVEL TRAILER RECEPTACLE



NON NEMA CONF.

For Recreational Vehicles. Used to accept 30A male plug from RV.

Locke#

P2670 7313 30A, 125V Receptacle

LEVITON® AIR CONDITIONER RECEPTACLES



2 Pole, 3 Wire NEMA 6-20R

Takes to #10 wire, has double-wipe contacts, screws staked & backed out. Tandem & "T" configuration accommodates 20 amp capacity.

Locke#

P0016 5821 Brown - 20 amps

P0017 5821-I Ivory - 20 amps

P4576 5821-W White - 20 amps

P8414 5821-T LiteAlmond-20A, 250V

LEVITON® FLUSH MOUNTED RECEPTACLE



2 Pole, 3 Wire

No need to disassemble receptacle prior to wiring. Phosphor bronze "extra pressure contacts". Back wired terminals accessible


for easy wiring. Heavy duty construction.

Locke#

P1881 5372 Black-30 amps, 2P, 3W

P1842 5374 Black-50 amps, 2P, 3W

LEVITON® SINGLE RECEPTACLE



125 Volt, NEMA 5-20R

Locke#

P6306 5801I Ivory - 20A, 125V

P6307 5801W White - 20A, 125V

P8413 5801T LiteAlmond-20A,125V

Pass & Seymour L1 legrand® SINGLE RECEPTACLE

20 Amp, 4 Wire, 125/250V



Locke#

P4580 3820 20A, 4 wire, 125/250V single receptacle

LEVITON® SURFACE RECEPTACLE

3 Pole, 3 Wire, NEMA 10-30R



Combination 3/4" and 1" knockouts at one end and at the back. UL listed. 125/250v. Brown.

Locke#

P0014 5054-2 Brown - 30A Surface Dryer Receptacle

LEVITON® SURFACE RANGE RECEPTACLE

3 Pole, 3 Wire, NEMA 10-50R



Combination 3/4" and 1" knockouts at one end and at the back. UL listed. 125/250v. Brown.

Locke#

P0015 5050 Brown - 50A Surface Range Receptacle

LEVITON® SURFACE MOUNT WELDER RECEPTACLE

2 Pole, 3 Wire, NEMA 6-50



Locke#

P2283 5378 50A, 250v

LEVITON®
SPECIFICATION GRADE
HEAVY DUTY "U"
GROUNDING RECEPTACLE
4 Wire, NEMA 14-50R



Locke#

P2061	55050	50A, 125/250v 4 Wire	Surface Range Receptacle
--------------	-------	----------------------	--------------------------

LEVITON®
SPECIFICATION GRADE
HEAVY DUTY "U"
GROUNDING RECEPTACLE
4 Wire, NEMA 14-30



Locke#

P2062	55054	30A, 125/250v 4 Wire	Surface Dryer Receptacle
--------------	-------	----------------------	--------------------------

LEVITON®
DUPLEX LOCKING
RECEPTACLE
 Industrial Grade
 NEMA L5-15R, Industrial Grade,
 Isolated Ground.



Locke#

P8467	4700-IG	Orange -15A, 125v
--------------	---------	-------------------

LEVITON®
SINGLE LOCKING
RECEPTACLE
 Industrial Grade
 NEMA L5-15R, Industrial Grade,
 Isolated Ground.



Locke#

P8468	4710-IG	Orange -15A, 125v
--------------	---------	-------------------

LEVITON®
SINGLE RECEPTACLE
FEDERAL SPEC.



NEMA 5-15R

Locke#

P0021	5015-I	Ivory-15A, 125V
P2282	5015-W	White-15A, 120V
P8403	5015-T	LiteAlmond-15A, 125V

LEVITON®
SPEC. GRADE RECEPTACLE



SIDE WIRED
 NEMA 5-15R

Locke#

P1409	5242	Brown-15A,125V
P1410	5242-I	Ivory-15A, 125V
P4566	5242-W	White-15A, 125V

BACK AND SIDE WIRED, NEMA 5-20R

Locke#

P1422	5352-I	Ivory-20A,125V
--------------	--------	----------------

LEVITON®
DUPLEX RECEPTACLE



Side Wired, Self-Grounding Commercial
 Grade, Nema 5-20r

Locke#

P2057	CR20	Brown-20A,125V
P2058	CR20-I	Ivory-20A, 125V
P4568	CR20-W	White-20A, 125V
P6540	CR20-GY	Gray-20A, 125V
P8450	CR20-T	Lt.Almond-20A, 125v

LEVITON®
DUPLEX RECEPTACLES
Two Pole, 3 Wire



Heavy duty lite housing built to
 specification grade. 7/8" long
 mounting screws. 15A-125V,
 NEMA 5-15R.

Locke#

P0005	5320-OCP	Brown-15A,125V
P0006	5320-ICP	Ivory-15A, 125V
P0870	5320-WCP	White-15A,125V
P8407	5320-TCP	LiteAlmond-15A,125V
P8110	BR15-E	Black-15A,125V

LEVITON®
ISOLATED GROUND
RECEPTACLE



NEMA 5-15R

Locke#

P2137	5262-IG	15A,125V Receptacle
--------------	---------	---------------------

LEVITON®
DUPLEX RECEPTACLE
 Copper/Aluminum Rated Wiring
 Devices



Locke#

P0105	12650-I	Ivory-15A,125 V
P0106	12650-W	White-15A, 125V

LEVITON®
NON-GROUNDED DUPLEX
RECEPTACLES



Locke#

P6549	223-I	Ivory- 15 amps
P0034	223	Brown- 15 amps
P0036	223-W	White- 15 amps

P | ELECTRIC

LEVITON®
**COMMERCIAL GRADE
 DUPLEX RECEPTACLE**
 NEMA 5-15R



Locke#

P3323	CR15I	Ivory 15A, 120v
P4573	CR15W	White 15A, 120v
P8449	CR15T	Lite Almond 15A, 120v
P4575	CR15GY	Gray 15A, 120v

LEVITON®
**ISOLATED DUPLEX
 GROUND RECEPTACLE**



Locke#

P3326	5362-IG	Orange 20 Amp 125V Duplex Receptacle Industrial Grade
--------------	---------	---

LEVITON®
CLOCK HANGER




Single receptacle on recessed wall plate with strong hook for hanging heavy clocks.

Locke#

P3345	688-I	Ivory- 15 amps, 125V with clock hanger
P3348	688-W	White- 15 amps, 125V with clock hanger

LEVITON®
DECORA RECEPTACLE



HT-885 DECOR. SERIES
 SIDE OR SPEED WIRE
 NEMA 5-15

Locke#

P2036	5325	Brown-15A, 125V
P2059	5325-I	Ivory-15A, 125V
P2060	5325-W	White-15A, 125V
P8408	5325-T	LiteAlmond-15A,125V
P8120	5325-E	Black-15A, 125V

LEVITON®
SMARTLOCK PRO™ GFCI
*with Professional Grade
 Lockout Action*



Features and Benefits:
Lockout Action

- Automatically tests the GFCI every time the RESET button is pushed in. The GFCI will not reset if the GFCI circuit is not functioning properly
- A line-load reversal diagnostic feature is provided which prevents the GFCI from being reset and stops power from being fed to the GFCI receptacle face or through to downstream devices.
- The trip latching mechanism in SmartLock PRO GFCIs is a one-piece "T" design for efficient operation

General

- Meets or exceeds UL requirements
- Packed with coordinating wallplate
- Leviton's Limited Two-Year Warranty

Locke#

P8484	7599	Brown 15A GFCI
P8485	7599E	Black 15A GFCI
P8486	7599GY	Gray 15A GFCI
P8487	7599I	Ivory 15A GFCI
P8488	7599T	Lite Almond 15A GFCI
P8489	7599W	White 15A GFCI
Locke#		
P8493	7899GY	Gray 20A GFCI
P8494	7899I	Ivory 20A GFCI
P8495	7899T	Lite Almond 20A GFCI
P8496	7899W	White 20A GFCI
Locke#		
P6539	8898HGG	Gray 20A Hospital Grade GFCI

Pass & Seymour
LT legrand®
GFCI RECEPTACLE




15 AMP, 120v

Locke#

P9700	1595W	White GFCI 15a
--------------	-------	----------------

LEVITON®
**COMBINATION SWITCH /
 GFCI RECEPTACLE**
 WITH WALL PLATE



Locke#

P4559	7299NI	Ivory-Combination Switch/ GFCI
P4560	7299NW	White-Combination Switch/ GFCI

LEVITON®
**GFCI SWITCH MOTOR
 CONTROL**

Feed-Thru Design Blank Face



For installation within 10 feet of swimming pool to minimize nuisance tripping and provide convenient reset capability. Also for installation in industrial controls equipment as required by Underwriters' Laboratories.

Locke#

P0375	8590RBI	Ivory Feed thru GFCI Smart Lock
P0376	8590RBW	White Feed thru GFCI Smart Lock
P0378	8590T	Lite Almond Feed thru GFCI Smart Lock


**COMPETITIVE GFCI
 RECEPTACLE**
 15 AMP, 125 V



Locke#

P1050	GF15IL	15A IVORY GFCI
P1051	GF15WL	15A WHITE GFCI
P1052	GF15AL	15A LIGHT ALMOND GFCI

LEVITON®
TVSS STRAIGHT BLADE
RECEPTACLE




HOSPITAL GRADE,
BACK & SIDE
WIRED, 2 Pole, 3
Wire
NEMA 5-15R

Locke#

P0032 8280-I Ivory, 15A, 125V

LEVITON®
TWIST-LOCK RECEPTACLES



1 Phase, 4 Wire 125/250 Volt

Locke#

P5488 2410 20A, 125/250v, 4 Wire Locking Receptacle, NEMA L14-20R

P5491 2710 30A, 125/250v, 4 Wire Locking Receptacle, NEMA L14-20R

LEVITON®
TWIST-LOCK RECEPTACLES



1 Phase, 3-Wire, 125/250 Volt
Non-NEMA

Locke#

P5500 7310B 20 amp, 125/250 V

P5503 3330 30 amp, 125/250 V

LEVITON®
3 WIRE LOCKING
RECEPTACLE



Locke#


P2080 2310 20A, 125v, NEMA L5-20R

P2081 2320 20A, 250v, NEMA L6-20R

P2082 2610 30A, 125v, NEMA L5-30R

P2083 2620 30A, 250v, NEMA L6-30R

LEVITON®
TWIST-LOCK RECEPTACLE




20 amp, 277 Volt
NEMA L7-20R

Locke#

P2097 2330 20A Twist lock, NEMA L7-20R

LEVITON®
TWIST-LOCK RECEPTACLE
PLUG & CONNECTOR



3 Phase, 4 Wire 30 Amp,
480 Volt


Locke#

P2255 2760 30A Locking Receptacle

P2256 2761 4 Wire Locking Plug
NEMA L19-30P

P2257 2763 30A Locking connector
NEMA L19-30R

LEVITON®
TWIST-LOCK RECEPTACLE




3 Phase, 4 wire 250 Volt

Locke#

P5494 2420 20a, NEMA L15-20R

P5497 2720 30a, NEMA L15-30R

LEVITON®
TWIST-LOCK RECEPTACLE



15 amp, 277 Volt

Locke#

P2092 4760 15A Twist lock
receptacle, NEMA L7-15R

LEVITON®
FLANGED INLET LOCKING
RECEPTACLE




3P, 4W, Grounding.

Locke#

P9165 2415 20A, 125/250v,
Flanged Inlet Locking
Receptacle, Industrial Grade,
White, NEMA L14-20R

P9166 2715 30A, 125/250v,
Flanged Inlet Locking
Receptacle, Industrial Grade,
White, NEMA L14-20R

LEVITON®
TWIST-LOCK
RECEPTACLE PLUG &
CONNECTOR



3 Phase,
4 Wire,
20 Amp, 480v

Locke#

P2293 2430 20A Locking
Receptacle, NEMA L16-20R

P2294 2431 4 Wire Locking Plug,
NEMA L16-20P

P2299 2433 20A Locking
Connector, NEMA L16-20R

**HIGH CURRENT
SMARTLOCK® GFCI**



High Current GFCI Contact
rating at GFCI: 20A 125V
load capability with 125V
control relay: 80A @ 240V
max.

Note: The 8895 is wired in
conjunction with a switching
contactor or relay supplied
by the customer. Each 8895
and contactor combination
MUST be reviewed and

approved by UL. Consult Leviton, Little Neck,
for a list of combinations approved to date.

Locke#

P9815 8895W 20A High Current
SmartLock® GFCI

P | ELECTRIC

LEVITON[®] TAMPER RESISTANT GFCI RECEPTACLES



Locke#	
P9080	T7599 15a GFCI Tamper resist duplex receptacle Brown
P9081	T7599E 15a GFCI Tamper resist duplex receptacle Black
P9082	T7599GY 15a GFCI Tamper resist duplex receptacle Grey
P9083	T7599I 15a GFCI Tamper resist duplex receptacle Ivory
P9084	T7599T 15a GFCI Tamper resist duplex receptacle Lite Almond
P9085	T7599W 15a GFCI Tamper resist duplex receptacle White
P9227	W7599TRW 15a Tamper-resist outdoor grade GFCI with LED indicator (NEMA 5-15R) White
P9228	W7599TRE 15a Tamper-resist outdoor grade GFCI with LED indicator (NEMA 5-15R) Black
P9087	T7899I 20a GFCI Tamper resist duplex receptacle Ivory
P9088	T7899T 20a GFCI Tamper resist duplex receptacle Lite Almond
P9089	T7899W 20a GFCI Tamper resist duplex receptacle White
P9090	T7899 20a GFCI Tamper resist duplex receptacle Brown
P9229	W7899TRW 20a Tamper-resist outdoor grade GFCI with LED indicator (NEMA 5-20R) White
P9230	W7899TRE 20a Tamper-resist outdoor grade GFCI with LED indicator (NEMA 5-20R) Black

LEVITON[®] TAMPER RESISTANT RECEPTACLES 20A



Locke#	
P9186	T5020 20a 5-20R Tamper resist Single receptacle Brown
P9187	T5020I 20a 5-20R Tamper resist Single receptacle Ivory
P9188	T5020W 20a 5-20R Tamper resist Single receptacle White

LEVITON[®] TAMPER RESISTANT RECEPTACLES



Locke#	
P9072	T5320 15a 5-15R Tamper resist duplex receptacle Brown
P9073	T5320E 15a 5-15R Tamper resist duplex receptacle Black
P9074	T5320I 15a 5-15R Tamper resist duplex receptacle Ivory
P9075	T5320T 15a 5-15R Tamper resist duplex Lt. Almond
P9076	T5320W 15a 5-15R Tamper resist duplex receptacle White



P9095	T5325 15a Tamper resist decora duplex Brown
P9096	T5325E 15a Tamper resist decora duplex Black
P9097	T5325I 15a Tamper resist decora duplex Ivory
P9098	T5325T 15a Tamper resist decora duplex Lite Almond
P9099	T5325W 15a Tamper resist decora duplex White

LEVITON[®] TAMPER RESISTANT RECEPTACLES 15A



Locke#	
P9180	T5015 15a 5-15R Tamper resist Single receptacle Brown
P9181	T5015I 15a 5-15R Tamper resist Single receptacle Ivory
P9182	T5015W 15a 5-15R Tamper resist Single receptacle White

LEVITON[®] TAMPER RESISTANT COMMERCIAL RECEPTACLES



Locke#	
P9190	TBR15 15a Comm. Tamper resist duplex receptacle Brown
P9191	TBR15GY 15a Comm. Tamper resist duplex receptacle Grey
P9192	TBR15I 15a Comm. Tamper resist duplex receptacle Ivory
P9193	TBR15W 15a Comm. Tamper resist duplex receptacle White
P9200	TBR20 20a Comm. Tamper resist duplex receptacle Brown
P9201	TBR20GY 20a Comm. Tamper resist duplex receptacle Grey
P9202	TBR20I 20a Comm. Tamper resist duplex receptacle Ivory
P9203	TBR20W 20a Comm. Tamper resist duplex receptacle white

LEVITON[®] TAMPER & WEATHER RESISTANT RECEPTACLES



Locke#	
P9196	TWR15GY 15a Tamper & weather resist duplex receptacle grey
P9197	TWR15W 15a Tamper & weather resist duplex receptacle White
P9198	TWR20YEL 20a Tamper & weather resist duplex receptacle yellow
P9199	TWR20W 20a Tamper & weather resist duplex receptacle White

Thomas&Betts POP-UP KITCHEN GFCI



Locke#	
P9816	KPR-15G-BRZ Pop-Up GFCI Oil Rubbed Bronze
P9817	KPR-15G-NKL Pop-Up GFCI Nickel